




# CONNECTORSELECTOR

A Reference Guide to DEUTSCH Industrial Electrical Connectors and Accessories

# CONNECTORSELECTOR

A supplement to the DEUTSCH industrial product catalog



## Table of Contents

<b>2</b>	<b>DEUTSCH Performance Specifications</b> <i>General Technical Specifications of DEUTSCH Industrial Connectors</i>
<b>3</b>	<b>Connector Series Overview</b> <i>Features of DEUTSCH Connector Series</i>
<b>6</b>	<b>Electrical Connectors</b> <i>Environmentally Sealed Connectors, 1-128 Cavities</i>
<b>54</b>	<b>Secondary Wedgelocks</b> <i>Wedgelocks Required for Connector Series</i>
<b>57</b>	<b>Connector Accessories</b> <i>Enclosures, Backshells, Boots, Dust Covers, Strain Relief, Sealing Plugs, Removal Tools, Mounting Accessories, Replacement Components</i>
<b>71</b>	<b>Contacts</b> <i>Solid and Stamped &amp; Formed Pins and Sockets</i>
<b>75</b>	<b>Crimp Tooling-Solid Contacts</b> <i>Production/Hand Crimp Tools for Solid Contacts</i>
<b>76</b>	<b>Crimp Tooling-Stamped &amp; Formed Contacts</b> <i>Production/Hand Crimp Tools for Stamped &amp; Formed Contacts, Die Replacement Components</i>
<b>80</b>	<b>DEUTSCH Modification List</b> <i>Common DEUTSCH Industrial Connector Modifications</i>
<b>86</b>	<b>Glossary</b> <i>Common Terms and Definitions</i>

# DEUTSCH Performance Specifications

<b>Dielectric Withstanding Voltage</b>	Current leakage less than 2 milliamps at 1500 VAC.			
<b>Durability</b>	No electrical or mechanical defects after 100 cycles of engagement or disengagement.			
<b>Fluid Resistance</b>	Connectors show no damage when exposed to most fluids used in industrial applications.			
<b>Insulation Resistance</b>	1000 megohms minimum at 25° C.			
<b>Moisture Resistance</b>	Properly wired and mated connections will withstand immersion under three feet of water without loss of electronic qualities or leakage. WT Series withstands immersion under four feet of water. IMC Series and Quick Connect Series are rated IP68.			
<b>Physical Shock</b>	No unlocking, unmating, or other unsatisfactory result during or after 50 G's in each of three mutually perpendicular planes. No electrical discontinuities longer than 1 microsecond. MIL-STD 202, Method 213, Condition "C".			
<b>Temperature</b>	Operating at temperatures from -55° C to +125° C continuous at rated current. DTMH Series and Quick Connect Series: -55° C to +150° C. IMC Series and WT Series: -55° C to +175° C.			
<b>Thermal Cycle</b>	No cracking, chipping, or leaking after 20 test cycles from -55° C to +125° C.			
<b>Vibration</b>	No unlocking or unmating and exhibits no mechanical or physical damage after sinusoidal vibration levels of 20 G's at 10 to 2000 Hz in each of the three mutually perpendicular planes. No electrical discontinuities longer than 1 microsecond.			
<b>Voltage</b>	Up to 1000 VAC (rms) IMC Series and Quick Connect Series only.			
<b>Contact Retention</b>	Contacts withstand a minimum load of:			
	<b><u>Contact Size</u></b>	<b><u>Load</u></b>		
	Ø12mm	56 lbs.		
	Ø8mm	56 lbs.		
	4	35 lbs.		
	8	35 lbs.		
	12	30 lbs.		
	16	25 lbs.		
	20	20 lbs.		
<b>Contact Current Rating @ 125° C (continuous)</b>	<b><u>Contact Size</u></b>	<b><u>Max. Current</u></b>		
	Ø12mm	300 amps*		
	Ø8mm	150 amps*		
	4	100 amps		
	8	60 amps		
	12	25 amps		
	16	13 amps		
	20	7.5 amps		
	*Max current is achieved when using max wire gauge only			
<b>Contact Millivolt Drop</b>	<b><u>Wire AWG</u></b>	<b><u>Test Current</u></b>	<b><u>Millivolt Drop* Solids</u></b>	<b><u>Millivolt Drop* S&amp;F</u></b>
	4	100 amps	60	N/A
	8	60 amps	60	N/A
	12	25 amps	60	100
	16	13 amps	60	100
	20	7.5 amps	60	100
	*Less drop through wire			
<b>Crimp Tensile Strength</b>	<b><u>Contact Size</u></b>	<b><u>Tensile Strength Solids</u></b>	<b><u>Tensile Strength S&amp;F</u></b>	
	Ø12mm	639-898 lbs.	N/A	
	Ø8mm	367-598 lbs.	N/A	
	4	300 lbs.	N/A	
	8	90 lbs.	N/A	
	12	70 lbs.	70 lbs	
	16	25 lbs.	25 lbs.	
	20	20 lbs.	20 lbs.	

# Connector Series Overview

## AEC Series



- Accepts contact size 16 (13 amps)
- 14-20 AWG
- 40 cavity arrangement
- In-line or PCB mount
- Square, thermoplastic housing
- Jackscrew for mating

## DRB Series



- Accepts contact sizes 4 (100 amps), 8 (60 amps), 12 (25 amps), 16 (13 amps), and 20 (7.5 amps)
- 6-22 AWG
- 48, 60, 102, and 128 cavity arrangements
- Flange mount
- Rectangular, thermoplastic housing
- Jackscrew for mating
- Wedgelocks confirm contact alignment and retention

## DRC Series



- Accepts contact sizes 16 (13 amps) and 20 (7.5 amps)
- 14-22 AWG
- 24, 38, 40, 50, 60, 64, 70, and 80 cavity arrangements
- In-line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Jackscrew for mating

## DRCP Series



- Accepts contact sizes 12 (25 amps) and 20 (7.5 amps)
- 10-22 AWG
- 86 and 126 cavity arrangements
- Flange or PCB mount
- Rectangular, thermoplastic housing
- Jackscrew for mating
- TPA confirms contact alignment and retention

## DT Series



- Accepts contact size 16 (13 amps)
- 14-20 AWG
- 2, 3, 4, 6, 8, and 12 cavity arrangements
- In-line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks confirm contact alignment and retention

## DTHD Series



- Accepts contact sizes 4 (100 amps), 8 (60 amps), and 12 (25 amps)
- 6-14 AWG
- 1 cavity arrangement
- In-line or flange mount
- Circular, thermoplastic housing
- Integrated latch for mating

# Connector Series Overview

## DTM Series



- Accepts contact size 20 (7.5 amps)
- 16-22 AWG
- 2, 3, 4, 6, 8, and 12 cavity arrangements
- In-line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks confirm contact alignment and retention

## DTP Series



- Accepts contact size 12 (25 amps)
- 10-14 AWG
- 2 and 4 cavity arrangements
- In-line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks confirm contact alignment and retention

## DTSK Series



- Accepts contact size Ø8mm (150 amps)
- 2-6 AWG
- 1 cavity arrangement
- In-line
- Circular, thermoplastic housing
- Integrated latch for mating
- TPA confirms contact alignment and retention

## DTV Series



- Accepts contact size 16 (13 amps)
- 14-20 AWG
- 18 cavity arrangement
- Flange mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks confirm contact alignment and retention

## HD10 Series



- Accepts contact sizes 4 (100 amps), 12 (25 amps), and 16 (13 amps)
- 6-20 AWG
- 3, 4, 5, 6, and 9 cavity arrangements
- In-line, flange, or PCB mount
- Circular, thermoplastic housing
- Coupling ring for mating

## HD30 Series



- Accepts contact sizes 4 (100 amps), 8 (60 amps), 12 (25 amps), 16 (13 amps), and 20 (7.5 amps)
- 6-22 AWG
- 2, 6, 8, 9, 14, 16, 18, 19, 20, 21, 23, 29, 31, 33, 35 and 47 cavity arrangements
- In-line or flange mount
- Circular, aluminum housing
- Coupling ring for mating

# Connector Series Overview

## HDP20 Series



- Accepts contact sizes 4 (100 amps), 8 (60 amps), 12 (25 amps), 16 (13 amps), and 20 (7.5 amps)
- 4-22 AWG
- 2, 6, 7, 8, 9, 14, 16, 18, 19, 20, 21, 23, 29, 31, 33, 35 and 47 cavity arrangements
- In-line or flange mount
- Circular, thermoplastic housing
- Coupling ring for mating

## IMC Series



- Accepts contact sizes 16 (13 amps), 20 (7.5 amps), and 22 (5 amps)
- 16-26 AWG
- 2, 3, 4, 5, 7, and 12 cavity arrangements
- In-line or flange mount
- Circular, Ultem® housing
- Coupling ring for mating

## Quick Connect Series



- Accepts contact sizes 16 (13 amps), 20 (7.5 amps), and 22 (5 amps)
- 16-26 AWG
- 2, 7, and 12 cavity arrangements
- In-line or flange mount
- Circular, Ultem® housing
- Push button mechanism for mating

## Strike Series



- Accepts contact sizes Ø12mm (300 amps), Ø8mm (150 amps), 12 (25 amps), 16 (13 amps) and 20 (7.5 amps)
- 3/0-22 AWG
- 1, 4, 8, 18, 22, 32, 36, 50, and 64 cavity arrangements
- In-line, flange, or PCB mount
- Square, thermoplastic housing
- Lever for mating
- TPA confirms contact alignment and retention

## WT Series



- Accepts contact sizes 4 (100 amps) and 16 (13 amps)
- 6, 16-20 AWG
- 3, 16, and 31 cavity arrangements
- In-line or flange mount
- Circular, anodized aluminum or composite housing



# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
--------	-----------------	------------------	-------------	-----------

## 1 CAVITY CONNECTORS

### DTCE Series

1	4	Recept., DTCE, 1 way, black, end cap	DTCE04-1-4P-E003	N/A
1	4	Recept., DTCE, 1 way, black, end cap, sealed flange, inside mount	DTCE04-1-4P-LE03	N/A
1	8	Recept., DTCE, 1 way, black, end cap	DTCE04-1-8P-E003	N/A
1	12	Recept., DTCE, 1 way, black, end cap	DTCE04-1-12P-E003	N/A
1	4	Plug, DTCE, 1 way, black, end cap	DTCE06-1-4S-E003	N/A
1	8	Plug, DTCE, 1 way, black, end cap	DTCE06-1-8S-E003	N/A
1	12	Plug, DTCE, 1 way, black, end cap	DTCE06-1-12S-E003	N/A

### DTHD Series

1	4	Recept., DTHD, 1 way, black	DTHD04-1-4P	N/A
1	4	Recept., DTHD, 1 way, black, end cap	DTHD04-1-4P-E003	N/A
1	4	Recept., DTHD, 1 way, black, sealed flange, inside mount	DTHD04-1-4P-L009	N/A
1	4	Recept., DTHD, 1 way, black, sealed flange, outside mount	DTHD04-1-4P-L013	N/A
1	8	Recept., DTHD, 1 way, black	DTHD04-1-8P	N/A
1	8	Recept., DTHD, 1 way, black, end cap	DTHD04-1-8P-E003	N/A
1	12	Recept., DTHD, 1 way, black	DTHD04-1-12P	N/A
1	12	Recept., DTHD, 1 way, black, end cap	DTHD04-1-12P-E003	N/A
1	4	Plug, DTHD, 1 way, black	DTHD06-1-4S	N/A
1	4	Plug, DTHD, 1 way, black, end cap	DTHD06-1-4S-E003	N/A
1	8	Plug, DTHD, 1 way, black	DTHD06-1-8S	N/A
1	8	Plug, DTHD, 1 way, black, end cap	DTHD06-1-8S-E003	N/A
1	12	Plug, DTHD, 1 way, black	DTHD06-1-12S	N/A
1	12	Plug, DTHD, 1 way, black, end cap	DTHD06-1-12S-E003	N/A

### DTSK Series

1	Ø8mm	Recept., DTSK, 1 way, A key, gray	DTSK04-1-08PA	Included
1	Ø8mm	Plug, DTSK, 1 way, A key, gray	DTSK06-1-08SA	Included

### HD10 Series

(4)1	1 sz. 4	Plug, HD10, 1 way, gray, threaded rear, cavities B, C, D, blocked	HD16-4-4S-C024	N/A
------	---------	---	----------------	-----

### Jiffy Splices

1	4	Splice, Jiffy, sz. 4	JS-04-00	N/A
1	12	Splice, Jiffy, sz. 12	JS-12-00	N/A
1	16	Splice, Jiffy, sz. 16	JS-16-00	N/A

### Strike Series

1	Ø8mm	Recept., Strike, SM shell, 1 way, A key, black, sealed flange	SRK02-SMA-01A-001	Included
1	Ø8mm	Plug, Strike, SM shell, 1 way, A key, black	SRK06-SMA-01A-001	Included
1	Ø12mm	Recept., Strike, SM shell, 1 way, A key, black, sealed flange	SRK02-SMA-01B-001	Included
1	Ø12mm	Recept., Strike, SM shell, 1 way, B key, black, sealed flange	SRK02-SMB-01B-001	Included
1	Ø12mm	Plug, Strike, SM shell, 1 way, A key, black	SRK06-SMA-01B-001	Included
1	Ø12mm	Plug, Strike, SM shell, 1 way, B key, black	SRK06-SMB-01B-001	Included

## 2 CAVITY CONNECTORS

### DT Series

2	16	Recept., DT, 2 way, gray	DT04-2P	W2P
2	16	Recept., DT, 2 way, gray, reduced dia. seals	DT04-2P-C015	W2P

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
2	16	Recept., DT, 2 way, gray, solid rear grommet	DT04-2P-C017	N/A
2	16	Recept., DT, 2 way, gray, reduced dia. seals, end cap	DT04-2P-CE01	W2P
2	16	Recept., DT, 2 way, black, reduced dia. seals	DT04-2P-CE02	W2P
2	16	Recept., DT, 2 way, black, reduced dia. seals, end cap	DT04-2P-CE03	W2P
2	16	Recept., DT, 2 way, gray, reduced dia. seals, shrink boot adapter	DT04-2P-CE04	W2P
2	16	Recept., DT, 2 way, black, reduced dia. seals, shrink boot adapter	DT04-2P-CE09	W2P
2	16	Recept., DT, 2 way, gray, end cap	DT04-2P-E003	W2P
2	16	Recept., DT, 2 way, black	DT04-2P-E004	W2P
2	16	Recept., DT, 2 way, black, end cap	DT04-2P-E005	W2P
2	16	Recept., DT, 2 way, gray, shrink boot adapter	DT04-2P-E008	W2P
2	16	Recept., DT, 2 way, black, 90° molded pins, feed-thru	DT04-2P-N006	N/A
2	16	Recept., DT, 2 way, black, snap-in design, molded pins, wire leads with crimped terminals	DT04-2P-RL01	N/A
2	16	Recept., DT, 2 way, black, molded-in diode (MUR460)	DT04-2P-RT01	N/A
2	16	Recept., DT, 2 way, black, molded-in diode (Toshiba)	DT04-2P-RT02	N/A
2	16	Recept., DT, 2 way, green, molded-in diode	DT04-2P-RT06	N/A
2	16	Recept., DT, 2 way, black, molded-in resistor	DT04-2P-RT25	N/A
2	16	Plug, DT, 2 way, gray	DT06-2S	W2S
2	16	Plug, DT, 2 way, gray, reduced dia. seals	DT06-2S-C015	W2S
2	16	Plug, DT, 2 way, gray, reduced dia. seals, end cap	DT06-2S-CE01	W2S
2	16	Plug, DT, 2 way, gray, reduced dia. seals, shrink boot adapter	DT06-2S-CE04	W2S
2	16	Plug, DT, 2 way, black, enhanced seal ret., reduced dia. seals, end cap	DT06-2S-CE05	W2S-P012
2	16	Plug, DT, 2 way, black, enhanced seal ret., reduced dia. seals	DT06-2S-CE06	W2S-P012
2	16	Plug, DT, 2 way, black, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-2S-CE13	W2S-P012
2	16	Plug, DT, 2 way, gray, end cap	DT06-2S-E003	W2S
2	16	Plug, DT, 2 way, black	DT06-2S-E004	W2S
2	16	Plug, DT, 2 way, black, end cap	DT06-2S-E005	W2S
2	16	Plug, DT, 2 way, gray, shrink boot adapter	DT06-2S-E008	W2S
2	16	Plug, DT, 2 way, gray, fluorosilicone seal, end cap	DT06-2S-EF01	W2S
2	16	Plug, DT, 2 way, black, enhanced seal ret., end cap	DT06-2S-EP06	W2S-P012
2	16	Plug, DT, 2 way, black, enhanced seal ret., shrink boot adapter	DT06-2S-EP11	W2S-P012
2	16	Plug, DT, 2 way, black, enhanced seal ret., fluorosilicone, end cap	DT06-2S-FP02	W2S-P012
2	16	Plug, DT, 2 way, black, enhanced seal ret.	DT06-2S-P012	W2S-P012
<b>DT13/15 Series</b>				
2	16	Recept., DT13, 2 way, gray, 90° molded pins, PCB mount	DT13-2P	N/A
2	16	Recept., DT15, 2 way, gray, straight molded pins, PCB mount	DT15-2P	N/A
2	16	Recept., DT15, 2 way, gray, straight molded pins, PCB mount, 5 P.S.I.	DT15-2P-P010	N/A
<b>DTF Series</b>				
2	16	Recept., DTF, 2 way, black, 90° molded pins, flangeless PCB mount	DTF13-2P	N/A
2	16	Recept., DTF, 2 way, A key, black, 90° molded pins, flangeless PCB mount	DTF13-2PA	N/A
2	16	Recept., DTF, 2 way, B key, black, 90° molded pins, flangeless PCB mount	DTF13-2PB	N/A
<b>DTM Series</b>				
2	20	Recept., DTM, 2 way, gray	DTM04-2P	WM-2P
2	20	Recept., DTM, 2 way, gray, end cap	DTM04-2P-E003	WM-2P
2	20	Recept., DTM, 2 way, black	DTM04-2P-E004	WM-2P



# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
2	20	Recept., DTM, 2 way, black, end cap	DTM04-2P-E005	WM-2P
2	20	Recept., DTM, 2 way, gray, shrink boot adapter	DTM04-2P-E007	WM-2P
2	20	Recept., DTM, 2 way, B key, black, terminating resistor, gold pins, J1939	DTM04-2P-EP10	Included
2	20	Recept., DTM, 2 way, black, terminating resistor, gold pins, J1939	DTM04-2P-P006	Included
2	20	Recept., DTM, 2 way, black, "Y" connector, molded gold pins, J1939	DTM04-2P-P007	N/A
2	20	Plug, DTM, 2 way, gray	DTM06-2S	WM-2S
2	20	Plug, DTM, 2 way, gray, end cap	DTM06-2S-E003	WM-2S
2	20	Plug, DTM, 2 way, black	DTM06-2S-E004	WM-2S
2	20	Plug, DTM, 2 way, black, end cap	DTM06-2S-E005	WM-2S
2	20	Plug, DTM, 2 way, gray, shrink boot adapter	DTM06-2S-E007	WM-2S
2	20	Plug, DTM, 2 way, black, shrink boot adapter	DTM06-2S-EE03	WM-2S
2	20	Plug, DTM, 2 way, B key, black, terminating resistor, gold sockets, J1939	DTM06-2S-EP10	Included
2	20	Plug, DTM, 2 way, gray, terminating resistor, gold sockets, J1939	DTM06-2S-P006	Included
<b>DTMH Series</b>				
2	20	Recept., DTMH, 2 way, A key, black, high temp	DTMH04-2PA	Included
2	20	Recept., DTMH, 2 way, B key, black, high temp	DTMH04-2PB	Included
2	20	Recept., DTMH, 2 way, C key, black, high temp	DTMH04-2PC	Included
2	20	Recept., DTMH, 2 way, D key, black, high temp	DTMH04-2PD	Included
2	20	Plug, DTMH, 2 way, A key, black, high temp	DTMH06-2SA	Included
2	20	Plug, DTMH, 2 way, B key, black, high temp	DTMH06-2SB	Included
2	20	Plug, DTMH, 2 way, C key, black, high temp	DTMH06-2SC	Included
2	20	Plug, DTMH, 2 way, D key, black, high temp	DTMH06-2SD	Included
<b>DTMN Series</b>				
2	20	Recept., DTMN, 2 way, black, non-environmental	DTMN04-2P	N/A
2	20	Plug, DTMN, 2 way, black, non-environmental	DTMN06-2S	N/A
<b>DTP Series</b>				
2	12	Recept., DTP, 2 way, gray	DTP04-2P	WP-2P
2	12	Recept., DTP, 2 way, gray, reduced dia. seals	DTP04-2P-C015	WP-2P
2	12	Recept., DTP, 2 way, gray, end cap	DTP04-2P-E003	WP-2P
2	12	Recept., DTP, 2 way, black	DTP04-2P-E004	WP-2P
2	12	Plug, DTP, 2 way, gray	DTP06-2S	WP-2S
2	12	Plug, DTP, 2 way, gray, reduced dia. seals	DTP06-2S-C015	WP-2S
2	12	Plug, DTP, 2 way, gray, end cap	DTP06-2S-E003	WP-2S
2	12	Plug, DTP, 2 way, black	DTP06-2S-E004	WP-2S
<b>HD30 Series</b>				
(6)2	2 sz. 4	Recept., HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked	HD34-18-6PN-C030	N/A
(6)2	2 sz. 4	Recept., HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked, cable clamp	HD34-18-6PN-C030-059	N/A
(6)2	2 sz. 4	Plug, HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked	HD36-18-6SN-C030	N/A
(6)2	2 sz. 4	Plug, HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked, cable clamp	HD36-18-6SN-C030-059	N/A
<b>HDP20 Series</b>				
(6)2	2 sz. 4	Recept., HDP20, 18 shell, 2 way, black, N seal, cavities 1, 2, 5, 6 blocked	HDP24-18-6PN-C030	N/A
(6)2	2 sz. 4	Plug, HDP20, 18 shell, 2 way, black, N seal, cavities 1, 2, 5, 6 blocked	HDP26-18-6SN-C030	N/A
<b>IMC Series</b>				
2	IMC/QC 20	Recept., IMC, 100 series, 2 way, black	IMC11-2002X	N/A
2	IMC/QC 20	Recept., IMC, 100 series, 2 way, black, flange	IMC14-2002X	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
2	IMC/QC 20	Plug, IMC, 100 series, 2 way, black	IMC16-2002X	N/A
2	IMC/QC 16	Recept., IMC, 200 series, 2 way, black	IMC21-1602X	N/A
2	IMC/QC 16	Recept., IMC, 200 series, 2 way, black, flange	IMC24-1602X	N/A
2	IMC/QC 16	Plug, IMC, 200 series, 2 way, black	IMC26-1602X	N/A

### Quick Connect Series

2	IMC/QC 16	Recept., QC, 2 way, black	QC24-1602X	N/A
2	IMC/QC 16	Plug, QC, 2 way, black	QC26-1602X	N/A

## 3 CAVITY CONNECTORS

### DT Series

3	16	Recept., DT, 3 way, gray	DT04-3P	W3P
(3)2	2 sz. 16	Recept., DT, 3 way, gray, C cavity blocked	DT04-3P-C008	W3P
3	16	Recept., DT, 3 way, gray, reduced dia. seals	DT04-3P-C015	W3P
3	16	Recept., DT, 3 way, gray, solid rear grommet	DT04-3P-C017	N/A
3	16	Recept., DT, 3 way, gray, reduced dia. seals, end cap	DT04-3P-CE01	W3P
3	16	Recept., DT, 3 way, black, reduced dia. seals	DT04-3P-CE02	W3P
3	16	Recept., DT, 3 way, black, reduced dia. seals, end cap	DT04-3P-CE03	W3P
3	16	Recept., DT, 3 way, gray, reduced dia. seals, shrink boot adapter	DT04-3P-CE04	W3P
3	16	Recept., DT, 3 way, black, reduced dia. seals, shrink boot adapter	DT04-3P-CE09	W3P
3	16	Recept., DT, 3 way, gray, end cap	DT04-3P-E003	W3P
3	16	Recept., DT, 3 way, black	DT04-3P-E004	W3P
3	16	Recept., DT, 3 way, black, end cap	DT04-3P-E005	W3P
3	16	Recept., DT, 3 way, gray, shrink boot adapter	DT04-3P-E008	W3P
3	16	Recept., DT, 3 way, black, shrink boot adapter	DT04-3P-EE01	W3P
3	16	Recept., DT, 3 way, black, terminating resistor, gold pins, J1939	DT04-3P-EP10	Included
3	16	Recept., DT, 3 way, gray, flange	DT04-3P-L012	W3P
3	16	Recept., DT, 3 way, gray, flange, shrink boot adapter	DT04-3P-LE08	W3P
3	16	Recept., DT, 3 way, black, flange, shrink boot adapter	DT04-3P-LE12	W3P
3	16	Recept., DT, 3 way, gray, terminating resistor, gold pins, J1939	DT04-3P-P006	Included
3	16	Recept., DT, 3 way, gray, "Y" connector, molded gold pins, J1939	DT04-3P-P007	N/A
3	16	Plug, DT, 3 way, gray	DT06-3S	W3S
(3)2	2 sz. 16	Plug, DT, 3 way, gray, C cavity blocked	DT06-3S-C008	W3S
3	16	Plug, DT, 3 way, gray, reduced dia. seals	DT06-3S-C015	W3S
3	16	Plug, DT, 3 way, gray, solid rear grommet	DT06-3S-C017	Included
3	16	Plug, DT, 3 way, gray, reduced dia. seals, end cap	DT06-3S-CE01	W3S
3	16	Plug, DT, 3 way, black, reduced dia. seals	DT06-3S-CE02	W3S
3	16	Plug, DT, 3 way, gray, reduced dia. seals, shrink boot adapter	DT06-3S-CE04	W3S
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals, end cap	DT06-3S-CE05	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals	DT06-3S-CE06	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-3S-CE13	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals, latch guard end cap	DT06-3S-CE14	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals, flange, disabled latch	DT06-3S-CL08	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., solid rear grommet, end cap	DT06-3S-CP01	Included
3	16	Plug, DT, 3 way, gray, end cap	DT06-3S-E003	W3S

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
3	16	Plug, DT, 3 way, black	DT06-3S-E004	W3S
3	16	Plug, DT, 3 way, black, end cap	DT06-3S-E005	W3S
3	16	Plug, DT, 3 way, gray, shrink boot adapter	DT06-3S-E008	W3S
3	16	Plug, DT, 3 way, gray, latch guard end cap	DT06-3S-EP05	W3S
3	16	Plug, DT, 3 way, black, enhanced seal ret., end cap	DT06-3S-EP06	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., latch guard end cap	DT06-3S-EP09	W3S-P012
3	16	Plug, DT, 3 way, black, terminating resistor, gold sockets, end cap, J1939	DT06-3S-EP10	Included
3	16	Plug, DT, 3 way, black, enhanced seal ret., shrink boot adapter	DT06-3S-EP11	W3S-P012
3	16	Plug, DT, 3 way, gray, terminating resistor, gold sockets, end cap, J1939	DT06-3S-P006	Included
3	16	Plug, DT, 3 way, black, enhanced seal ret.	DT06-3S-P012	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., single piece shrink boot adapter	DT06-3S-P032	W3S-P012
3	16	Plug, DT, 3 way, gray, terminating resistor, gold sockets, latch guard end cap, J1939	DT06-3S-PE01	Included
3	16	Plug, DT, 3 way, black, enhanced seal ret., terminating resistor, gold sockets, end cap, J1939	DT06-3S-PP01	Included
<b>DTF Series</b>				
3	16	Recept., DTF, 3 way, black, 90° molded pins, flangeless PCB mount	DTF13-3P	N/A
3	16	Recept., DTF, 3 way, black, 90° molded pins, flangeless PCB mount, J1939	DTF13-3P-1939	N/A
<b>DTM Series</b>				
3	20	Recept., DTM, 3 way, gray	DTM04-3P	WM-3P
3	20	Recept., DTM, 3 way, gray, end cap	DTM04-3P-E003	WM-3P
3	20	Recept., DTM, 3 way, black	DTM04-3P-E004	WM-3P
3	20	Recept., DTM, 3 way, black, end cap	DTM04-3P-E005	WM-3P
3	20	Plug, DTM, 3 way, gray	DTM06-3S	WM-3S
3	20	Plug, DTM, 3 way, black	DTM06-3S-E004	WM-3S
3	20	Plug, DTM, 3 way, gray, shrink boot adapter	DTM06-3S-E007	WM-3S
<b>DTMH Series</b>				
3	20	Recept., DTMH, 3 way, A key, black, high temp	DTMH04-3PA	Included
3	20	Plug, DTMH, 3 way, A key, black, high temp	DTMH06-3SA	Included
<b>DTMN Series</b>				
3	20	Recept., DTMN, 3 way, black, non-environmental	DTMN04-3P	N/A
3	20	Plug, DTMN, 3 way, black, non-environmental	DTMN06-3S	N/A
<b>HD10 Series</b>				
3	16	Recept., HD10, 3 way, gray, flange, threaded rear	HD10-3-96P	N/A
3	16	Recept., HD10, 3 way, gray, in-line, non-threaded rear	HD14-3-16P	N/A
3	16	Recept., HD10, 3 way, gray, in-line, threaded rear	HD14-3-96P	N/A
3	16	Plug, HD10, 3 way, gray, non-threaded rear	HD16-3-16S	N/A
3	16	Plug, HD10, 3 way, gray, threaded rear	HD16-3-96S	N/A
<b>IMC Series</b>				
3	IMC/QC 20	Recept., IMC, 100 series, 3 way, black	IMC11-2003X	N/A
3	IMC/QC 20	Recept., IMC, 100 series, 3 way, black, flange	IMC14-2003X	N/A
3	IMC/QC 20	Plug, IMC, 100 series, 3 way, black	IMC16-2003X	N/A
<b>WT Series</b>				
3	4	Recept., WT, 24 shell, 3 way, black	WT04B-24-03PN	N/A
3	4	Recept., WT, 24 shell, 3 way, black, reverse	WT04B-24-03SN	N/A
3	4	Plug, WT, 24 shell, 3 way, black, reverse	WT06B-24-03PN	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
3	4	Plug, WT, 24 shell, 3 way, black	WT06B-24-03SN	N/A

## 4 CAVITY CONNECTORS

### DT Series

4	16	Recept., DT, 4 way, gray	DT04-4P	W4P
4	16	Recept., DT, 4 way, gray, reduced dia. seals	DT04-4P-C015	W4P
4	16	Recept., DT, 4 way, gray, solid rear grommet	DT04-4P-C017	N/A
4	16	Recept., DT, 4 way, gray, reduced dia. seals, end cap	DT04-4P-CE01	W4P
4	16	Recept., DT, 4 way, black, reduced dia. seals	DT04-4P-CE02	W4P
4	16	Recept., DT, 4 way, black, reduced dia. seals, end cap	DT04-4P-CE03	W4P
4	16	Recept., DT, 4 way, gray, reduced dia. seals, shrink boot adapter	DT04-4P-CE04	W4P
4	16	Recept., DT, 4 way, black, reduced dia. seals, shrink boot adapter	DT04-4P-CE09	W4P
4	16	Recept., DT, 4 way, gray, reduced dia. seals, flange	DT04-4P-CL03	W4P
4	16	Recept., DT, 4 way, gray, end cap	DT04-4P-E003	W4P
4	16	Recept., DT, 4 way, black	DT04-4P-E004	W4P
4	16	Recept., DT, 4 way, black, end cap	DT04-4P-E005	W4P
4	16	Recept., DT, 4 way, gray, shrink boot adapter	DT04-4P-E008	W4P
4	16	Recept., DT, 4 way, black, (1) 4 pin buss, nickel contacts	DT04-4P-EP13	Included
4	16	Recept., DT, 4 way, gray, flange	DT04-4P-L012	W4P
4	16	Recept., DT, 4 way, black, flange, end cap	DT04-4P-LE11	W4P
4	16	Recept., DT, 4 way, black, round housing, end cap, one piece design	DT04-4P-LE13	W4P
4	16	Recept., DT, 4 way, gray, (1) 4 pin buss, nickel contacts	DT04-4P-P021	Included
4	16	Recept., DT, 4 way, black, molded-in diode (MUR460)	DT04-4P-RT01	N/A
4	16	Recept., DT, 4 way, gray, two molded-in diodes (MUR460)	DT04-4P-RT03	N/A
4	16	Plug, DT, 4 way, gray	DT06-4S	W4S
4	16	Plug, DT, 4 way, gray, reduced dia. seals	DT06-4S-C015	W4S
4	16	Plug, DT, 4 way, gray, solid rear grommet	DT06-4S-C017	Included
4	16	Plug, DT, 4 way, gray, reduced dia. seals, end cap	DT06-4S-CE01	W4S
4	16	Plug, DT, 4 way, black, reduced dia. seals	DT06-4S-CE02	W4S
4	16	Plug, DT, 4 way, gray, reduced dia. seals, shrink boot adapter	DT06-4S-CE04	W4S
4	16	Plug, DT, 4 way, black, enhanced seal ret., reduced dia. seals, end cap	DT06-4S-CE05	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret., reduced dia. seals	DT06-4S-CE06	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-4S-CE13	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret., reduced dia. seals, end cap w/ mounting clip dovetail	DT06-4S-CE15	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret., solid rear grommet, end cap	DT06-4S-CP01	Included
4	16	Plug, DT, 4 way, gray, end cap	DT06-4S-E003	W4S
4	16	Plug, DT, 4 way, black	DT06-4S-E004	W4S
4	16	Plug, DT, 4 way, black, end cap	DT06-4S-E005	W4S
4	16	Plug, DT, 4 way, gray, shrink boot adapter	DT06-4S-E008	W4S
4	16	Plug, DT, 4 way, black, enhanced seal ret., end cap	DT06-4S-EP06	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret., shrink boot adapter	DT06-4S-EP11	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret.	DT06-4S-P012	W4S-P012

### DT13/15 Series

4	16	Recept., DT13, 4 way, gray, 90° molded pins, PCB mount	DT13-4P	N/A
4	16	Recept., DT13, 4 way, gray, 90° molded gold pins, PCB mount	DT13-4P-G003	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
4	16	Recept., DT15, 4 way, gray, straight molded pins, PCB mount	DT15-4P	N/A
4	16	Recept., DT15, 4 way, gray, straight molded gold pins, PCB mount	DT15-4P-G003	N/A
<b>DTF Series</b>				
4	16	Recept., DTF, 4 way, black, 90° molded pins, flangeless PCB mount	DTF13-4P	N/A
4	16	Recept., DTF, 4 way, black, 90° molded gold pins, flangeless PBC mount	DTF13-4P-G003	N/A
<b>DTM Series</b>				
4	20	Recept., DTM, 4 way, gray	DTM04-4P	WM-4P
4	20	Recept., DTM, 4 way, gray, end cap	DTM04-4P-E003	WM-4P
4	20	Recept., DTM, 4 way, black	DTM04-4P-E004	WM-4P
4	20	Recept., DTM, 4 way, black, end cap	DTM04-4P-E005	WM-4P
4	20	Plug, DTM, 4 way, gray	DTM06-4S	WM-4S
4	20	Plug, DTM, 4 way, black	DTM06-4S-E004	WM-4S
4	20	Plug, DTM, 4 way, gray, shrink boot adapter	DTM06-4S-E007	WM-4S
<b>DTMH Series</b>				
4	20	Recept., DTMH, 4 way, A key, black, high temp	DTMH04-4PA	Included
4	20	Recept., DTMH, 4 way, B key, black, high temp	DTMH04-4PB	Included
4	20	Recept., DTMH, 4 way, C key, black, high temp	DTMH04-4PC	Included
4	20	Recept., DTMH, 4 way, D key, black, high temp	DTMH04-4PD	Included
4	20	Plug, DTMH, 4 way, A key, black, high temp	DTMH06-4SA	Included
4	20	Plug, DTMH, 4 way, B key, black, high temp	DTMH06-4SB	Included
4	20	Plug, DTMH, 4 way, C key, black, high temp	DTMH06-4SC	Included
4	20	Plug, DTMH, 4 way, D key, black, high temp	DTMH06-4SD	Included
<b>DTP Series</b>				
4	12	Recept., DTP, 4 way, gray	DTP04-4P	WP-4P
4	12	Recept., DTP, 4 way, gray, reduced dia. seals	DTP04-4P-C015	WP-4P
4	12	Recept., DTP, 4 way, gray, reduced dia. seals, end cap	DTP04-4P-CE01	WP-4P
4	12	Recept., DTP, 4 way, gray, end cap	DTP04-4P-E003	WP-4P
4	12	Recept., DTP, 4 way, black	DTP04-4P-E004	WP-4P
4	12	Recept., DTP, 4 way, gray, flange	DTP04-4P-L012	WP-4P
4	12	Recept., DTP, 4 way, gray, flange, end cap	DTP04-4P-LE07	WP-4P
4	12	Plug, DTP, 4 way, gray	DTP06-4S	WP-4S
4	12	Plug, DTP, 4 way, gray, reduced dia. seals	DTP06-4S-C015	WP-4S
4	12	Plug, DTP, 4 way, gray, reduced dia. seals, end cap	DTP06-4S-CE01	WP-4S
4	12	Plug, DTP, 4 way, black, reduced dia. seals	DTP06-4S-CE02	WP-4S
4	12	Plug, DTP, 4 way, gray, end cap	DTP06-4S-E003	WP-4S
4	12	Plug, DTP, 4 way, black	DTP06-4S-E004	WP-4S
4	12	Plug, DTP, 4 way, black, shrink boot adapter	DTP06-4S-EE01	WP-4S
4	12	Recept., DTP10, 4 way, black, straight molded pins, PCB mount	DTP10-4P	N/A
4	12	Recept., DTP13, 4 way, black, 90° molded pins, PCB mount	DTP13-4P	N/A
<b>HD10 Series</b>				
4	1 sz. 4, 3 sz. 16	Recept., HD10, 4 way, gray, flange, threaded rear	HD10-4-4P	N/A
4	1 sz. 4, 3 sz. 16	Plug, HD10, 4 way, gray, threaded rear	HD16-4-4S	N/A
(4)1	1 sz. 4	Plug, HD10, 4 way, gray, flange, threaded rear, cavities B, C, D blocked	HD16-4-4S-C024	N/A
<b>IMC Series</b>				
4	IMC/QC 22	Recept., IMC, 100 series, 4 way, black	IMC11-2204X	N/A
4	IMC/QC 22	Recept., IMC, 100 series, 4 way, black, flange	IMC14-2204X	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
4	IMC/QC 22	Plug, IMC, 100 series, 4 way, black	IMC16-2204X	N/A

### Strike Series

4	2 sz. Ø8mm, 2 sz. 16	Recept., Strike, MD shell, 4 way, A key, black, sealed flange, no cable attachment	SRK02-MDA-04A-001	Included
4	2 sz. Ø8mm, 2 sz. 16	Plug, Strike, MD shell, 4 way, A key, black, no cable attachment	SRK06-MDA-04A-001	Included

## 5 CAVITY CONNECTORS

### HD10 Series

5	16	Recept., HD10, 5 way, gray, flange, non-threaded rear	HD10-5-16P	N/A
5	16	Recept., HD10, 5 way, gray, flange, non-threaded rear, key removed from flange	HD10-5-16P-B009	N/A
5	16	Recept., HD10, 5 way, gray, in-line, non-threaded rear	HD14-5-16P	N/A
5	16	Plug, HD10, 5 way, gray, non-threaded rear	HD16-5-16S	N/A

### IMC Series

5	IMC/QC 20	Recept., IMC, 200 series, 5 way, black	IMC21-2005X	N/A
5	IMC/QC 20	Recept., IMC, 200 series, 5 way, black, flange	IMC24-2005X	N/A
5	IMC/QC 20	Plug, IMC, 200 series, 5 way, black	IMC26-2005X	N/A

## 6 CAVITY CONNECTORS

### DT Series

6	16	Recept., DT, 6 way, gray	DT04-6P	W6P
6	16	Recept., DT, 6 way, gray, reduced dia. seals	DT04-6P-C015	W6P
6	16	Recept., DT, 6 way, gray, solid rear grommet	DT04-6P-C017	N/A
6	16	Recept., DT, 6 way, gray, reduced dia. seals, end cap	DT04-6P-CE01	W6P
6	16	Recept., DT, 6 way, black, reduced dia. seals	DT04-6P-CE02	W6P
6	16	Recept., DT, 6 way, black, reduced dia. seals, end cap	DT04-6P-CE03	W6P
6	16	Recept., DT, 6 way, black, reduced dia. seals, sealed flange, end cap	DT04-6P-CL09	W6P
6	16	Recept., DT, 6 way, gray, end cap	DT04-6P-E003	W6P
6	16	Recept., DT, 6 way, black	DT04-6P-E004	W6P
6	16	Recept., DT, 6 way, black, end cap	DT04-6P-E005	W6P
6	16	Recept., DT, 6 way, black, (1) 6 pin buss, nickel contacts	DT04-6P-EP13	Included
6	16	Recept., DT, 6 way, black, (2) 3 pin busses, nickel contacts	DT04-6P-EP14	Included
6	16	Recept., DT, 6 way, black, DIN backshell adapter	DT04-6P-L019	W6P
6	16	Recept., DT, 6 way, gray, (1) 6 pin buss, nickel contacts	DT04-6P-P021	Included
6	16	Plug, DT, 6 way, gray	DT06-6S	W6S
6	16	Plug, DT, 6 way, gray, reduced dia. seals	DT06-6S-C015	W6S
6	16	Plug, DT, 6 way, gray, solid rear grommet	DT06-6S-C017	Included
6	16	Plug, DT, 6 way, gray, reduced dia. seals, end cap	DT06-6S-CE01	W6S
6	16	Plug, DT, 6 way, black, reduced dia. seals	DT06-6S-CE02	W6S
6	16	Plug, DT, 6 way, black, reduced dia. seals, end cap	DT06-6S-CE03	W6S
6	16	Plug, DT, 6 way, black, enhanced seal ret., reduced dia. seals, end cap	DT06-6S-CE05	W6S-P012
6	16	Plug, DT, 6 way, black, enhanced seal ret., reduced dia. seals	DT06-6S-CE06	W6S-P012
6	16	Plug, DT, 6 way, gray, end cap	DT06-6S-E003	W6S
6	16	Plug, DT, 6 way, black	DT06-6S-E004	W6S
6	16	Plug, DT, 6 way, black, end cap	DT06-6S-E005	W6S
6	16	Plug, DT, 6 way, black, enhanced seal ret., end cap	DT06-6S-EP06	W6S-P012



# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
6	16	Plug, DT, 6 way, black, enhanced seal ret., shrink boot adapter	DT06-6S-EP11	W6S-P012
6	16	Plug, DT, 6 way, black, enhanced seal ret.	DT06-6S-P012	W6S-P012
<b>DT13/15 Series</b>				
6	16	Recept., DT13, 6 way, gray, 90° molded pins, PCB mount	DT13-6P	N/A
6	16	Recept., DT13, 6 way, gray, 90° molded gold pins, PCB mount	DT13-6P-G003	N/A
6	16	Recept., DT15, 6 way, gray, straight molded pins, PCB mount	DT15-6P	N/A
6	16	Recept., DT15, 6 way, gray, straight molded gold pins, PCB mount	DT15-6P-G003	N/A
6	16	Recept., DT15, 6 way, gray, straight molded gold pins, PCB mount, 5 P.S.I.	DT15-6P-GP01	N/A
<b>DT16 Series</b>				
6	16	Plug, DT16, 6 way, green, end cap	DT16-6S-KP01	N/A
<b>DTF Series</b>				
6	16	Recept., DTF, 6 way, black, 90° molded pins, flangeless PCB mount	DTF13-6P	N/A
6	16	Recept., DTF, 6 way, black, 90° molded gold pins, flangeless PCB mount	DTF13-6P-G003	N/A
<b>DTM Series</b>				
6	20	Recept., DTM, 6 way, gray	DTM04-6P	WM-6P
6	20	Recept., DTM, 6 way, gray, end cap	DTM04-6P-E003	WM-6P
6	20	Recept., DTM, 6 way, black	DTM04-6P-E004	WM-6P
6	20	Recept., DTM, 6 way, black, end cap	DTM04-6P-E005	WM-6P
6	20	Recept., DTM, 6 way, black, high temp	DTM04-6P-EE04	WM-6P
6	20	Plug, DTM, 6 way, gray	DTM06-6S	WM-6S
6	20	Plug, DTM, 6 way, black	DTM06-6S-E004	WM-6S
6	20	Plug, DTM, 6 way, black, end cap	DTM06-6S-E005	WM-6S
6	20	Plug, DTM, 6 way, gray, shrink boot adapter	DTM06-6S-E007	WM-6S
6	20	Plug, DTM, 6 way, black, shrink boot adapter	DTM06-6S-EE03	WM-6S
<b>HD10 Series</b>				
6	12	Recept., HD10, 6 way, gray, flange, threaded rear	HD10-6-12P	N/A
6	12	Recept., HD10, 6 way, black, flange, threaded rear	HD10-6-12P-E004	N/A
6	16	Recept., HD10, 6 way, gray, flange, threaded rear	HD10-6-96P	N/A
6	16	Recept., HD10, 6 way, black, flange, straight molded pins, PCB mount	HD10-6-96P-N005	N/A
6	16	Recept., HD10, 6 way, gray, in-line, threaded rear	HD14-6-96P	N/A
6	12	Plug, HD10, 6 way, gray, threaded rear, no coupling ring	HD16-6-12S	N/A
6	12	Plug, HD10, 6 way, gray, threaded rear, with coupling ring	HD16-6-12S-B010	N/A
6	16	Plug, HD10, 6 way, gray, threaded rear	HD16-6-96S	N/A
<b>HD30 Series</b>				
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal	HD34-18-6PN	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, cable clamp	HD34-18-6PN-059	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, adapter	HD34-18-6PN-072	N/A
(6)2	2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked	HD34-18-6PN-C030	N/A
(6)2	2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked, cable clamp	HD34-18-6PN-C030-059	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, reverse	HD34-18-6SN	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, reverse, cable clamp	HD34-18-6SN-059	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, reverse, adapter	HD34-18-6SN-072	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, reverse	HD36-18-6PN	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, reverse, cable clamp	HD36-18-6PN-059	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, reverse, adapter	HD36-18-6PN-072	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal	HD36-18-6SN	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, cable clamp	HD36-18-6SN-059	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, adapter	HD36-18-6SN-072	N/A
(6)2	2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked	HD36-18-6SN-C030	N/A
(6)2	2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked, cable clamp	HD36-18-6SN-C030-059	N/A

## HDP20 Series

6	4 sz. 16, 2 sz. 4	Recept., HDP20, 18 shell, 6 way, black, N seal	HDP24-18-6PN	N/A
(6)2	2 sz. 4	Recept., HDP20, 18 shell, 6 way, black, N seal, cavities 1, 2, 5, 6 blocked	HDP24-18-6PN-C030	N/A
6	4 sz. 16, 2 sz. 4	Recept., HDP20, 18 shell, 6 way, black, N seal, ring adapter	HDP24-18-6PN-L017	N/A
6	4 sz. 16, 2 sz. 4	Plug, HDP20, 18 shell, 6 way, black, N seal	HDP26-18-6SN	N/A
(6)2	2 sz. 4	Plug, HDP20, 18 shell, 6 way, black, N seal, cavities 1, 2, 5, 6 blocked	HDP26-18-6SN-C030	N/A
6	4 sz. 16, 2 sz. 4	Plug, HDP20, 18 shell, 6 way, black, N seal, ring adapter	HDP26-18-6SN-L017	N/A

## 7 CAVITY CONNECTORS

### HDP20 Series

7	4 sz. 16, 3 sz. 4	Recept., HDP20, 24 shell, 7 way, black, N seal, 5960-203-04141 contact only	HDP24-24-7PN-C038	N/A
7	4 sz. 16, 3 sz. 4	Plug, HDP20, 24 shell, 7 way, black, N seal, 5962-203-04141 contact only	HDP26-24-7SN-C038	N/A

### IMC Series

7	IMC/QC 20	Recept., IMC, 200 series, 7 way, black	IMC21-2007X	N/A
7	IMC/QC 20	Recept., IMC, 200 series, 7 way, black, flange	IMC24-2007X	N/A
7	IMC/QC 20	Plug, IMC, 200 series, 7 way, black	IMC26-2007X	N/A

### Quick Connect Series

7	IMC/QC 20	Recept., QC, 7 way, black	QC24-2007X	N/A
7	IMC/QC 20	Plug, QC, 7 way, black	QC26-2007X	N/A

## 8 CAVITY CONNECTORS

### DT Series

8	16	Recept., DT, 8 way, A key, gray	DT04-08PA	W8P
8	16	Recept., DT, 8 way, A key, gray, reduced dia. seals	DT04-08PA-C015	W8P
8	16	Recept., DT, 8 way, A key, gray, reduced dia. seals, end cap	DT04-08PA-CE01	W8P
8	16	Recept., DT, 8 way, A key, black, reduced dia. seals	DT04-08PA-CE02	W8P
8	16	Recept., DT, 8 way, A key, black, reduced dia. seals, end cap	DT04-08PA-CE03	W8P
8	16	Recept., DT, 8 way, A key, black, reduced dia. seals, flange	DT04-08PA-CL03	W8P
8	16	Recept., DT, 8 way, A key, gray, reduced dia. seals, sealed flange, shrink boot adapter	DT04-08PA-CL07	W8P
8	16	Recept., DT, 8 way, A key, gray, end cap	DT04-08PA-E003	W8P
8	16	Recept., DT, 8 way, A key, black	DT04-08PA-E004	W8P
8	16	Recept., DT, 8 way, A key, black, end cap	DT04-08PA-E005	W8P
8	16	Recept., DT, 8 way, A key, gray, shrink boot adapter	DT04-08PA-E008	W8P
8	16	Recept., DT, 8 way, A key, gray, sealed flange, shrink boot adapter	DT04-08PA-LE03	W8P
8	16	Recept., DT, 8 way, A key, black, flange, end cap	DT04-08PA-LE11	W8P
8	16	Recept., DT, 8 way, A key, gray, flange	DT04-08PA-L012	W8P
8	16	Recept., DT, 8 way, A key, gray, (1) 8 pin buss, nickel contacts	DT04-08PA-P021	Included
8	16	Recept., DT, 8 way, A key, gray, (2) 4 pin busses, nickel contacts	DT04-08PA-P026	Included
8	16	Recept., DT, 8 way, A key, gray, (1) 3 pin buss/(1) 5 pin buss, nickel contacts	DT04-08PA-P028	Included
8	16	Recept., DT, 8 way, B key, black	DT04-08PB	W8P

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
8	16	Recept., DT, 8 way, B key, black, reduced dia. seals, end cap	DT04-08PB-CE01	W8P
8	16	Recept., DT, 8 way, B key, black, end cap	DT04-08PB-E003	W8P
8	16	Recept., DT, 8 way, B key, black, flange	DT04-08PB-L012	W8P
8	16	Recept., DT, 8 way, B key, black, (1) 8 pin buss, nickel contacts	DT04-08PB-P021	Included
8	16	Recept., DT, 8 way, B key, black, (2) 4 pin busses, nickel contacts	DT04-08PB-P026	Included
8	16	Recept., DT, 8 way, B key, black, (1) 3 pin buss/(1) 5 pin buss, nickel contacts	DT04-08PB-P028	Included
8	16	Recept., DT, 8 way, C key, green	DT04-08PC	W8P
8	16	Recept., DT, 8 way, C key, green, reduced dia. seals	DT04-08PC-C015	W8P
8	16	Recept., DT, 8 way, C key, green, reduced dia. seals, end cap	DT04-08PC-CE01	W8P
8	16	Recept., DT, 8 way, C key, green, end cap	DT04-08PC-E003	W8P
8	16	Recept., DT, 8 way, D key, brown	DT04-08PD	W8P
8	16	Recept., DT, 8 way, D key, brown, reduced dia. seals, end cap	DT04-08PD-CE01	W8P
8	16	Recept., DT, 8 way, D key, brown, end cap	DT04-08PD-E003	W8P
8	16	Plug, DT, 8 way, A key, gray	DT06-08SA	W8S
8	16	Plug, DT, 8 way, A key, gray, reduced dia. seals	DT06-08SA-C015	W8S
8	16	Plug, DT, 8 way, A key, gray, solid rear grommet	DT06-08SA-C017	Included
8	16	Plug, DT, 8 way, A key, gray, reduced dia. seals, end cap	DT06-08SA-CE01	W8S
8	16	Plug, DT, 8 way, A key, gray, reduced dia. seals, shrink boot adapter	DT06-08SA-CE04	W8S
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret., reduced dia. seals, end cap	DT06-08SA-CE05	W8S-P012
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret., reduced dia. seals	DT06-08SA-CE06	W8S-P012
8	16	Plug, DT, 8 way, A key, black, enhanced seal ret., reduced dia. seals	DT06-08SA-CE10	W8S-P012
8	16	Plug, DT, 8 way, A key, black, enhanced seal ret., reduced dia. seals, end cap	DT06-08SA-CE11	W8S-P012
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-08SA-CE13	W8S-P012
8	16	Plug, DT, 8 way, A key, gray, end cap	DT06-08SA-E003	W8S
8	16	Plug, DT, 8 way, A key, black, end cap	DT06-08SA-E005	W8S
8	16	Plug, DT, 8 way, A key, gray, shrink boot adapter	DT06-08SA-E008	W8S
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret., end cap	DT06-08SA-EP06	W8S-P012
8	16	Plug, DT, 8 way, A key, black, enhanced seal ret.	DT06-08SA-EP07	W8S-P012
8	16	Plug, DT, 8 way, A key, black, enhanced seal ret., end cap	DT06-08SA-EP08	W8S-P012
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret.	DT06-08SA-P012	W8S-P012
8	16	Plug, DT, 8 way, B key, black	DT06-08SB	W8S
8	16	Plug, DT, 8 way, B key, black, reduced dia. seals	DT06-08SB-C015	W8S
8	16	Plug, DT, 8 way, B key, black, solid rear grommet	DT06-08SB-C017	Included
8	16	Plug, DT, 8 way, B key, black, reduced dia. seals, end cap	DT06-08SB-CE01	W8S
8	16	Plug, DT, 8 way, B key, black, enhanced seal ret., reduced dia. seals, end cap	DT06-08SB-CE05	W8S-P012
8	16	Plug, DT, 8 way, B key, black, enhanced seal ret., reduced dia. seals	DT06-08SB-CE06	W8S-P012
8	16	Plug, DT, 8 way, B key, black, enhanced seal ret., end cap	DT06-08SB-EP06	W8S-P012
8	16	Plug, DT, 8 way, B key, black, enhanced seal ret.	DT06-08SB-P012	W8S-P012
8	16	Plug, DT, 8 way, C key, green	DT06-08SC	W8S
8	16	Plug, DT, 8 way, C key, green, reduced dia. seals	DT06-08SC-C015	W8S
8	16	Plug, DT, 8 way, C key, green, solid rear grommet	DT06-08SC-C017	Included
8	16	Plug, DT, 8 way, C key, green, reduced dia. seals, end cap	DT06-08SC-CE01	W8S

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
8	16	Plug, DT, 8 way, C key, green, enhanced seal ret., reduced dia. seals, end cap	DT06-08SC-CE05	W8S-P012
8	16	Plug, DT, 8 way, C key, green, enhanced seal ret., end cap	DT06-08SC-EP06	W8S-P012
8	16	Plug, DT, 8 way, C key, green, enhanced seal ret.	DT06-08SC-P012	W8S-P012
8	16	Plug, DT, 8 way, D key, brown	DT06-08SD	W8S
8	16	Plug, DT, 8 way, D key, brown, solid rear grommet	DT06-08SD-C017	Included
8	16	Plug, DT, 8 way, D key, brown, reduced dia. seals, end cap	DT06-08SD-CE01	W8S
8	16	Plug, DT, 8 way, D key, brown, enhanced seal ret., reduced dia. seals, end cap	DT06-08SD-CE05	W8S-P012
8	16	Plug, DT, 8 way, D key, brown, enhanced seal ret., end cap	DT06-08SD-EP06	W8S-P012
8	16	Plug, DT, 8 way, D key, brown, enhanced seal ret.	DT06-08SD-P012	W8S-P012

## DT13/15 Series

8	16	Recept., DT13, 8 way, A key, gray, 90° molded pins, PCB mount	DT13-08PA	N/A
8	16	Recept., DT13, 8 way, A key, gray, 90° molded gold pins, PCB mount	DT13-08PA-G003	N/A
8	16	Recept., DT13, 8 way, B key, black, 90° molded pins, PCB mount	DT13-08PB	N/A
8	16	Recept., DT13, 8 way, B key, black, 90° molded gold pins, PCB mount	DT13-08PB-G003	N/A
8	16	Recept., DT13, 8 way, C key, green, 90° molded pins, PCB mount	DT13-08PC	N/A
8	16	Recept., DT13, 8 way, D key, brown, 90° molded pins, PCB mount	DT13-08PD	N/A
8	16	Recept., DT15, 8 way, A key, gray, straight molded pins, PCB mount	DT15-08PA	N/A
8	16	Recept., DT15, 8 way, A key, gray, straight molded gold pins, PCB mount	DT15-08PA-G003	N/A
8	16	Recept., DT15, 8 way, B key, black, straight molded pins, PCB mount	DT15-08PB	N/A
8	16	Recept., DT15, 8 way, B key, black, straight molded gold pins, PCB mount	DT15-08PB-G003	N/A
8	16	Recept., DT15, 8 way, C key, green, straight molded pins, PCB mount	DT15-08PC	N/A
8	16	Recept., DT15, 8 way, C key, green, straight molded gold pins, PCB mount	DT15-08PC-G003	N/A
8	16	Recept., DT15, 8 way, D key, brown, straight molded pins, PCB mount	DT15-08PD	N/A

## DTM Series

8	20	Recept., DTM, 8 way, A key, gray	DTM04-08PA	WM-8P
8	20	Recept., DTM, 8 way, A key, gray, end cap	DTM04-08PA-E003	WM-8P
8	20	Recept., DTM, 8 way, A key, black, end cap	DTM04-08PA-E005	WM-8P
8	20	Recept., DTM, 8 way, B key, black	DTM04-08PB	WM-8P
8	20	Recept., DTM, 8 way, C key, green	DTM04-08PC	WM-8P
8	20	Recept., DTM, 8 way, D key, brown	DTM04-08PD	WM-8P
8	20	Plug, DTM, 8 way, A key, gray	DTM06-08SA	WM-8S
8	20	Plug, DTM, 8 way, A key, gray, solid rear grommet	DTM06-08SA-C017	Included
8	20	Plug, DTM, 8 way, A key, gray, shrink boot adapter	DTM06-08SA-E007	WM-8S
8	20	Plug, DTM, 8 way, B key, black	DTM06-08SB	WM-8S
8	20	Plug, DTM, 8 way, B key, black, shrink boot adapter	DTM06-08SB-E007	WM-8S
8	20	Plug, DTM, 8 way, C key, green	DTM06-08SC	WM-8S
8	20	Plug, DTM, 8 way, D key, brown	DTM06-08SD	WM-8S

## DTM13 Series

8	20	Recept., DTM13, 8 way, A key, gray, custom flange, PCB mount	DTM13-08PA-R004	N/A
---	----	--	-----------------	-----

## HD30 Series

8	12	Recept., HD30, 18 shell, 8 way, E seal	HD34-18-8PE	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, cable clamp	HD34-18-8PE-059	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, adapter	HD34-18-8PE-072	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal	HD34-18-8PN	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
8	12	Recept., HD30, 18 shell, 8 way, N seal, cable clamp	HD34-18-8PN-059	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal, adapter	HD34-18-8PN-072	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, reverse	HD34-18-8SE	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, reverse, cable clamp	HD34-18-8SE-059	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, reverse, adapter	HD34-18-8SE-072	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal, reverse	HD34-18-8SN	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal, reverse, cable clamp	HD34-18-8SN-059	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal, reverse, adapter	HD34-18-8SN-072	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, reverse	HD36-18-8PE	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, reverse, cable clamp	HD36-18-8PE-059	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, reverse, adapter	HD36-18-8PE-072	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, reverse	HD36-18-8PN	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, reverse, cable clamp	HD36-18-8PN-059	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, reverse, adapter	HD36-18-8PN-072	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal	HD36-18-8SE	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, cable clamp	HD36-18-8SE-059	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, adapter	HD36-18-8SE-072	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal	HD36-18-8SN	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, cable clamp	HD36-18-8SN-059	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, adapter	HD36-18-8SN-072	N/A

## HDB Series

8	12	Plug, HDB30, 18 shell, 8 way, N seal, reverse, breakaway	HDB36-18-8PN	N/A
8	12	Plug, HDB30, 18 shell, 8 way, N seal, reverse, breakaway, cable clamp	HDB36-18-8PN-059	N/A
8	12	Plug, HDB30, 18 shell, 8 way, N seal, breakaway	HDB36-18-8SN	N/A
8	12	Plug, HDB30, 18 shell, 8 way, N seal, breakaway, cable clamp	HDB36-18-8SN-059	N/A

## HDP20 Series

8	12	Recept., HDP20, 18 shell, 8 way, black, E seal	HDP24-18-8PE	N/A
8	12	Recept., HDP20, 18 shell, 8 way, black, E seal, ring adapter	HDP24-18-8PE-L017	N/A
8	12	Recept., HDP20, 18 shell, 8 way, black, N seal	HDP24-18-8PN	N/A
8	12	Recept., HDP20, 18 shell, 8 way, black, N seal, reverse	HDP24-18-8SN	N/A
8	12	Plug, HDP20, 18 shell, 8 way, black, N seal, reverse	HDP26-18-8PN	N/A
8	12	Plug, HDP20, 18 shell, 8 way, black, E seal	HDP26-18-8SE	N/A
8	12	Plug, HDP20, 18 shell, 8 way, black, E seal, ring adapter	HDP26-18-8SE-L017	N/A
8	12	Plug, HDP20, 18 shell, 8 way, black, N seal	HDP26-18-8SN	N/A

## Strike Series

8	4 sz. Ø8mm, 4 sz. 16	Recept., Strike, FL shell, 8 way, A key, black, sealed flange, no cable attachment	SRK02-FLA-08A-001	Included
8	4 sz. Ø8mm, 4 sz. 16	Plug, Strike, FL shell, 8 way, A key, black, no cable attachment	SRK06-FLA-08A-001	Included

# 9 CAVITY CONNECTORS

## HD10 Series

9	16	Recept., HD10, 9 way, gray, flange, non-threaded rear	HD10-9-16P	N/A
9	16	Recept., HD10, 9 way, gray, flange, non-threaded rear, key removed from front of flange	HD10-9-16P-B009	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, J1939	HD10-9-1939P	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, J1939, panel nut mount	HD10-9-1939P-B022	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
9	16	Recept., HD10, 9 way, green, flange, threaded rear, J1939 type II, panel nut mount	HD10-9-1939P-BP03	N/A
9	16	Recept., HD10, 9 way, green, flange, threaded rear, J1939 type II	HD10-9-1939P-P080	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, J1939, E seal	HD10-9-1939PE	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, J1939, E seal, panel nut mount	HD10-9-1939PE-B022	N/A
9	16	Recept., HD10, 9 way, gray, flange, threaded rear	HD10-9-96P	N/A
9	16	Recept., HD10, 9 way, gray, flange, non-threaded rear, key removed from front of flange	HD10-9-96P-B009	N/A
9	16	Recept., HD10, 9 way, black, flange, non-threaded rear, panel nut mount	HD10-9-96P-B025	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, straight molded pins, PCB mount	HD10-9-96P-N005	N/A
9	16	Recept., HD10, 9 way, gray, flange, threaded rear, E seal	HD10-9-96PE	N/A
9	16	Recept., HD10, 9 way, gray, in-line, non-threaded rear	HD14-9-16P	N/A
9	16	Recept., HD10, 9 way, black, in-line, threaded rear, J1939	HD14-9-1939P	N/A
9	16	Recept., HD10, 9 way, green, in-line, threaded rear, J1939 type II	HD14-9-1939P-P080	N/A
9	16	Recept., HD10, 9 way, black, in-line, threaded rear, J1939, E seal	HD14-9-1939PE	N/A
9	16	Recept., HD10, 9 way, gray, in-line, threaded rear	HD14-9-96P	N/A
(9)7	7 sz. 16	Recept., HD10, 9 way, gray, in-line, threaded rear, cavities H, J blocked	HD14-9-96P-C016	N/A
9	16	Recept., HD10, 9 way, gray, in-line, threaded rear, E seal	HD14-9-96PE	N/A
9	16	Plug, HD10, 9 way, gray, non-threaded rear	HD16-9-16S	N/A
9	16	Plug, HD10, 9 way, black, threaded rear, J1939	HD16-9-1939S	N/A
9	16	Plug, HD10, 9 way, green, threaded rear, J1939 type II	HD16-9-1939S-P080	N/A
9	16	Plug, HD10, 9 way, black, threaded rear, J1939, E seal	HD16-9-1939SE	N/A
9	16	Plug, HD10, 9 way, gray, threaded rear	HD16-9-96S	N/A
(9)7	7 sz. 16	Plug, HD10, 9 way, gray, threaded rear, cavities H, J blocked	HD16-9-96S-C016	N/A
9	16	Plug, HD10, 9 way, black, threaded rear, no coupling ring, J1939	HD17-9-1939S	N/A
9	16	Plug, HD10, 9 way, green, threaded rear, no coupling ring, J1939 type II	HD17-9-1939S-P080	N/A
9	16	Plug, HD10, 9 way, black, threaded rear, no coupling ring, J1939, E seal	HD17-9-1939SE	N/A
<b>HD30 Series</b>				
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal	HD34-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, cable clamp	HD34-24-9PN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, adapter	HD34-24-9PN-072	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, reverse	HD34-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, reverse, cable clamp	HD34-24-9SN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, reverse, adapter	HD34-24-9SN-072	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, E seal, HDBox arrangement	HD34-24-91PE	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, E seal, HDBox arrangement, cable clamp	HD34-24-91PE-059	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, E seal, HDBox arrangement, adapter	HD34-24-91PE-072	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, N seal, HDBox arrangement	HD34-24-91PN	N/A



# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, N seal, HDBox arrangement, cable clamp	HD34-24-91PN-059	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, N seal, HDBox arrangement, adapter	HD34-24-91PN-072	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, reverse	HD36-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, reverse, cable clamp	HD36-24-9PN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, reverse, adapter	HD36-24-9PN-072	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal	HD36-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, cable clamp	HD36-24-9SN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, adapter	HD36-24-9SN-072	N/A
<b>HDB Series</b>				
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, reverse, breakaway	HDB36-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, reverse, breakaway, cable clamp	HDB36-24-9PN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, breakaway	HDB36-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, breakaway, cable clamp	HDB36-24-9SN-059	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, E seal, breakaway, HDBox arrangement, cavities 4 & 5 connected internally	HDB36-24-91SE	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, E seal, breakaway, HDBox arrangement, cavities 4 & 5 connected internally, cable clamp	HDB36-24-91SE-059	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, N seal, breakaway, HDBox arrangement, cavities 4 & 5 connected internally	HDB36-24-91SN	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, N seal, breakaway, HDBox arrangement, cavities 4 & 5 connected internally, cable clamp	HDB36-24-91SN-059	N/A
<b>HDP20 Series</b>				
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, E seal	HDP24-24-9PE	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, E seal, threaded adapter	HDP24-24-9PE-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, E seal, ring adapter	HDP24-24-9PE-L017	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal	HDP24-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, threaded adapter	HDP24-24-9PN-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, ring adapter	HDP24-24-9PN-L017	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, E seal, reverse, threaded adapter	HDP24-24-9SE-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, reverse	HDP24-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, reverse, threaded adapter	HDP24-24-9SN-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, reverse, ring adapter	HDP24-24-9SN-L017	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HDP20, 24 shell, 9 way, black, E seal, HDBox arrangement, threaded adapter	HDP24-24-91PE-L015	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HDP20, 24 shell, 9 way, black, N seal, HDBox arrangement	HDP24-24-91PN-P064	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, reverse	HDP26-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, reverse, threaded adapter	HDP26-24-9PN-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, reverse, ring adapter	HDP26-24-9PN-L017	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, E seal	HDP26-24-9SE	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, E seal, threaded adapter	HDP26-24-9SE-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, E seal, ring adapter	HDP26-24-9SE-L017	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal	HDP26-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, threaded adapter	HDP26-24-9SN-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, ring adapter	HDP26-24-9SN-L017	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDP20, 24 shell, 9 way, black, E seal, HDBox arrangement, cavities 4 & 5 connected internally	HDP26-24-91SE-L015	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDP20, 24 shell, 9 way, black, N seal, HDBox arrangement, no internal jumper	HDP26-24-91SN-P064	N/A

## 10 CAVITY CONNECTORS

### HD30 Series

(14)10	10 sz. 16	Plug, HD30, 18 shell, 10 way, E seal, cavities A, D, J, M blocked	HD36-18-14SE-C022	N/A
--------	-----------	---	-------------------	-----

### HDFB Series

10	12	Module, HDFB, sz. 12, gray, (1) 10 pin buss	HDFB-12-01S	N/A
10	12	Module, HDFB, sz. 12, gray, (1) 6 pin buss / (1) 4 pin buss	HDFB-12-02S	N/A
10	12	Module, HDFB, sz. 12, gray, (2) 4 pin busses / (1) 2 pin buss	HDFB-12-03S	N/A
10	12	Module, HDFB, sz. 12, gray, (3) 2 pin busses / (1) 4 pin buss	HDFB-12-04S	N/A

## 12 CAVITY CONNECTORS

### DT Series

12	16	Recept., DT, 12 way, A key, gray	DT04-12PA	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray	DT04-12PA-B016	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, end cap	DT04-12PA-BE02	W12P
12	16	Recept., DT, 12 way, enhanced A key, black, end cap	DT04-12PA-BE03	W12P
12	16	Recept., DT, 12 way, enhanced A key, black, reduced dia. seals, end cap	DT04-12PA-BE04	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, flange	DT04-12PA-BL04	W12P
12	16	Recept., DT, 12 way, enhanced A key, black, flange	DT04-12PA-BL08	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals, sealed flange, shrink boot adapter	DT04-12PA-BL10	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals, sealed flange, end cap	DT04-12PA-BL11	W12P
12	16	Recept., DT, 12 way, A key, gray, reduced dia. seals	DT04-12PA-C015	W12P
12	16	Recept., DT, 12 way, A key, gray, solid rear grommet	DT04-12PA-C017	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Recept., DT, 12 way, A key, gray, reduced dia. seals, end cap	DT04-12PA-CE01	W12P
12	16	Recept., DT, 12 way, A key, black, reduced dia. seals	DT04-12PA-CE02	W12P
12	16	Recept., DT, 12 way, A key, black, reduced dia. seals, end cap	DT04-12PA-CE03	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals, end cap	DT04-12PA-CE07	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals	DT04-12PA-CE08	W12P
12	16	Recept., DT, 12 way, A key, gray, reduced dia. seals, sealed flange, end cap	DT04-12PA-CL11	W12P
12	16	Recept., DT, 12 way, A key, gray, end cap	DT04-12PA-E003	W12P
12	16	Recept., DT, 12 way, A key, black	DT04-12PA-E004	W12P
12	16	Recept., DT, 12 way, A key, black, end cap	DT04-12PA-E005	W12P
12	16	Recept., DT, 12 way, A key, gray, shrink boot adapter	DT04-12PA-E008	W12P
12	16	Recept., DT, 12 way, A key, gray, flange	DT04-12PA-L012	W12P
12	16	Recept., DT, 12 way, A key, gray, sealed black flange, gasket, end cap	DT04-12PA-LE01	W12P
12	16	Recept., DT, 12 way, A key, gray, sealed flange, gasket (sold separately), end cap	DT04-12PA-LE03	W12P
12	16	Recept., DT, 12 way, A key, gray, sealed flange, gasket, end cap	DT04-12PA-LE05	W12P
12	16	Recept., DT, 12 way, A key, gray, reduced dia. seals, sealed flange, gasket, end cap	DT04-12PA-LE06	W12P
12	16	Recept., DT, 12 way, A key, gray, flange, end cap	DT04-12PA-LE07	W12P
12	16	Recept., DT, 12 way, A key, black, sealed flange, gasket (sold separately), end cap	DT04-12PA-LE09	W12P
12	16	Recept., DT, 12 way, A key, black, sealed flange, gasket, end cap	DT04-12PA-LE10	W12P
12	16	Recept., DT, 12 way, A key, black, flange	DT04-12PA-LE14	W12P
12	16	Recept., DT, 12 way, enhanced A key, black, sealed flange, gasket (sold separately), end cap	DT04-12PA-LE17	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals, sealed flange, end cap, one piece design	DT04-12PA-LE21	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, (1) 12 pin buss, gold contacts	DT04-12PA-P016	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (1) 12 pin buss, nickel contacts	DT04-12PA-P021	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (2) 6 pin busses, nickel contacts	DT04-12PA-P026	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (4) 3 pin busses, nickel contacts	DT04-12PA-P030	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (4) 3 pin busses, gold contacts	DT04-12PA-P031	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (3) 4 pin busses, nickel contacts	DT04-12PA-P075	Included
12	16	Recept., DT, 12 way, B key, black	DT04-12PB	W12P
12	16	Recept., DT, 12 way, enhanced B key, black	DT04-12PB-B016	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, end cap	DT04-12PB-BE02	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, flange	DT04-12PB-BL04	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, reduced dia. seals, sealed flange, end cap	DT04-12PB-BL11	W12P
12	16	Recept., DT, 12 way, B key, black, reduced dia. seals	DT04-12PB-C015	W12P
12	16	Recept., DT, 12 way, B key, black, reduced dia. seals, end cap	DT04-12PB-CE01	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, reduced dia. seals, end cap	DT04-12PB-CE07	W12P
12	16	Recept., DT, 12 way, B key, black, reduced dia. seals, sealed flange, end cap	DT04-12PB-CL11	W12P
12	16	Recept., DT, 12 way, B key, black, end cap	DT04-12PB-E003	W12P
12	16	Recept., DT, 12 way, B key, black, flange	DT04-12PB-L012	W12P
12	16	Recept., DT, 12 way, B key, black, sealed black flange, gasket, end cap	DT04-12PB-LE01	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, reduced dia. seals, sealed flange, end cap, one piece design	DT04-12PB-LE21	W12P

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Recept., DT, 12 way, enhanced B key, black, (1) 12 pin buss, gold contacts	DT04-12PB-P016	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (1) 12 pin buss, nickel contacts	DT04-12PB-P021	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (2) 6 pin busses, nickel contacts	DT04-12PB-P026	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (2) 6 pin busses, gold contacts	DT04-12PB-P027	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (4) 3 pin busses, nickel contacts	DT04-12PB-P030	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (4) 3 pin busses, gold contacts	DT04-12PB-P031	Included
12	16	Recept., DT, 12 way, C key, green	DT04-12PC	W12P
12	16	Recept., DT, 12 way, enhanced C key, green	DT04-12PC-B016	W12P
12	16	Recept., DT, 12 way, enhanced C key, green, end cap	DT04-12PC-BE02	W12P
12	16	Recept., DT, 12 way, enhanced C key, green, flange	DT04-12PC-BL04	W12P
12	16	Recept., DT, 12 way, enhanced C key, green, flange, end cap	DT04-12PC-BL05	W12P
12	16	Recept., DT, 12 way, C key, green, reduced dia. seals	DT04-12PC-C015	W12P
12	16	Recept., DT, 12 way, C key, green, reduced dia. seals, end cap	DT04-12PC-CE01	W12P
12	16	Recept., DT, 12 way, enhanced C key, green, reduced dia. seals, end cap	DT04-12PC-CE07	W12P
12	16	Recept., DT, 12 way, C key, green, flange	DT04-12PC-L012	W12P
12	16	Recept., DT, 12 way, C key, green, sealed black flange, gasket, end cap	DT04-12PC-LE01	W12P
12	16	Recept., DT, 12 way, D key, brown	DT04-12PD	W12P
12	16	Recept., DT, 12 way, enhanced D key, brown	DT04-12PD-B016	W12P
12	16	Recept., DT, 12 way, enhanced D key, brown, end cap	DT04-12PD-BE02	W12P
12	16	Recept., DT, 12 way, enhanced D key, brown, flange	DT04-12PD-BL04	W12P
12	16	Recept., DT, 12 way, D key, brown, reduced dia. seals	DT04-12PD-C015	W12P
12	16	Recept., DT, 12 way, D key, brown, reduced dia. seals, end cap	DT04-12PD-CE01	W12P
12	16	Recept., DT, 12 way, enhanced D key, brown, reduced dia. seals, end cap	DT04-12PD-CE07	W12P
12	16	Recept., DT, 12 way, D key, brown, flange	DT04-12PD-L012	W12P
12	16	Plug, DT, 12 way, A key, gray	DT06-12SA	W12S
12	16	Plug, DT, 12 way, A key, gray, reduced dia. seals	DT06-12SA-C015	W12S
12	16	Plug, DT, 12 way, A key, gray, solid rear grommet	DT06-12SA-C017	Included
12	16	Plug, DT, 12 way, A key, gray, reduced dia. seals, end cap	DT06-12SA-CE01	W12S
12	16	Plug, DT, 12 way, A key, black, reduced dia. seals	DT06-12SA-CE02	W12S
12	16	Plug, DT, 12 way, A key, gray, reduced dia. seals, shrink boot adapter	DT06-12SA-CE04	W12S
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., reduced dia. seals, end cap	DT06-12SA-CE05	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., reduced dia. seals	DT06-12SA-CE06	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, black, enhanced seal ret., reduced dia. seals	DT06-12SA-CE10	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, black, enhanced seal ret., reduced dia. seals, end cap	DT06-12SA-CE11	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-12SA-CE13	W12S-P012
12	16	Plug, DT, 12 way, A key, gray, end cap	DT06-12SA-E003	W12S
12	16	Plug, DT, 12 way, A key, black, end cap	DT06-12SA-E005	W12S
12	16	Plug, DT, 12 way, A key, gray, shrink boot adapter	DT06-12SA-E008	W12S
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., end cap	DT06-12SA-EP06	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, black, enhanced seal ret.	DT06-12SA-EP07	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, black, enhanced seal ret., end cap	DT06-12SA-EP08	W12S-P012

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., shrink boot adapter	DT06-12SA-EP20	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret.	DT06-12SA-P012	W12S-P012
12	16	Plug, DT, 12 way, B key, black	DT06-12SB	W12S
12	16	Plug, DT, 12 way, B key, black, reduced dia. seals	DT06-12SB-C015	W12S
12	16	Plug, DT, 12 way, B key, black, reduced dia. seals, end cap	DT06-12SB-CE01	W12S
12	16	Plug, DT, 12 way, B key, black, reduced dia. seals, shrink boot adapter	DT06-12SB-CE04	W12S
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., reduced dia. seals, end cap	DT06-12SB-CE05	W12S-P012
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., reduced dia. seals	DT06-12SB-CE06	W12S-P012
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-12SB-CE13	W12S-P012
12	16	Plug, DT, 12 way, B key, black, end cap	DT06-12SB-E003	W12S
12	16	Plug, DT, 12 way, B key, black, shrink boot adapter	DT06-12SB-E008	W12S
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., end cap	DT06-12SB-EP06	W12S-P012
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., shrink boot adapter	DT06-12SB-EP20	W12S-P012
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret.	DT06-12SB-P012	W12S-P012
12	16	Plug, DT, 12 way, C key, green	DT06-12SC	W12S
12	16	Plug, DT, 12 way, C key, green, reduced dia. seals	DT06-12SC-C015	W12S
12	16	Plug, DT, 12 way, C key, green, solid rear grommet	DT06-12SC-C017	Included
12	16	Plug, DT, 12 way, C key, green, reduced dia. seals, end cap	DT06-12SC-CE01	W12S
12	16	Plug, DT, 12 way, C key, green, reduced dia. seals, shrink boot adapter	DT06-12SC-CE04	W12S
12	16	Plug, DT, 12 way, enhanced C key, green, enhanced seal ret., reduced dia. seals, end cap	DT06-12SC-CE05	W12S-P012
12	16	Plug, DT, 12 way, enhanced C key, green, enhanced seal ret., reduced dia. seals	DT06-12SC-CE06	W12S-P012
12	16	Plug, DT, 12 way, C key, green, end cap	DT06-12SC-E003	W12S
12	16	Plug, DT, 12 way, enhanced C key, green, enhanced seal ret., end cap	DT06-12SC-EP06	W12S-P012
12	16	Plug, DT, 12 way, enhanced C key, green, enhanced seal ret.	DT06-12SC-P012	W12S-P012
12	16	Plug, DT, 12 way, D key, brown	DT06-12SD	W12S
12	16	Plug, DT, 12 way, D key, brown, reduced dia. seals	DT06-12SD-C015	W12S
12	16	Plug, DT, 12 way, D key, brown, solid rear grommet	DT06-12SD-C017	Included
12	16	Plug, DT, 12 way, D key, brown, reduced dia. seals, shrink boot adapter	DT06-12SD-CE04	W12S
12	16	Plug, DT, 12 way, enhanced D key, brown, enhanced seal ret., reduced dia. seals, end cap	DT06-12SD-CE05	W12S-P012
12	16	Plug, DT, 12 way, enhanced D key, brown, enhanced seal ret., reduced dia. seals	DT06-12SD-CE06	W12S-P012
12	16	Plug, DT, 12 way, enhanced D key, brown, enhanced seal ret., end cap	DT06-12SD-EP06	W12S-P012
12	16	Plug, DT, 12 way, enhanced D key, brown, enhanced seal ret.	DT06-12SD-P012	W12S-P012
<b>DT13/15 Series</b>				
12	16	Recept., DT13, 12 way, A key, gray, 90° molded pins, PCB mount	DT13-12PA	N/A
12	16	Recept., DT13, 12 way, enhanced A key, gray, 90° molded pins, PCB mount	DT13-12PA-B016	N/A
12	16	Recept., DT13, 12 way, A key, gray, 90° molded gold pins, PCB mount	DT13-12PA-G003	N/A
12	16	Recept., DT13, 12 way, enhanced A key, black, 90° molded pins, DT EEC PCB header	DT13-12PA-R015	N/A
12	16	Recept., DT13, 12 way, B key, black, 90° molded pins, PCB mount	DT13-12PB	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Recept., DT13, 12 way, enhanced B key, black 90° molded pins, PCB mount	DT13-12PB-B016	N/A
12	16	Recept., DT13, 12 way, B key, black, 90° molded gold pins, PCB mount	DT13-12PB-G003	N/A
12	16	Recept., DT13, 12 way, C key, green, 90° molded pins, PCB mount	DT13-12PC	N/A
12	16	Recept., DT13, 12 way, enhanced C key, green, 90° molded pins, PCB mount	DT13-12PC-B016	N/A
12	16	Recept., DT13, 12 way, C key, green, 90° molded gold pins, PCB mount	DT13-12PC-G003	N/A
12	16	Recept., DT13, 12 way, D key, brown, 90° molded pins, PCB mount	DT13-12PD	N/A
12	16	Recept., DT13, 12 way, enhanced D key, brown, 90° molded pins, PCB mount	DT13-12PD-B016	N/A
12	16	Recept., DT13, 12 way, D key, brown, 90° molded gold pins, PCB mount	DT13-12PD-G003	N/A
12	16	Recept., DT15, 12 way, A key, gray, straight molded pins, PCB mount	DT15-12PA	N/A
12	16	Recept., DT15, 12 way, enhanced A key, gray, straight molded pins, PCB mount	DT15-12PA-B016	N/A
12	16	Recept., DT15, 12 way, A key, gray, straight molded pins, PCB mount, 5 P.S.I.	DT15-12PA-B028	N/A
12	16	Recept., DT15, 12 way, A key, gray, straight molded gold pins, PCB mount	DT15-12PA-G003	N/A
12	16	Recept., DT15, 12 way, B key, black, straight molded pins, PCB mount	DT15-12PB	N/A
12	16	Recept., DT15, 12 way, enhanced B key, black, straight molded pins, PCB mount	DT15-12PB-B016	N/A
12	16	Recept., DT15, 12 way, B key, black, straight molded pins, PCB mount, 5 P.S.I.	DT15-12PB-B028	N/A
12	16	Recept., DT15, 12 way, B key, black, straight molded gold pins, PCB mount	DT15-12PB-G003	N/A
12	16	Recept., DT15, 12 way, C key, green, straight molded pins, PCB mount	DT15-12PC	N/A
12	16	Recept., DT15, 12 way, enhanced C key, green, straight molded pins, PCB mount	DT15-12PC-B016	N/A
12	16	Recept., DT15, 12 way, C key, green, straight molded gold pins, PCB mount	DT15-12PC-G003	N/A
12	16	Recept., DT15, 12 way, D key, brown, straight molded pins, PCB mount	DT15-12PD	N/A
12	16	Recept., DT15, 12 way, enhanced D key, brown, straight molded pins, PCB mount	DT15-12PD-B016	N/A
12	16	Recept., DT15, 12 way, D key, brown, straight molded gold pins, PCB mount	DT15-12PD-G003	N/A

## DT13 EEC Headers

12	16	Recept., DT13, 12 way, enhanced A key, black, 90° molded pins, DT EEC PCB header	DT13-12PA-R015	N/A
----	----	--	----------------	-----

## DTF Series

12	16	Recept., DTF, 12 way, enhanced A key, gray, 90° molded pins, flangeless PCB mount	DTF13-12PA	N/A
12	16	Recept., DTF, 12 way, enhanced A key, gray, 90° molded gold pins, flangeless PCB mount	DTF13-12PA-G003	N/A
12	16	Recept., DTF, 12 way, enhanced B key, black, 90° molded pins, flangeless PCB mount	DTF13-12PB	N/A
12	16	Recept., DTF, 12 way, enhanced C key, green, 90° molded pins, flangeless PCB mount	DTF13-12PC	N/A
12	16	Recept., DTF, 12 way, enhanced D key, brown, 90° molded pins, flangeless PCB mount	DTF13-12PD	N/A
12	16	Recept., DTF, 12 way, enhanced A key, gray, straight molded pins, flangeless PCB mount	DTF15-12PA	N/A
12	16	Recept., DTF, 12 way, enhanced A key, gray, straight molded gold pins, flangeless PCB mount	DTF15-12PA-G003	N/A
12	16	Recept., DTF, 12 way, enhanced B key, black, straight molded pins, flangeless PCB mount	DTF15-12PB	N/A



# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Recept., DTF, 12 way, enhanced B key, black, straight molded gold pins, flangeless PCB mount	DTF15-12PB-G003	N/A
12	16	Recept., DTF, 12 way, enhanced C key, green, straight molded pins, flangeless PCB mount	DTF15-12PC	N/A
12	16	Recept., DTF, 12 way, enhanced D key, brown, straight molded pins, flangeless PCB mount	DTF15-12PD	N/A

## DTM Series

12	20	Recept., DTM, 12 way, A key, gray	DTM04-12PA	WM-12P
12	20	Recept., DTM, 12 way, A key, gray, end cap	DTM04-12PA-E003	WM-12P
12	20	Recept., DTM, 12 way, A key, black, end cap	DTM04-12PA-E005	WM-12P
12	20	Recept., DTM, 12 way, A key, black, high temp	DTM04-12PA-EE04	WM-12P
12	20	Recept., DTM, 12 way, A key, gray, flange	DTM04-12PA-L012	WM-12P
12	20	Recept., DTM, 12 way, B key, black	DTM04-12PB	WM-12P
12	20	Recept., DTM, 12 way, B key, black, flange	DTM04-12PB-L012	WM-12P
12	20	Recept., DTM, 12 way, C key, green	DTM04-12PC	WM-12P
12	20	Recept., DTM, 12 way, D key, brown	DTM04-12PD	WM-12P
12	20	Recept., DTM, 12 way, D key, black, high temp	DTM04-12PD-EE04	WM-12P
12	20	Plug, DTM, 12 way, A key, gray	DTM06-12SA	WM-12S
12	20	Plug, DTM, 12 way, A key, gray, end cap	DTM06-12SA-E003	WM-12S
12	20	Plug, DTM, 12 way, A key, gray, shrink boot adapter	DTM06-12SA-E007	WM-12S
12	20	Plug, DTM, 12 way, A key, black, high temp	DTM06-12SA-EE04	WM-12S
12	20	Plug, DTM, 12 way, B key, black	DTM06-12SB	WM-12S
12	20	Plug, DTM, 12 way, B key, black, end cap	DTM06-12SB-E003	WM-12S
12	20	Plug, DTM, 12 way, B key, black, shrink boot adapter	DTM06-12SB-E007	WM-12S
12	20	Plug, DTM, 12 way, B key, black, high temp	DTM06-12SB-EE04	WM-12S
12	20	Plug, DTM, 12 way, C key, green	DTM06-12SC	WM-12S
12	20	Plug, DTM, 12 way, C key, green, shrink boot adapter	DTM06-12SC-E007	WM-12S
12	20	Plug, DTM, 12 way, D key, brown	DTM06-12SD	WM-12S
12	20	Plug, DTM, 12 way, D key, brown, shrink boot adapter	DTM06-12SD-E007	WM-12S
12	20	Plug, DTM, 12 way, D key, black, high temp	DTM06-12SD-EE04	WM-12S

## DTM13/15 Series

12	20	Recept., DTM13, 12 way, A key, gray, 90° molded pins, PCB mount	DTM13-12PA	N/A
12	20	Recept., DTM13, 12 way, B key, gray, 90° molded pins, PCB mount	DTM13-12PB	N/A
12	20	Recept., DTM13, 12 way, B key, black, 90° molded pins, PCB mount, flangeless	DTM13-12PB-R005	N/A
12	20	Recept., DTM13, 12 way, C key, gray, 90° molded pins, PCB mount	DTM13-12PC	N/A
12	20	Recept., DTM13, 12 way, D key, gray, 90° molded pins, PCB mount	DTM13-12PD	N/A
12	20	Recept., DTM15, 12 way, A key, gray, straight molded pins, PCB mount	DTM15-12PA	N/A
12	20	Recept., DTM15, 12 way, B key, gray, straight molded pins, PCB mount	DTM15-12PB	N/A
12	20	Recept., DTM15, 12 way, C key, gray, straight molded pins, PCB mount	DTM15-12PC	N/A
12	20	Recept., DTM15, 12 way, D key, gray, straight molded pins, PCB mount	DTM15-12PD	N/A

## DTM13 EEC Headers

12	20	Recept., DTM13, 12 way, A key, black, 90° molded gold pins, DTM EEC PCB header	DTM13-12PA-GR01	N/A
12	20	Recept., DTM13, 12 way, A key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PA-R008	N/A
12	20	Recept., DTM13, 12 way, B key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PB-R008	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	20	Recept., DTM13, 12 way, C key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PC-R008	N/A
12	20	Recept., DTM13, 12 way, D key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PD-R008	N/A
<b>HD30 Series</b>				
(14)12	12 sz. 16	Recept., HD30, 18 shell, 12 way, N seal, cavities A, D blocked	HD34-18-14PN-C020	N/A
(14)12	12 sz. 16	Plug, HD30, 18 shell, 12 way, N seal, reverse, cavities J, P blocked	HD36-18-14PN-C012	N/A
<b>IMC Series</b>				
12	IMC/QC 22	Recept., IMC, 200 series, 12 way, black	IMC21-2212X	N/A
12	IMC/QC 22	Recept., IMC, 200 series, 12 way, black, flange	IMC24-2212X	N/A
12	IMC/QC 22	Plug, IMC, 200 series, 12 way, black	IMC26-2212X	N/A
<b>Quick Connect Series</b>				
12	IMC/QC 22	Recept., QC, 12 way, black	QC24-2212X	N/A
12	IMC/QC 22	Plug, QC, 12 way, black	QC26-2212X	N/A

## 14 CAVITY CONNECTORS

<b>HD30 Series</b>				
14	16	Recept., HD30, 18 shell, 14 way, E seal	HD34-18-14PE	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, cable clamp	HD34-18-14PE-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, adapter	HD34-18-14PE-072	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal	HD34-18-14PN	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, cable clamp	HD34-18-14PN-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, adapter	HD34-18-14PN-072	N/A
(14)12	12 sz. 16	Recept., HD30, 18 shell, 14 way, N seal, cavities A, D blocked	HD34-18-14PN-C020	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, chromated	HD34-18-14PN-H001	N/A
14	16	Recept., HD30, 18 shell, 14 way, T seal	HD34-18-14PT	N/A
14	16	Recept., HD30, 18 shell, 14 way, T seal, cable clamp	HD34-18-14PT-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, T seal, adapter	HD34-18-14PT-072	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, reverse	HD34-18-14SE	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, reverse, cable clamp	HD34-18-14SE-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, reverse, adapter	HD34-18-14SE-072	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, reverse	HD34-18-14SN	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, reverse, cable clamp	HD34-18-14SN-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, reverse, adapter	HD34-18-14SN-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, E seal	HD34-24-14PE	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, E seal, cable clamp	HD34-24-14PE-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, E seal, adapter	HD34-24-14PE-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal	HD34-24-14PN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, cable clamp	HD34-24-14PN-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, adapter	HD34-24-14PN-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, reverse	HD34-24-14SN	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, reverse, cable clamp	HD34-24-14SN-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, reverse, adapter	HD34-24-14SN-072	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, reverse	HD36-18-14PE	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, reverse, cable clamp	HD36-18-14PE-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, reverse, adapter	HD36-18-14PE-072	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, reverse	HD36-18-14PN	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, reverse, cable clamp	HD36-18-14PN-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, reverse, adapter	HD36-18-14PN-072	N/A
(14)12	12 sz. 16	Plug, HD30, 18 shell, 14 way, N seal, reverse, cavities J, P blocked	HD36-18-14PN-C012	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal	HD36-18-14SE	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, cable clamp	HD36-18-14SE-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, adapter	HD36-18-14SE-072	N/A
(14)10	10 sz. 16	Plug, HD30, 18 shell, 14 way, E seal, cavities A, D, J, M blocked	HD36-18-14SE-C022	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal	HD36-18-14SN	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, cable clamp	HD36-18-14SN-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, adapter	HD36-18-14SN-072	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, chromated	HD36-18-14SN-H001	N/A
14	16	Plug, HD30, 18 shell, 14 way, T seal	HD36-18-14ST	N/A
14	16	Plug, HD30, 18 shell, 14 way, T seal, cable clamp	HD36-18-14ST-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, T seal, adapter	HD36-18-14ST-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, reverse	HD36-24-14PN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, reverse, cable clamp	HD36-24-14PN-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, reverse, adapter	HD36-24-14PN-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, E seal	HD36-24-14SE	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, E seal, cable clamp	HD36-24-14SE-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, E seal, adapter	HD36-24-14SE-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal	HD36-24-14SN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, cable clamp	HD36-24-14SN-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, adapter	HD36-24-14SN-072	N/A
<b>HDB Series</b>				
14	16	Plug, HDB30, 18 shell, 14 way, E seal, reverse, breakaway	HDB36-18-14PE	N/A
14	16	Plug, HDB30, 18 shell, 14 way, E seal, reverse, breakaway, cable clamp	HDB36-18-14PE-059	N/A
14	16	Plug, HDB30, 18 shell, 14 way, N seal, reverse, breakaway	HDB36-18-14PN	N/A
14	16	Plug, HDB30, 18 shell, 14 way, N seal, reverse, breakaway, cable clamp	HDB36-18-14PN-059	N/A
14	16	Plug, HDB30, 18 shell, 14 way, N seal, breakaway	HDB36-18-14SN	N/A
14	16	Plug, HDB30, 18 shell, 14 way, N seal, breakaway, cable clamp	HDB36-18-14SN-059	N/A
<b>HDP20 Series</b>				
14	16	Recept., HDP20, 18 shell, 14 way, black, E seal	HDP24-18-14PE	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
14	16	Recept., HDP20, 18 shell, 14 way, black, E seal, ring adapter	HDP24-18-14PE-L017	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, N seal	HDP24-18-14PN	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, N seal, ring adapter	HDP24-18-14PN-L017	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, E seal, reverse	HDP24-18-14SE	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, E seal, reverse, ring adapter	HDP24-18-14SE-L017	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, N seal, reverse	HDP24-18-14SN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, E seal	HDP24-24-14PE	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal	HDP24-24-14PN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, threaded adapter	HDP24-24-14PN-L015	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, ring adapter	HDP24-24-14PN-L017	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, reverse	HDP24-24-14SN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, reverse, threaded adapter	HDP24-24-14SN-L015	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, reverse, ring adapter	HDP24-24-14SN-L017	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, E seal, reverse	HDP26-18-14PE	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, E seal, reverse, ring adapter	HDP26-18-14PE-L017	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, N seal, reverse	HDP26-18-14PN	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, E seal	HDP26-18-14SE	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, E seal, ring adapter	HDP26-18-14SE-L017	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, N seal	HDP26-18-14SN	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, N seal, ring adapter	HDP26-18-14SN-L017	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, reverse	HDP26-24-14PN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, reverse, threaded adapter	HDP26-24-14PN-L015	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, reverse, ring adapter	HDP26-24-14PN-L017	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, E seal	HDP26-24-14SE	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal	HDP26-24-14SN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, threaded adapter	HDP26-24-14SN-L015	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, ring adapter	HDP26-24-14SN-L017	N/A

## 15 CAVITY CONNECTORS

### HDBox Series

15	Special	Recept., HDBox, black, houses HD34-24-91PN, DT13-2P, DT13-4P	HDBOX-24-91PN	N/A
----	---------	--	---------------	-----

## 16 CAVITY CONNECTORS

### HD30 Series

16	12	Recept., HD30, 24 shell, 16 way, E seal	HD34-24-16PE	N/A
16	12	Recept., HD30, 24 shell, 16 way, E seal, cable clamp	HD34-24-16PE-059	N/A
16	12	Recept., HD30, 24 shell, 16 way, E seal, adapter	HD34-24-16PE-072	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
16	12	Recept., HD30, 24 shell, 16 way, N seal	HD34-24-16PN	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, cable clamp	HD34-24-16PN-059	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, adapter	HD34-24-16PN-072	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, reverse	HD34-24-16SN	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, reverse, cable clamp	HD34-24-16SN-059	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, reverse, adapter	HD34-24-16SN-072	N/A
(19)16	11 sz. 16, 5 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, cavities 11, 18, 19 blocked	HD34-24-19PN-C018	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, reverse	HD36-24-16PN	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, reverse, cable clamp	HD36-24-16PN-059	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, reverse, adapter	HD36-24-16PN-072	N/A
16	12	Plug, HD30, 24 shell, 16 way, E seal	HD36-24-16SE	N/A
16	12	Plug, HD30, 24 shell, 16 way, E seal, cable clamp	HD36-24-16SE-059	N/A
16	12	Plug, HD30, 24 shell, 16 way, E seal, adapter	HD36-24-16SE-072	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal	HD36-24-16SN	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, cable clamp	HD36-24-16SN-059	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, adapter	HD36-24-16SN-072	N/A
<b>HDB Series</b>				
16	12	Plug, HDB30, 24 shell, 16 way, N seal, reverse, breakaway	HDB36-24-16PN	N/A
16	12	Plug, HDB30, 24 shell, 16 way, N seal, reverse, breakaway, cable clamp	HDB36-24-16PN-059	N/A
16	12	Plug, HDB30, 24 shell, 16 way, N seal, breakaway	HDB36-24-16SN	N/A
16	12	Plug, HDB30, 24 shell, 16 way, N seal, breakaway, cable clamp	HDB36-24-16SN-059	N/A
<b>HDP20 Series</b>				
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal	HDP24-24-16PE	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, threaded adapter	HDP24-24-16PE-L015	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, ring adapter	HDP24-24-16PE-L017	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal	HDP24-24-16PN	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, threaded adapter	HDP24-24-16PN-L015	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, ring adapter	HDP24-24-16PN-L017	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, reverse	HDP24-24-16SE	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, reverse, threaded adapter	HDP24-24-16SE-L015	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, reverse, ring adapter	HDP24-24-16SE-L017	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, reverse	HDP24-24-16SN	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, reverse, threaded adapter	HDP24-24-16SN-L015	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, reverse, ring adapter	HDP24-24-16SN-L017	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, reverse	HDP26-24-16PE	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, reverse, threaded adapter	HDP26-24-16PE-L015	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, reverse, ring adapter	HDP26-24-16PE-L017	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, reverse	HDP26-24-16PN	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, reverse, threaded adapter	HDP26-24-16PN-L015	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, reverse, ring adapter	HDP26-24-16PN-L017	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal	HDP26-24-16SE	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, threaded adapter	HDP26-24-16SE-L015	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, ring adapter	HDP26-24-16SE-L017	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal	HDP26-24-16SN	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, threaded adapter	HDP26-24-16SN-L015	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, ring adapter	HDP26-24-16SN-L017	N/A

### WT Series

16	16	Recept., WT, 20 shell, 16 way, black	WT04B-20-16PN	N/A
16	16	Plug, WT, 20 shell, 16 way, black	WT06B-20-16SN	N/A

## 18 CAVITY CONNECTORS

### DTV Series

18	16	Recept., DTV, 18 way, A key, gray, sealed flange, gasket, end cap	DTV02-18PA	WV-18P
18	16	Recept., DTV, 18 way, B key, black, sealed flange, gasket, end cap	DTV02-18PB	WV-18P
(18) 12	16	Recept., DTV, 18 way, B key, black, sealed flange, gasket, end cap, cavities 7-12 blocked	DTV02-18PB-C032	WV-18P
18	16	Recept., DTV, 18 way, C key, green, sealed flange, gasket, end cap	DTV02-18PC	WV-18P
18	16	Recept., DTV, 18 way, D key, brown, sealed flange, gasket, end cap	DTV02-18PD	WV-18P
18	16	Plug, DTV, 18 way, A key, gray, end cap	DTV06-18SA	WV-18S
18	16	Plug, DTV, 18 way, B key, black, end cap	DTV06-18SB	WV-18S
18	16	Plug, DTV, 18 way, C key, green, end cap	DTV06-18SC	WV-18S
18	16	Plug, DTV, 18 way, D key, brown, end cap	DTV06-18SD	WV-18S

### HD30 Series

18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal	HD34-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, cable clamp	HD34-24-18PN-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, adapter	HD34-24-18PN-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, E seal, reverse	HD34-24-18SE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, E seal, reverse, cable clamp	HD34-24-18SE-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, E seal, reverse, adapter	HD34-24-18SE-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, reverse	HD34-24-18SN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, reverse, cable clamp	HD34-24-18SN-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, reverse, adapter	HD34-24-18SN-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, E seal, reverse	HD36-24-18PE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, E seal, reverse, cable clamp	HD36-24-18PE-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, E seal, reverse, adapter	HD36-24-18PE-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, reverse	HD36-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, reverse, cable clamp	HD36-24-18PN-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, reverse, adapter	HD36-24-18PN-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal	HD36-24-18SN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, cable clamp	HD36-24-18SN-059	N/A



# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, adapter	HD36-24-18SN-072	N/A
<b>HDB Series</b>				
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDB30, 24 shell, 18 way, E seal, reverse, breakaway	HDB36-24-18PE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDB30, 24 shell, 18 way, E seal, reverse, breakaway, cable clamp	HDB36-24-18PE-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDB30, 24 shell, 18 way, N seal, reverse, breakaway	HDB36-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDB30, 24 shell, 18 way, N seal, reverse, breakaway, cable clamp	HDB36-24-18PN-059	N/A
<b>HDP20 Series</b>				
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal	HDP24-24-18PE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, threaded adapter	HDP24-24-18PE-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, ring adapter	HDP24-24-18PE-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal	HDP24-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, threaded adapter	HDP24-24-18PN-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, ring adapter	HDP24-24-18PN-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, reverse	HDP24-24-18SE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, reverse, threaded adapter	HDP24-24-18SE-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, reverse, ring adapter	HDP24-24-18SE-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, reverse	HDP24-24-18SN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, reverse, threaded adapter	HDP24-24-18SN-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, reverse, ring adapter	HDP24-24-18SN-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, reverse	HDP26-24-18PE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, reverse, threaded adapter	HDP26-24-18PE-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, reverse, ring adapter	HDP26-24-18PE-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, reverse	HDP26-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, reverse, threaded adapter	HDP26-24-18PN-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, reverse, ring adapter	HDP26-24-18PN-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal	HDP26-24-18SE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, threaded adapter	HDP26-24-18SE-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, ring adapter	HDP26-24-18SE-L017	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal	HDP26-24-18SN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, threaded adapter	HDP26-24-18SN-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, ring adapter	HDP26-24-18SN-L017	N/A

## Strike Series

18	12 sz. 16, 6 sz. 12	Recept., Strike, MD shell, 18 way, A key, black, sealed flange, no cable attachment	SRK02-MDA-18A-001	Included
18	12 sz. 16, 6 sz. 12	Plug, Strike, MD shell, 18 way, A key, black, no cable attachment	SRK06-MDA-18A-001	Included

# 19 CAVITY CONNECTORS

## HD30 Series

19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal	HD34-24-19PE	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, cable clamp	HD34-24-19PE-059	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, adapter	HD34-24-19PE-072	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal	HD34-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, cable clamp	HD34-24-19PN-059	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, adapter	HD34-24-19PN-072	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, reverse	HD34-24-19SE	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, reverse, cable clamp	HD34-24-19SE-059	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, reverse, adapter	HD34-24-19SE-072	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, reverse	HD34-24-19SN	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, reverse, cable clamp	HD34-24-19SN-059	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, reverse, adapter	HD34-24-19SN-072	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, reverse	HD36-24-19PE	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, reverse, cable clamp	HD36-24-19PE-059	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, reverse, adapter	HD36-24-19PE-072	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, reverse	HD36-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, reverse, cable clamp	HD36-24-19PN-059	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, reverse, adapter	HD36-24-19PN-072	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal	HD36-24-19SE	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, cable clamp	HD36-24-19SE-059	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, adapter	HD36-24-19SE-072	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal	HD36-24-19SN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, cable clamp	HD36-24-19SN-059	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, adapter	HD36-24-19SN-072	N/A
<b>HDB Series</b>				
19	13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, reverse, breakaway	HDB36-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, reverse, breakaway, cable clamp	HDB36-24-19PN-059	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, breakaway	HDB36-24-19SN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, breakaway, cable clamp	HDB36-24-19SN-059	N/A
<b>HDP20 Series</b>				
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal	HDP24-24-19PE	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, threaded adapter	HDP24-24-19PE-L015	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, ring adapter	HDP24-24-19PE-L017	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal	HDP24-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, threaded adapter	HDP24-24-19PN-L015	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, ring adapter	HDP24-24-19PN-L017	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, reverse	HDP24-24-19SE	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, reverse, threaded adapter	HDP24-24-19SE-L015	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, reverse, ring adapter	HDP24-24-19SE-L017	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, reverse	HDP24-24-19SN	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, reverse, threaded adapter	HDP24-24-19SN-L015	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, reverse, ring adapter	HDP24-24-19SN-L017	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, reverse	HDP26-24-19PE	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, reverse, threaded adapter	HDP26-24-19PE-L015	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, reverse, ring adapter	HDP26-24-19PE-L017	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, reverse	HDP26-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, reverse, threaded adapter	HDP26-24-19PN-L015	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, reverse, ring adapter	HDP26-24-19PN-L017	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal	HDP26-24-19SE	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, threaded adapter	HDP26-24-19SE-L015	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, ring adapter	HDP26-24-19SE-L017	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal	HDP26-24-19SN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, threaded adapter	HDP26-24-19SN-L015	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, ring adapter	HDP26-24-19SN-L017	N/A

## 20 CAVITY CONNECTORS

### DT13 Series

20	16	Recept., DT13, 20 way, A/A key, black, 90° molded pins, PCB mount	DT13-20PAA-E004	N/A
----	----	---	-----------------	-----

### HD30 Series

20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal	HD34-18-20PN	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, cable clamp	HD34-18-20PN-059	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, adapter	HD34-18-20PN-072	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, reverse	HD34-18-20SN	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, reverse, cable clamp	HD34-18-20SN-059	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, reverse, adapter	HD34-18-20SN-072	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, reverse	HD36-18-20PN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, reverse, cable clamp	HD36-18-20PN-059	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, reverse, adapter	HD36-18-20PN-072	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal	HD36-18-20SN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, cable clamp	HD36-18-20SN-059	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, adapter	HD36-18-20SN-072	N/A

### HDB Series

20	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, reverse, breakaway	HDB36-18-20PN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, reverse, breakaway, cable clamp	HDB36-18-20PN-059	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, breakaway	HDB36-18-20SN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, breakaway, cable clamp	HDB36-18-20SN-059	N/A

### HDP20 Series

20	18 sz. 20, 2 sz. 16	Recept., HDP20, 18 shell, 20 way, black, N seal	HDP24-18-20PN	N/A
----	------------------------	---	---------------	-----

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
20	18 sz. 20, 2 sz. 16	Recept., HDP20, 18 shell, 20 way, black, N seal, ring adapter	HDP24-18-20PN-L017	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDP20, 18 shell, 20 way, black, N seal, reverse	HDP26-18-20PN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDP20, 18 shell, 20 way, black, N seal	HDP26-18-20SN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDP20, 18 shell, 20 way, black, N seal, ring adapter	HDP26-18-20SN-L017	N/A

## 21 CAVITY CONNECTORS

### HD30 Series

21	20	Recept., HD30, 18 shell, 21 way, N seal	HD34-18-21PN	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, cable clamp	HD34-18-21PN-059	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, adapter	HD34-18-21PN-072	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, reverse	HD34-18-21SN	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, reverse, cable clamp	HD34-18-21SN-059	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, reverse, adapter	HD34-18-21SN-072	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal	HD34-24-21PE	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, cable clamp	HD34-24-21PE-059	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, adapter	HD34-24-21PE-072	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal	HD34-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, cable clamp	HD34-24-21PN-059	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, adapter	HD34-24-21PN-072	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, reverse	HD34-24-21SE	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, reverse, cable clamp	HD34-24-21SE-059	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, reverse, adapter	HD34-24-21SE-072	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, reverse	HD34-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, reverse, cable clamp	HD34-24-21SN-059	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, reverse, adapter	HD34-24-21SN-072	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, reverse	HD36-18-21PN	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, reverse, cable clamp	HD36-18-21PN-059	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, reverse, adapter	HD36-18-21PN-072	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal	HD36-18-21SN	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, cable clamp	HD36-18-21SN-059	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, adapter	HD36-18-21SN-072	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, reverse	HD36-24-21PE	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, reverse, cable clamp	HD36-24-21PE-059	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, reverse, adapter	HD36-24-21PE-072	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, reverse	HD36-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, reverse, cable clamp	HD36-24-21PN-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, reverse, adapter	HD36-24-21PN-072	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal	HD36-24-21SE	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, cable clamp	HD36-24-21SE-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, adapter	HD36-24-21SE-072	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal	HD36-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, cable clamp	HD36-24-21SN-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, adapter	HD36-24-21SN-072	N/A
<b>HDB Series</b>				
21	20	Plug, HDB30, 18 shell, 21 way, N seal, breakaway	HDB36-18-21SN	N/A
21	20	Plug, HDB30, 18 shell, 21 way, N seal, breakaway, cable clamp	HDB36-18-21SN-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, reverse, breakaway	HDB36-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, reverse, breakaway, cable clamp	HDB36-24-21PN-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, breakaway	HDB36-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, breakaway, cable clamp	HDB36-24-21SN-059	N/A
<b>HDFB Series</b>				
21	16	Module, HDFB, sz. 16, gray, (1) 9 pin buss / (4) 3 pin busses	HDFB-16-06S	N/A
<b>HDP20 Series</b>				
21	20	Recept., HDP20, 18 shell, 21 way, black, N seal	HDP24-18-21PN	N/A
21	20	Recept., HDP20, 18 shell, 21 way, black, N seal, ring adapter	HDP24-18-21PN-L017	N/A
21	20	Recept., HDP20, 18 shell, 21 way, black, N seal, reverse	HDP24-18-21SN	N/A
21	20	Recept., HDP20, 18 shell, 21 way, black, N seal, reverse, ring adapter	HDP24-18-21SN-L017	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal	HDP24-24-21PE	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, threaded adapter	HDP24-24-21PE-L015	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, ring adapter	HDP24-24-21PE-L017	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal	HDP24-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, threaded adapter	HDP24-24-21PN-L015	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, ring adapter	HDP24-24-21PN-L017	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, reverse	HDP24-24-21SE	N/A



# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, reverse, threaded adapter	HDP24-24-21SE-L015	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, reverse, ring adapter	HDP24-24-21SE-L017	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, reverse	HDP24-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, reverse, threaded adapter	HDP24-24-21SN-L015	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, reverse, ring adapter	HDP24-24-21SN-L017	N/A
21	20	Plug, HDP20, 18 shell, 21 way, black, N seal, reverse	HDP26-18-21PN	N/A
21	20	Plug, HDP20, 18 shell, 21 way, black, N seal, reverse, ring adapter	HDP26-18-21PN-L017	N/A
21	20	Plug, HDP20, 18 shell, 21 way, black, N seal	HDP26-18-21SN	N/A
21	20	Plug, HDP20, 18 shell, 21 way, black, N seal, ring adapter	HDP26-18-21SN-L017	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, reverse	HDP26-24-21PE	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, reverse, threaded adapter	HDP26-24-21PE-L015	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, reverse, ring adapter	HDP26-24-21PE-L017	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, reverse	HDP26-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, reverse, threaded adapter	HDP26-24-21PN-L015	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, reverse, ring adapter	HDP26-24-21PN-L017	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal	HDP26-24-21SE	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, threaded adapter	HDP26-24-21SE-L015	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, ring adapter	HDP26-24-21SE-L017	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal	HDP26-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, threaded adapter	HDP26-24-21SN-L015	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, ring adapter	HDP26-24-21SN-L017	N/A

## 22 CAVITY CONNECTORS

### Strike Series

22	2 sz. Ø8mm, 6 sz. 12, 14 sz. 16	Recept., Strike, FL shell, 22 way, A key, black, sealed flange, no cable attachment	SRK02-FLA-22A-001	Included
22	2 sz. Ø8mm, 6 sz. 12, 14 sz. 16	Plug, Strike, FL shell, 22 way, A key, black, sealed flange, no cable attachment	SRK06-FLA-22A-001	Included

## 23 CAVITY CONNECTORS

### HD30 Series

23	16	Recept., HD30, 24 shell, 23 way, E seal	HD34-24-23PE	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, cable clamp	HD34-24-23PE-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, adapter	HD34-24-23PE-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal	HD34-24-23PN	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal, cable clamp	HD34-24-23PN-059	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
23	16	Recept., HD30, 24 shell, 23 way, N seal, adapter	HD34-24-23PN-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal	HD34-24-23PT	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, cable clamp	HD34-24-23PT-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, adapter	HD34-24-23PT-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, reverse	HD34-24-23SE	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, reverse, cable clamp	HD34-24-23SE-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, reverse, adapter	HD34-24-23SE-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal, reverse	HD34-24-23SN	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal, reverse, cable clamp	HD34-24-23SN-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal, reverse, adapter	HD34-24-23SN-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, reverse	HD34-24-23ST	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, reverse, cable clamp	HD34-24-23ST-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, reverse, adapter	HD34-24-23ST-072	N/A
23	16	Recept., 24 shell, 23 way, feed-thru hermetic	HD34H-24-23PP	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, reverse	HD36-24-23PE	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, reverse, cable clamp	HD36-24-23PE-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, reverse, adapter	HD36-24-23PE-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, reverse	HD36-24-23PN	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, reverse, cable clamp	HD36-24-23PN-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, reverse, adapter	HD36-24-23PN-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal, reverse	HD36-24-23PT	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal, reverse, cable clamp	HD36-24-23PT-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal, reverse, adapter	HD36-24-23PT-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal	HD36-24-23SE	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, cable clamp	HD36-24-23SE-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, adapter	HD36-24-23SE-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal	HD36-24-23SN	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, cable clamp	HD36-24-23SN-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, adapter	HD36-24-23SN-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, reverse insert marking identification, for HD34H-24-23PP	HD36-24-23SN-J001	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal	HD36-24-23ST	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal, cable clamp	HD36-24-23ST-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal, adapter	HD36-24-23ST-072	N/A
<b>HDB Series</b>				
23	16	Plug, HDB30, 24 shell, 23 way, E seal, reverse, breakaway	HDB36-24-23PE	N/A
23	16	Plug, HDB30, 24 shell, 23 way, E seal, reverse, breakaway, cable clamp	HDB36-24-23PE-059	N/A
23	16	Plug, HDB30, 24 shell, 23 way, N seal, reverse, breakaway	HDB36-24-23PN	N/A
23	16	Plug, HDB30, 24 shell, 23 way, N seal, reverse, breakaway, cable clamp	HDB36-24-23PN-059	N/A
23	16	Plug, HDB30, 24 shell, 23 way, T seal, reverse, breakaway	HDB36-24-23PT	N/A
23	16	Plug, HDB30, 24 shell, 23 way, T seal, reverse, breakaway, cable clamp	HDB36-24-23PT-059	N/A
23	16	Plug, HDB30, 24 shell, 23 way, N seal, breakaway	HDB36-24-23SN	N/A
23	16	Plug, HDB30, 24 shell, 23 way, N seal, breakaway, cable clamp	HDB36-24-23SN-059	N/A
<b>HDN Series</b>				
23	16	Plug, HDN, 24 shell, 23 way, N seal, non-env., std. insert marking identification	HDN36-24-23SN-C003	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
23	16	Plug, HDN, 24 shell, 23 way, N seal, non-env., reverse insert marking identification	HDN36-24-23SN-F001	N/A
<b>HDP20 Series</b>				
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal	HDP24-24-23PE	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, threaded adapter	HDP24-24-23PE-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, ring adapter	HDP24-24-23PE-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal	HDP24-24-23PN	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, threaded adapter	HDP24-24-23PN-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, ring adapter	HDP24-24-23PN-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal	HDP24-24-23PT	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, threaded adapter	HDP24-24-23PT-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, ring adapter	HDP24-24-23PT-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, reverse	HDP24-24-23SE	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, reverse, threaded adapter	HDP24-24-23SE-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, reverse, ring adapter	HDP24-24-23SE-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, reverse	HDP24-24-23SN	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, reverse, threaded adapter	HDP24-24-23SN-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, reverse, ring adapter	HDP24-24-23SN-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, reverse	HDP24-24-23ST	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, reverse, threaded adapter	HDP24-24-23ST-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, reverse, ring adapter	HDP24-24-23ST-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, reverse	HDP26-24-23PE	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, reverse, threaded adapter	HDP26-24-23PE-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, reverse, ring adapter	HDP26-24-23PE-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, reverse	HDP26-24-23PN	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, reverse, threaded adapter	HDP26-24-23PN-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, reverse, ring adapter	HDP26-24-23PN-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, reverse	HDP26-24-23PT	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, reverse, threaded adapter	HDP26-24-23PT-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, reverse, ring adapter	HDP26-24-23PT-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal	HDP26-24-23SE	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, threaded adapter	HDP26-24-23SE-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, ring adapter	HDP26-24-23SE-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal	HDP26-24-23SN	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, threaded adapter	HDP26-24-23SN-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, ring adapter	HDP26-24-23SN-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal	HDP26-24-23ST	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, threaded adapter	HDP26-24-23ST-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, ring adapter	HDP26-24-23ST-L017	N/A

## 24 CAVITY CONNECTORS

### DRC Series

24	16	Recept., DRC, 24 way, A key, black, flange, straight solder pots	DRC10-24PA	N/A
24	16	Recept., DRC, 24 way, A key, black, flange, straight molded pins, PCB mount	DRC10-24PA-A004	N/A
24	16	Recept., DRC, 24 way, B key, black, flange, straight solder pots	DRC10-24PB	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
24	16	Recept., DRC, 24 way, B key, black, flange, straight molded pins, PCB mount	DRC10-24PB-A004	N/A
24	16	Recept., DRC, 24 way, C key, black, flange, straight molded pins, PCB mount	DRC10-24PC-A004	N/A
24	16	Recept., DRC, 24 way, A key, black, flange	DRC12-24PA	N/A
24	16	Recept., DRC, 24 way, A key, black, flange, E seal	DRC12-24PAE	N/A
24	16	Recept., DRC, 24 way, A key, black, flange, T seal	DRC12-24PAT	N/A
24	16	Recept., DRC, 24 way, B key, black, flange	DRC12-24PB	N/A
24	16	Recept., DRC, 24 way, B key, black, flange, E seal	DRC12-24PBE	N/A
24	16	Recept., DRC, 24 way, B key, black, flange, T seal	DRC12-24PBT	N/A
24	16	Recept., DRC, 24 way, C key, black, flange	DRC12-24PC	N/A
24	16	Recept., DRC, 24 way, C key, black, flange, E seal	DRC12-24PCE	N/A
24	16	Recept., DRC, 24 way, D key, black, flange	DRC12-24PD	N/A
24	16	Recept., DRC, 24 way, A key, black, 90° molded pins, PCB mount	DRC13-24PA	N/A
24	16	Recept., DRC, 24 way, A key, black, 90° molded pins, PCB mount, outside rows gold, inside rows tin	DRC13-24PA-G002	N/A
24	16	Recept., DRC, 24 way, B key, black, 90° molded pins, PCB mount	DRC13-24PB	N/A
24	16	Recept., DRC, 24 way, C key, black, 90° molded pins, PCB mount	DRC13-24PC	N/A
24	16	Recept., DRC, 24 way, A key, black, in-line	DRC14-24PA	N/A
24	16	Recept., DRC, 24 way, A key, black, in-line, E seal	DRC14-24PAE	N/A
24	16	Recept., DRC, 24 way, B key, black, in-line	DRC14-24PB	N/A
24	16	Plug, DRC, 24 way, A key, black	DRC16-24SA	N/A
24	16	Plug, DRC, 24 way, A key, black, bonded front seal	DRC16-24SA-P013	N/A
24	16	Plug, DRC, 24 way, A key, black, E seal	DRC16-24SAE	N/A
24	16	Plug, DRC, 24 way, A key, black, E seal, bonded front seal	DRC16-24SAE-P013	N/A
24	16	Plug, DRC, 24 way, A key, black, T seal	DRC16-24SAT	N/A
24	16	Plug, DRC, 24 way, B key, black	DRC16-24SB	N/A
24	16	Plug, DRC, 24 way, B key, black, bonded front seal	DRC16-24SB-P013	N/A
24	16	Plug, DRC, 24 way, B key, black, E seal, bonded front seal	DRC16-24SBE-P013	N/A
24	16	Plug, DRC, 24 way, B key, black, T seal	DRC16-24SBT	N/A
24	16	Plug, DRC, 24 way, C key, black	DRC16-24SC	N/A
24	16	Plug, DRC, 24 way, C key, black, bonded front seal	DRC16-24SC-P013	N/A
24	16	Plug, DRC, 24 way, D key, black	DRC16-24SD	N/A
24	20	Recept., DRC, 24 way, A key, black, 90° molded pins, PCB mount	DRC23-24PA	N/A
24	20	Recept., DRC, 24 way, B key, black, 90° molded pins, PCB mount	DRC23-24PB	N/A
24	20	Plug, DRC, 24 way, A key, black	DRC26-24SA	N/A
24	20	Plug, DRC, 24 way, A key, black, zinc chromate screw retaining clip	DRC26-24SA-P019	N/A
24	20	Plug, DRC, 24 way, B key, black	DRC26-24SB	N/A

### DT13 EEC Headers

24	16	Recept., DT13, 24 way, enhanced A & B key, black, 90° molded pins, DT EEC PCB header	DT13-24PAB-R015	N/A
----	----	--	-----------------	-----

### DTM13 EEC Headers

24	20	Recept., DTM13, 24 way, A & B key, black, 90° molded gold pins, DTM EEC PCB header	DTM13-12PA-12PB-GR01	N/A
24	20	Recept., DTM13, 24 way, A & B key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PA-12PB-R008	N/A
24	20	Recept., DTM13, 24 way, C & D key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PC-12PD-R008	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
<b>29 CAVITY CONNECTORS</b>				
<b>HD30 Series</b>				
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal	HD34-24-29PE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, cable clamp	HD34-24-29PE-059	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, adapter	HD34-24-29PE-072	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, reverse	HD34-24-29SE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, reverse, cable clamp	HD34-24-29SE-059	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, reverse, adapter	HD34-24-29SE-072	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, reverse	HD36-24-29PE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, reverse, cable clamp	HD36-24-29PE-059	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, reverse, adapter	HD36-24-29PE-072	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal	HD36-24-29SE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, cable clamp	HD36-24-29SE-059	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, adapter	HD36-24-29SE-072	N/A
<b>HDB Series</b>				
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDB30, 24 shell, 29 way, E seal, breakaway	HDB36-24-29SE	N/A
<b>HDP20 Series</b>				
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal	HDP24-24-29PE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, threaded adapter	HDP24-24-29PE-L015	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, ring adapter	HDP24-24-29PE-L017	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, reverse	HDP24-24-29SE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, reverse, threaded adapter	HDP24-24-29SE-L015	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, reverse, ring adapter	HDP24-24-29SE-L017	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, reverse	HDP26-24-29PE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, reverse, threaded adapter	HDP26-24-29PE-L015	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, reverse, ring adapter	HDP26-24-29PE-L017	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal	HDP26-24-29SE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, threaded adapter	HDP26-24-29SE-L015	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, ring adapter	HDP26-24-29SE-L017	N/A

## 31 CAVITY CONNECTORS

### HD30 Series

31	16	Recept., HD30, 24 shell, 31 way, E seal	HD34-24-31PE	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, cable clamp	HD34-24-31PE-059	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, adapter	HD34-24-31PE-072	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal	HD34-24-31PT	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, cable clamp	HD34-24-31PT-059	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, adapter	HD34-24-31PT-072	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, custom mount	HD34-24-31PT-B019	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, reverse	HD34-24-31SE	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, reverse, cable clamp	HD34-24-31SE-059	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, reverse, adapter	HD34-24-31SE-072	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, reverse	HD34-24-31ST	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, reverse, cable clamp	HD34-24-31ST-059	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, reverse, adapter	HD34-24-31ST-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal, reverse	HD36-24-31PE	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal, reverse, cable clamp	HD36-24-31PE-059	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal, reverse, adapter	HD36-24-31PE-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, reverse	HD36-24-31PT	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, reverse, cable clamp	HD36-24-31PT-059	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, reverse, adapter	HD36-24-31PT-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal	HD36-24-31SE	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal, cable clamp	HD36-24-31SE-059	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal, adapter	HD36-24-31SE-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal	HD36-24-31ST	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, cable clamp	HD36-24-31ST-059	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, adapter	HD36-24-31ST-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, custom mount	HD36-24-31ST-B019	N/A

### HDB Series

31	16	Plug, HDB30, 24 shell, 31 way, T seal, reverse, breakaway	HDB36-24-31PT	N/A
31	16	Plug, HDB30, 24 shell, 31 way, T seal, reverse, breakaway, cable clamp	HDB36-24-31PT-059	N/A
31	16	Plug, HDB30, 24 shell, 31 way, E seal, breakaway	HDB36-24-31SE	N/A
31	16	Plug, HDB30, 24 shell, 31 way, E seal, breakaway, cable clamp	HDB36-24-31SE-059	N/A
31	16	Plug, HDB30, 24 shell, 31 way, T seal, breakaway	HDB36-24-31ST	N/A
31	16	Plug, HDB30, 24 shell, 31 way, T seal, breakaway, cable clamp	HDB36-24-31ST-059	N/A

### HDP20 Series

31	16	Recept., HDP20, 24 shell, 31 way, black, E seal	HDP24-24-31PE	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, threaded adapter	HDP24-24-31PE-L015	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, ring adapter	HDP24-24-31PE-L017	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal	HDP24-24-31PT	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, threaded adapter	HDP24-24-31PT-L015	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, ring adapter	HDP24-24-31PT-L017	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, reverse	HDP24-24-31SE	N/A



# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, reverse, threaded adapter	HDP24-24-31SE-L015	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, reverse, ring adapter	HDP24-24-31SE-L017	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, reverse	HDP24-24-31ST	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, reverse, threaded adapter	HDP24-24-31ST-L015	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, reverse, ring adapter	HDP24-24-31ST-L017	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, reverse	HDP26-24-31PE	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, reverse, threaded adapter	HDP26-24-31PE-L015	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, reverse, ring adapter	HDP26-24-31PE-L017	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, reverse	HDP26-24-31PT	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, reverse, threaded adapter	HDP26-24-31PT-L015	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, reverse, ring adapter	HDP26-24-31PT-L017	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal	HDP26-24-31SE	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, threaded adapter	HDP26-24-31SE-L015	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, ring adapter	HDP26-24-31SE-L017	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal	HDP26-24-31ST	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, threaded adapter	HDP26-24-31ST-L015	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, ring adapter	HDP26-24-31ST-L017	N/A

## WT Series

31	16	Recept., WT, 24 shell, 31 way, black	WT04B-24-31PN	N/A
31	16	Recept., WT, 24 shell, 31 way, black, reverse	WT04B-24-31SN	N/A
31	16	Plug, WT, 24 shell, 31 way, black, reverse	WT06B-24-31PN	N/A
31	16	Plug, WT, 24 shell, 31 way, black	WT06B-24-31SN	N/A
31	16	Recept., WT, 24 shell, 31 way, black, composite	WTC04B-24-31PN	N/A
31	16	Recept., WT, 24 shell, 31 way, black, composite, reverse	WTC04B-24-31SN	N/A
31	16	Plug, WT, 24 shell, 31 way, black, composite, reverse	WTC06B-24-31PN	N/A
31	16	Plug, WT, 24 shell, 31 way, black, composite	WTC06B-24-31SN	N/A

## 32 CAVITY CONNECTORS

### Strike Series

32	4 sz. 16, 28 sz. 20	Recept., Strike, MD shell, 32 way, A key, black, sealed flange, no cable attachment	SRK02-MDA-32A-001	Included
32	4 sz. 16, 28 sz. 20	Recept., Strike, MD shell, 32 way, B key, black, sealed flange, no cable attachment	SRK02-MDB-32A-001	Included
32	4 sz. 16, 28 sz. 20	Recept., Strike, MD shell, 32 way, C key, black, sealed flange, no cable attachment	SRK02-MDC-32A-001	Included
32	4 sz. 16, 28 sz. 20	Plug, Strike, MD shell, 32 way, A key, black, no cable attachment	SRK06-MDA-32A-001	Included
32	4 sz. 16, 28 sz. 20	Plug, Strike, MD shell, 32 way, B key, black, no cable attachment	SRK06-MDB-32A-001	Included

### Strike 13/15 Series

32	4 sz. 16, 28 sz. 20	Recept., Strike13, MD shell, 32 way, A key, black, 90° molded pins, PCB mount, sealed flange, no cable attachment	SRK13-MDA-32A-001	N/A
32	4 sz. 16, 28 sz. 20	Recept., Strike13, MD shell, 32 way, B key, black, 90° molded pins, PCB mount, sealed flange, no cable attachment	SRK13-MDB-32A-001	N/A
32	4 sz. 16, 28 sz. 20	Recept., Strike15, MD shell, 32 way, A key, black, straight molded pins, PCB mount, sealed flange, no cable attachment	SRK15-MDA-32A-001	N/A

## 33 CAVITY CONNECTORS

### HD30 Series

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
33	20	Recept., HD30, 24 shell, 33 way, N seal	HD34-24-33PN	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, cable clamp	HD34-24-33PN-059	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, adapter	HD34-24-33PN-072	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, reverse	HD34-24-33SN	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, reverse, cable clamp	HD34-24-33SN-059	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, reverse, adapter	HD34-24-33SN-072	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, reverse	HD36-24-33PN	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, reverse, cable clamp	HD36-24-33PN-059	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, reverse, adapter	HD36-24-33PN-072	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal	HD36-24-33SN	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, cable clamp	HD36-24-33SN-059	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, adapter	HD36-24-33SN-072	N/A

### HDB Series

33	20	Plug, HDB30, 24 shell, 33 way, N seal, reverse, breakaway	HDB36-24-33PN	N/A
33	20	Plug, HDB30, 24 shell, 33 way, N seal, reverse, breakaway, cable clamp	HDB36-24-33PN-059	N/A
33	20	Plug, HDB30, 24 shell, 33 way, N seal, breakaway	HDB36-24-33SN	N/A
33	20	Plug, HDB30, 24 shell, 33 way, N seal, breakaway, cable clamp	HDB36-24-33SN-059	N/A

### HDP20 Series

33	20	Recept., HDP20, 24 shell, 33 way, black, N seal	HDP24-24-33PN	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, threaded adapter	HDP24-24-33PN-L015	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, ring adapter	HDP24-24-33PN-L017	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, reverse	HDP24-24-33SN	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, reverse, threaded adapter	HDP24-24-33SN-L015	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, reverse, ring adapter	HDP24-24-33SN-L017	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, reverse	HDP26-24-33PN	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, reverse, threaded adapter	HDP26-24-33PN-L015	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, reverse, ring adapter	HDP26-24-33PN-L017	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal	HDP26-24-33SN	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, threaded adapter	HDP26-24-33SN-L015	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, ring adapter	HDP26-24-33SN-L017	N/A

## 35 CAVITY CONNECTORS

### HD30 Series

35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal	HD34-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, cable clamp	HD34-24-35PN-059	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, adapter	HD34-24-35PN-072	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, reverse	HD34-24-35SN	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, reverse, cable clamp	HD34-24-35SN-059	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, reverse, adapter	HD34-24-35SN-072	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, reverse	HD36-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, reverse, cable clamp	HD36-24-35PN-059	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, reverse, adapter	HD36-24-35PN-072	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal	HD36-24-35SN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, cable clamp	HD36-24-35SN-059	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, adapter	HD36-24-35SN-072	N/A

## HDB Series

35	32 sz. 20, 3 sz. 16	Plug, HDB30, 24 shell, 35 way, N seal, reverse, breakaway	HDB36-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDB30, 24 shell, 35 way, N seal, reverse, breakaway, cable clamp	HDB36-24-35PN-059	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDB30, 24 shell, 35 way, N seal, breakaway	HDB36-24-35SN	N/A

## HDP20 Series

35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, E seal	HDP24-24-35PE	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, E seal, threaded adapter	HDP24-24-35PE-L015	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, E seal, ring adapter	HDP24-24-35PE-L017	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal	HDP24-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, threaded adapter	HDP24-24-35PN-L015	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, ring adapter	HDP24-24-35PN-L017	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, reverse	HDP24-24-35SN	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, reverse, threaded adapter	HDP24-24-35SN-L015	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, reverse, ring adapter	HDP24-24-35SN-L017	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, reverse	HDP26-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, reverse, threaded adapter	HDP26-24-35PN-L015	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, reverse, ring adapter	HDP26-24-35PN-L017	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal	HDP26-24-35SN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, threaded adapter	HDP26-24-35SN-L015	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, ring adapter	HDP26-24-35SN-L017	N/A

## 36 CAVITY CONNECTORS

### DT13 EEC Headers

36	16	Recept., DT13, 36 way, enhanced A, B, & C key, black, 90° molded pins, DT EEC PCB header	DT13-36PABC-R015	N/A
----	----	--	------------------	-----

### Strike Series

36	2 sz. Ø8mm, 6 sz. 16, 28 sz. 20	Recept., Strike, FL shell, 36 way, A key, black, sealed flange, no cable attachment	SRK02-FLA-36A-001	Included
----	---------------------------------	---	-------------------	----------

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
36	24 sz. 16, 12 sz. 12	Recept., Strike, FL shell, 36 way, A key, black, sealed flange, no cable attachment	SRK02-FLA-36B-001	Included
36	2 sz. Ø8mm, 6 sz. 16, 28 sz. 20	Plug, Strike, FL shell, 36 way, A key, black, no cable attachment	SRK06-FLA-36A-001	Included
36	24 sz. 16, 12 sz. 12	Plug, Strike, FL shell, 36 way, A key, black, no cable attachment	SRK06-FLA-36B-001	Included
36	24 sz. 16, 12 sz. 12	Plug, Strike, FL shell, 36 way, A key, black, 90° cable attachment	SRK06-FLA-36B-002	Included

## 38 CAVITY CONNECTORS

### DRC Series

38	34 sz. 20, 4 sz. 12	Plug, DRC, 38 way, 01 key, black, stainless steel retaining clip	DRC26-38S01-P017	N/A
38	34 sz. 20, 4 sz. 12	Plug, DRC, 38 way, 02 key, black, stainless steel retaining clip	DRC26-38S02-P017	N/A

## 40 CAVITY CONNECTORS

### AEC Series

40	16	Recept., AEC, 40 way, A key, black, in-line	AEC14-40PA	N/A
40	16	Recept., AEC, 40 way, A key, black, in-line, E seal, adapter	AEC14-40PAE-E019	N/A
40	16	Recept., AEC, 40 way, A/B key, black, in-line	AEC14-40PAB	N/A
40	16	Recept., AEC, 40 way, B key, black, in-line	AEC14-40PB	N/A
40	16	Recept., AEC, 40 way, B key, black, in-line, E seal, adapter	AEC14-40PBE-E019	N/A
40	16	Recept., AEC, 40 way, C key, black, in-line	AEC14-40PC	N/A
40	16	Recept., AEC, 40 way, D key, black, in-line	AEC14-40PD	N/A
40	16	Plug, AEC, 40 way, A key, black, in-line	AEC16-40SA	N/A
40	16	Plug, AEC, 40 way, A key, black, in-line, E seal, adapter	AEC16-40SAE-E019	N/A
40	16	Plug, AEC, 40 way, A key, black, in-line, E seal, remove blue stripe/brown end cap	AEC16-40SAE-K001	N/A
40	16	Plug, AEC, 40 way, B key, black, in-line	AEC16-40SB	N/A
40	16	Plug, AEC, 40 way, C key, black, in-line	AEC16-40SC	N/A
40	16	Plug, AEC, 40 way, D key, black, in-line	AEC16-40SD	N/A
40	16	Plug, AEC, 40 way, Univ. key, black, in-line	AEC16-40SU	N/A
40	16	Plug, AEC, 40 way, Univ. key, black, in-line, E seal, adapter	AEC16-40SUE-E019	N/A
40	16	Recept., AEC, 40 way, C key, black, 90° molded pins, PCB mount	AEC17-40PC	N/A

### DRC Series

40	16	Recept., DRC, 40 way, black, flange, straight solder pot	DRC10-40P	N/A
40	16	Recept., DRC, 40 way, black, flange, straight molded pins, PCB mount	DRC10-40P-A004	N/A
40	16	Recept., DRC, 40 way, A key, black, flange	DRC12-40PA	N/A
40	16	Recept., DRC, 40 way, A key, black, flange, E seal	DRC12-40PAE	N/A
40	16	Recept., DRC, 40 way, B key, black, flange	DRC12-40PB	N/A
40	16	Recept., DRC, 40 way, B key, black, flange, E seal	DRC12-40PBE	N/A
40	16	Recept., DRC, 40 way, C key, black, flange	DRC12-40PC	N/A
40	16	Recept., DRC, 40 way, C key, black, flange, E seal	DRC12-40PCE	N/A
40	16	Recept., DRC, 40 way, D key, black, flange	DRC12-40PD	N/A
40	16	Recept., DRC, 40 way, A key, black, 90° molded pins, PCB mount	DRC13-40PA	N/A
40	16	Recept., DRC, 40 way, A key, black, 90° molded pins, PCB mount, outside row gold, inside rows tin	DRC13-40PA-G002	N/A
40	16	Recept., DRC, 40 way, B key, black, 90° molded pins, PCB mount	DRC13-40PB	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
40	16	Recept., DRC, 40 way, C key, black, 90° molded pins, PCB mount	DRC13-40PC	N/A
40	16	Recept., DRC, 40 way, C key, black, 90° molded pins, PCB mount, outside row gold, inside rows tin	DRC13-40PC-G002	N/A
40	16	Recept., DRC, 40 way, D key, black, 90° molded pins, PCB mount	DRC13-40PD	N/A
40	16	Recept., DRC, 40 way, A key, black, in-line	DRC14-40PA	N/A
40	16	Recept., DRC, 40 way, A key, black, in-line, E seal	DRC14-40PAE	N/A
40	16	Recept., DRC, 40 way, B key, black, in-line, E seal	DRC14-40PBE	N/A
40	16	Recept., DRC, 40 way, C key, black, in-line, E seal	DRC14-40PCE	N/A
40	16	Plug, DRC, 40 way, black	DRC16-40S	N/A
40	16	Plug, DRC, 40 way, black, bonded front seal	DRC16-40S-P013	N/A
40	16	Plug, DRC, 40 way, black, E seal	DRC16-40SE	N/A
40	16	Plug, DRC, 40 way, A key, black	DRC18-40SA	N/A
40	16	Plug, DRC, 40 way, A key, black, bonded front seal	DRC18-40SA-P013	N/A
40	16	Plug, DRC, 40 way, A key, black, E seal	DRC18-40SAE	N/A
40	16	Plug, DRC, 40 way, A key, black, E seal, bonded front seal	DRC18-40SAE-P013	N/A
40	16	Plug, DRC, 40 way, B key, black	DRC18-40SB	N/A
40	16	Plug, DRC, 40 way, B key, black, bonded front seal	DRC18-40SB-P013	N/A
40	16	Plug, DRC, 40 way, B key, black, E seal	DRC18-40SBE	N/A
40	16	Plug, DRC, 40 way, B key, black, E seal, bonded front seal	DRC18-40SBE-P013	N/A
40	16	Plug, DRC, 40 way, C key, black	DRC18-40SC	N/A
40	16	Plug, DRC, 40 way, C key, black, bonded front seal	DRC18-40SC-P013	N/A
40	16	Plug, DRC, 40 way, C key, black, E seal	DRC18-40SCE	N/A
40	16	Plug, DRC, 40 way, D key, black	DRC18-40SD	N/A
40	20	Recept., DRC, 40 way, A key, black, sealed flange	DRC22-40PA	N/A
40	20	Recept., DRC, 40 way, B key, black, sealed flange	DRC22-40PB	N/A
40	20	Recept., DRC, 40 way, A key, black, 90° molded pins, PCB mount	DRC23-40PA	N/A
40	20	Recept., DRC, 40 way, A key, black, 90° molded pins, PCB mount, mating side - nickel pins, PCB side - tin pins	DRC23-40PA-G004	N/A
40	20	Recept., DRC, 40 way, A key, black, 90° molded pins, PCB mount, one piece design	DRC23-40PA-N012	N/A
40	20	Recept., DRC, 40 way, B key, black, 90° molded pins, PCB mount	DRC23-40PB	N/A
40	20	Recept., DRC, 40 way, B key, black, 90° molded pins, PCB mount, one piece design	DRC23-40PB-N012	N/A
40	20	Recept., DRC, 40 way, C key, black, 90° molded pins, PCB mount	DRC23-40PC	N/A
40	20	Recept., DRC, 40 way, C key, black, 90° molded pins, PCB mount, one piece design	DRC23-40PC-N012	N/A
40	20	Recept., DRC, 40 way, D key, black, 90° molded pins, PCB mount	DRC23-40PD	N/A
40	20	Plug, DRC, 40 way, A key, black	DRC26-40SA	N/A
40	20	Plug, DRC, 40 way, B key, black	DRC26-40SB	N/A
40	20	Plug, DRC, 40 way, C key, black	DRC26-40SC	N/A
40	20	Plug, DRC, 40 way, D key, black	DRC26-40SD	N/A

## 47 CAVITY CONNECTORS

### HD30 Series

47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal	HD34-24-47PE	N/A
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, cable clamp	HD34-24-47PE-059	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, adapter	HD34-24-47PE-072	N/A
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, reverse	HD34-24-47SE	N/A
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, reverse, cable clamp	HD34-24-47SE-059	N/A
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, reverse, adapter	HD34-24-47SE-072	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, reverse	HD36-24-47PE	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, reverse, cable clamp	HD36-24-47PE-059	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, reverse, adapter	HD36-24-47PE-072	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal	HD36-24-47SE	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, cable clamp	HD36-24-47SE-059	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, adapter	HD36-24-47SE-072	N/A

## HDP20 Series

47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal	HDP24-24-47PE	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, threaded adapter	HDP24-24-47PE-L015	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, ring adapter	HDP24-24-47PE-L017	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, reverse	HDP24-24-47SE	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, reverse, threaded adapter	HDP24-24-47SE-L015	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, reverse, ring adapter	HDP24-24-47SE-L017	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, reverse	HDP26-24-47PE	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, reverse, threaded adapter	HDP26-24-47PE-L015	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, reverse, ring adapter	HDP26-24-47PE-L017	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal	HDP26-24-47SE	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, threaded adapter	HDP26-24-47SE-L015	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, ring adapter	HDP26-24-47SE-L017	N/A

## 48 CAVITY CONNECTORS

### DRB Series

48	24 sz. 20 12 sz. 16 12 sz. 12	Recept., DRB, 48 way, A key, black, E seal, bulkhead, wire router	DRB12-48PAE-L018	WB-48PA
48	24 sz. 20 12 sz. 16 12 sz. 12	Recept., DRB, 48 way, B key, black, E seal, bulkhead, wire router	DRB12-48PBE-L018	WB-48PB



# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
48	24 sz. 20 12 sz. 16 12 sz. 12	Plug, DRB, 48 way, A key, black, E seal, bulkhead, wire router	DRB16-48SAE-L018	WB-48SA
48	24 sz. 20 12 sz. 16 12 sz. 12	Plug, DRB, 48 way, B key, black, E seal, bulkhead, wire router	DRB16-48SBE-L018	WB-48SB

## DT Series

48	16	Recept., DT, 48 way, enhanced A, B, C, D key, gray, flange	DT04-48P-B016	(4) W12P
----	----	--	---------------	----------

## DT13 EEC Headers

48	16	Recept., DT13, 48 way, enhanced A, B, C, & D key, black, 90° molded pins, DT EEC PCB header	DT13-48PABCD-R015	N/A
----	----	---	-------------------	-----

## DTMF Series

48	20	Recept., DTMF, 48 way, A, B, C, D key, black, straight molded pins, flange-less PCB mount	DTMF15-48P	N/A
----	----	---	------------	-----

# 50 CAVITY CONNECTORS

## DRC Series

50	20	Recept., DRC, 50 way, 01 key, black, PCB mount, sealed outside flange	DRC20-50P01	N/A
50	20	Recept., DRC, 50 way, 02 key, black, PCB mount, sealed outside flange	DRC20-50P02	N/A
50	20	Recept., DRC, 50 way, 03 key, black, PCB mount, sealed outside flange	DRC20-50P03	N/A
50	20	Recept., DRC, 50 way, 04 key, black, PCB mount, sealed outside flange	DRC20-50P04	N/A
50	20	Recept., DRC, 50 way, 05 key, black, PCB mount, sealed outside flange	DRC20-50P05	N/A
50	20	Recept., DRC, 50 way, 07 key, black, PCB mount, sealed outside flange	DRC20-50P07	N/A
50	20	Recept., DRC, 50 way, 08 key, black, PCB mount, sealed outside flange	DRC20-50P08	N/A
50	20	Recept., DRC, 50 way, 09 key, black, PCB mount, sealed outside flange	DRC20-50P09	N/A
50	20	Recept., DRC, 50 way, 01 key, black, PCB mount, sealed inside flange	DRC22-50P01	N/A
50	20	Recept., DRC, 50 way, 02 key, black, PCB mount, sealed inside flange	DRC22-50P02	N/A
50	20	Recept., DRC, 50 way, 03 key, black, PCB mount, sealed inside flange	DRC22-50P03	N/A
50	20	Recept., DRC, 50 way, 04 key, black, PCB mount, sealed inside flange	DRC22-50P04	N/A
50	20	Recept., DRC, 50 way, 05 key, black, PCB mount, sealed inside flange	DRC22-50P05	N/A
50	20	Recept., DRC, 50 way, 07 key, black, PCB mount, sealed inside flange	DRC22-50P07	N/A
50	20	Plug, DRC, 50 way, 01 key, black	DRC26-50S01	N/A
50	20	Plug, DRC, 50 way, 02 key, black	DRC26-50S02	N/A
50	20	Plug, DRC, 50 way, 03 key, black	DRC26-50S03	N/A
50	20	Plug, DRC, 50 way, 04 key, black	DRC26-50S04	N/A
50	20	Plug, DRC, 50 way, 05 key, black	DRC26-50S05	N/A
50	20	Plug, DRC, 50 way, 06 key, black	DRC26-50S06	N/A
50	20	Plug, DRC, 50 way, 07 key, black	DRC26-50S07	N/A
50	20	Plug, DRC, 50 way, 08 key, black	DRC26-50S08	N/A
50	20	Plug, DRC, 50 way, 09 key, black	DRC26-50S09	N/A
50	20	Plug, DRC, 50 way, 10 key, black	DRC26-50S10	N/A

## Strike Series

50	28 sz. 20, 16 sz. 16, 6 sz. 12	Recept., Strike, FL shell, 50 way, A key, black, sealed flange, no cable attachment	SRK02-FLA-50A-001	Included
50	28 sz. 20, 16 sz. 16, 6 sz. 12	Plug, Strike, FL shell, 50 way, A key, black, no cable attachment	SRK06-FLA-50A-001	Included

# 60 CAVITY CONNECTORS

## DRB Series

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
60	48 sz. 20, 12 sz. 16	Recept., DRB, 60 way, A key, black, E seal, bulkhead, wire router	DRB12-60PAE-L018	WB-60PA
60	48 sz. 20, 12 sz. 16	Recept., DRB, 60 way, B key, black, E seal, bulkhead, wire router	DRB12-60PBE-L018	WB-60PB
60	48 sz. 20, 12 sz. 16	Recept., DRB, 60 way, C key, black, E seal, bulkhead, wire router	DRB12-60PCE-L018	WB-60PC
60	48 sz. 20, 12 sz. 16	Plug, DRB, 60 way, A key, black, E seal, bulkhead, wire router	DRB16-60SAE-L018	WB-60SA
60	48 sz. 20, 12 sz. 16	Plug, DRB, 60 way, B key, black, E seal, bulkhead, wire router	DRB16-60SBE-L018	WB-60SB
60	48 sz. 20, 12 sz. 16	Plug, DRB, 60 way, C key, black, E seal, bulkhead, wire router	DRB16-60SCE-L018	WB-60SC

### DRC Series

60	20	Plug, DRC, 60 way, 01 key, black	DRC26-60S01	N/A
60	20	Plug, DRC, 60 way, 04 key, black	DRC26-60S04	N/A
60	20	Plug, DRC, 60 way, 05 key, black	DRC26-60S05	N/A
60	20	Plug, DRC, 60 way, 06 key, black	DRC26-60S06	N/A
60	20	Plug, DRC, 60 way, 07 key, black	DRC26-60S07	N/A
60	20	Plug, DRC, 60 way, 09 key, black	DRC26-60S09	N/A

## 64 CAVITY CONNECTORS

### DRC Series

64	20	Recept., DRC, 64 way, A key 24 way and A key 40 way, black, 90° molded pins, PCB mount	DRC23-64PAA	N/A
----	----	--	-------------	-----

### Strike Series

64	8 sz. 16, 56 sz. 20	Recept., Strike, FL shell, 64 way, A key, black, sealed flange, no cable attachment	SRK02-FLA-64A-001	Included
64	8 sz. 16, 56 sz. 20	Recept., Strike, FL shell, 64 way, B key, black, sealed flange, no cable attachment	SRK02-FLB-64A-001	Included
64	8 sz. 16, 56 sz. 20	Recept., Strike, FL shell, 64 way, B key, black, sealed flange, 90° cable attachment	SRK02-FLB-64A-002	Included
64	8 sz. 16, 56 sz. 20	Recept., Strike, FL shell, 64 way, C key, black, sealed flange, no cable attachment	SRK02-FLC-64A-001	Included
64	8 sz. 16, 56 sz. 20	Recept., Strike, FL shell, 64 way, C key, black, sealed flange, 90° cable attachment	SRK02-FLC-64A-002	Included
64	8 sz. 16, 56 sz. 20	Recept., Strike, FL shell, 64 way, D key, black, sealed flange, no cable attachment	SRK02-FLD-64A-001	Included
64	8 sz. 16, 56 sz. 20	Recept., Strike, FL shell, 64 way, D key, black, sealed flange, 90° cable attachment	SRK02-FLD-64A-002	Included
64	8 sz. 16, 56 sz. 20	Plug, Strike, FL shell, 64 way, A key, black, no cable attachment	SRK06-FLA-64A-001	Included
64	8 sz. 16, 56 sz. 20	Plug, Strike, FL shell, 64 way, B key, black, no cable attachment	SRK06-FLB-64A-001	Included
64	8 sz. 16, 56 sz. 20	Plug, Strike, FL shell, 64 way, B key, black, 90° cable attachment	SRK06-FLB-64A-002	Included

## 70 CAVITY CONNECTORS

### DRC Series

70	16	Recept., DRC, 70 way, A key, black, flange	DRC12-70PA	N/A
70	16	Recept., DRC, 70 way, A key, black, flange, E seal	DRC12-70PAE	N/A
70	16	Recept., DRC, 70 way, B key, black, flange	DRC12-70PB	N/A
70	16	Recept., DRC, 70 way, B key, black, flange, E seal	DRC12-70PBE	N/A

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
70	16	Recept., DRC, 70 way, C key, black, flange	DRC12-70PC	N/A
70	16	Recept., DRC, 70 way, C key, black, flange, E seal	DRC12-70PCE	N/A
70	16	Recept., DRC, 70 way, D key, black, flange	DRC12-70PD	N/A
70	16	Recept., DRC, 70 way, D key, black, flange, E seal	DRC12-70PDE	N/A
70	16	Recept., DRC, 70 way, A key, black, 90° molded pins, PCB mount, one piece design	DRC13-70PA-N012	N/A
70	16	Recept., DRC, 70 way, B key, black, 90° molded pins, PCB mount, one piece design	DRC13-70PB-N012	N/A
70	16	Recept., DRC, 70 way, A key, black, in-line	DRC14-70PA	N/A
70	16	Recept., DRC, 70 way, A key, black, in-line, E seal	DRC14-70PAE	N/A
70	16	Plug, DRC, 70 way, A key, black	DRC16-70SA	N/A
70	16	Plug, DRC, 70 way, A key, black, bonded front seal	DRC16-70SA-P013	N/A
70	16	Plug, DRC, 70 way, A key, black, E seal	DRC16-70SAE	N/A
70	16	Plug, DRC, 70 way, A key, black, E seal, bonded front seal	DRC16-70SAE-P013	N/A
70	16	Plug, DRC, 70 way, B key, black	DRC16-70SB	N/A
70	16	Plug, DRC, 70 way, B key, black, bonded front seal	DRC16-70SB-P013	N/A
70	16	Plug, DRC, 70 way, B key, black, E seal, bonded front seal	DRC16-70SBE-P013	N/A
70	16	Plug, DRC, 70 way, C key, black	DRC16-70SC	N/A
70	16	Plug, DRC, 70 way, C key, black, bonded front seal	DRC16-70SC-P013	N/A
70	16	Plug, DRC, 70 way, C key, black, E seal, bonded front seal	DRC16-70SCE-P013	N/A
70	16	Plug, DRC, 70 way, D key, black	DRC16-70SD	N/A
70	16	Plug, DRC, 70 way, D key, black, bonded front seal	DRC16-70SD-P013	N/A
70	16	Plug, DRC, 70 way, D key, black, E seal, bonded front seal	DRC16-70SDE-P013	N/A

## 80 CAVITY CONNECTORS

### DRC Series

80	20	Recept., DRC, 80 way, A key 40 way and B key 40 way, black, 90° molded pins	DRC23-80P	N/A
----	----	---	-----------	-----

## 86 CAVITY CONNECTORS

### DRCP Series

86	80 sz. 20, 6 sz. 12	Recept., DRCP, 86 way, A key, black, bulkhead, wire router	DRCP24-86PA	Included
86	80 sz. 20, 6 sz. 12	Recept., DRCP, 86 way, A key, black, straight molded pins, gold signal pins, tin power pins, wet seal flange	DRCP25-86PAA-G003	N/A
(86)80	80 sz. 20	Recept., DRCP, 86 way, B key, black, straight molded pins, gold signal pins, no power pins, wet seal flange	DRCP25-86PBB-GC03	N/A
(86)80	80 sz. 20	Recept., DRCP, 86 way, C key, black, straight molded pins, gold signal pins, no power pins, wet seal flange	DRCP25-86PCC-GC03	N/A
86	80 sz. 20, 6 sz. 12	Plug, DRCP, 86 way, A key, black, wire router	DRCP28-86SA	Included
86	80 sz. 20, 6 sz. 12	Plug, DRCP, 86 way, B key, black, wire router	DRCP28-86SB	Included
86	80 sz. 20, 6 sz. 12	Plug, DRCP, 86 way, C key, black, wire router	DRCP28-86SC	Included

## 102 CAVITY CONNECTORS

### DRB Series

102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Recept., DRB, 102 way, A key, black, E seal, bulkhead, wire router	DRB12-102PAE-L018	WB-51PAL WB-51PAR
-----	--	--	-------------------	----------------------

# Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Recept., DRB, 102 way, A key, black, non-environmentally sealed, bulkhead	DRB12-102PANE	WB-51PAL WB-51PAR
102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Recept., DRB, 102 way, B key, black, E seal, bulkhead, wire router	DRB12-102PBE-L018	WB-51PBL WB-51PBR
102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Plug, DRB, 102 way, A key, black, E seal, bulkhead, wire router	DRB16-102SAE-L018	WB-51SAL WB-51SAR
102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Plug, DRB, 102 way, B key, black, E seal, bulkhead, wire router	DRB16-102SBE-L018	WB-51SBL WB-51SBR

## 126 CAVITY CONNECTORS

### DRCP Series

126	120 sz. 20, 6 sz. 12	Recept., DRCP, 126 way, A key, black, straight molded pins, gold signal pins, tin power pins, wet seal flange	DRCP25-126PAA-G003	N/A
126	120 sz. 20, 6 sz. 12	Plug, DRCP, 126 way, A key, black, wire router	DRCP26-126SA	Included

## 128 CAVITY CONNECTORS

### DRB Series

128	112 sz. 16, 16 sz. 12	Recept., DRB, 128 way, A key, black, E seal, bulkhead, wire router	DRB12-128PAE-L018	(2) WB-64PA
128	112 sz. 16, 16 sz. 12	Recept., DRB, 128 way, A key, black, non-environmentally sealed, bulkhead, wire router	DRB12-128PANE-L018	(2) WB-64PA
128	112 sz. 16, 16 sz. 12	Recept., DRB, 128 way, B key, black, non-environmentally sealed, bulkhead, wire router	DRB12-128PBNE-L018	(2) WB-64PB
128	112 sz. 16, 16 sz. 12	Plug, DRB, 128 Way, A key, black, E seal, bulkhead, wire router	DRB16-128SAE-L018	(2) WB-64SA
128	112 sz. 16, 16 sz. 12	Plug, DRB, 128 Way, B key, black, E seal, bulkhead, wire router	DRB16-128SBE-L018	(2) WB-64SB

# Secondary Wedgelocks

Cavity	Part Description	Part Number	Color
<b>DT Series Wedgelocks</b>			
2	Lock, DT, 2 way recept.	W2P	Green
2	Lock, DT, 2 way recept., A key	W2PA	Gray
2	Lock, DT, 2 way recept., B key	W2PB	Black
2	Lock, DT, 2 way recept., C key	W2PC	Green
2	Lock, DT, 2 way recept., D key	W2PD	Brown
2	Lock, DT, 2 way plug	W2S	Orange
2	Lock, DT, 2 way plug, enhanced seal	W2S-P012	Green
2	Lock, DT, 2 way plug, A key	W2SA	Gray
2	Lock, DT, 2 way plug, A key, enhanced seal	W2SA-P012	Gray
2	Lock, DT, 2 way plug, B key	W2SB	Black
2	Lock, DT, 2 way plug, B key, enhanced seal	W2SB-P012	Black
2	Lock, DT, 2 way plug, C key	W2SC	Green
2	Lock, DT, 2 way plug, C key, enhanced seal	W2SC-P012	Green
2	Lock, DT, 2 way plug, D key	W2SD	Brown
2	Lock, DT, 2 way plug, D key, enhanced seal	W2SD-P012	Brown
3	Lock, DT, 3 way recept.	W3P	Green
3	Lock, DT, 3 way recept., J1939	W3P-1939	Blue
3	Lock, DT, 3 way plug	W3S	Orange
3	Lock, DT, 3 way plug, J1939	W3S-1939	Blue
3	Lock, DT, 3 way plug, J1939, enhanced seal	W3S-1939-P012	Blue
3	Lock, DT, 3 way plug, enhanced seal	W3S-P012	Green
4	Lock, DT, 4 way recept.	W4P	Green
4	Lock, DT, 4 way recept., A key	W4PA	Gray
4	Lock, DT, 4 way recept., B key	W4PB	Black
4	Lock, DT, 4 way recept., C key	W4PC	Green
4	Lock, DT, 4 way recept., D key	W4PD	Brown
4	Lock, DT, 4 way plug	W4S	Orange
4	Lock, DT, 4 way plug, enhanced seal	W4S-P012	Green
4	Lock, DT, 4 way plug, A key	W4SA	Gray
4	Lock, DT, 4 way plug, A key, enhanced seal	W4SA-P012	Gray
4	Lock, DT, 4 way plug, B key	W4SB	Black
4	Lock, DT, 4 way plug, B key, enhanced seal	W4SB-P012	Black
4	Lock, DT, 4 way plug, C key	W4SC	Green
4	Lock, DT, 4 way plug, C key, enhanced seal	W4SC-P012	Green
4	Lock, DT, 4 way plug, D key	W4SD	Brown
4	Lock, DT, 4 way plug, D key, enhanced seal	W4SD-P012	Brown
6	Lock, DT, 6 way recept.	W6P	Green
6	Lock, DT, 6 way plug	W6S	Orange
6	Lock, DT, 6 way plug, enhanced seal	W6S-P012	Green
6	Lock, DT, 6 way plug, 2 key, enhanced seal	W6S2-P012	Blue
8	Lock, DT, 8 way recept.	W8P	Green
8	Lock, DT, 8 way plug	W8S	Orange
8	Lock, DT, 8 way plug, enhanced seal	W8S-P012	Green
12	Lock, DT, 12 way recept.	W12P	Green
12	Lock, DT, 12 way plug	W12S	Orange

# Secondary Wedgelocks

Cavity	Part Description	Part Number	Color
12	Lock, DT, 12 way plug, enhanced seal	W12S-P012	Green
<b>DTM Series Wedgelocks</b>			
2	Lock, DTM, 2 way recept.	WM-2P	Orange
2	Lock, DTM, 2 way recept., A key	WM-2PA	Gray
2	Lock, DTM, 2 way recept., B key	WM-2PB	Black
2	Lock, DTM, 2 way plug	WM-2S	Orange
2	Lock, DTM, 2 way plug, A key	WM-2SA	Gray
2	Lock, DTM, 2 way plug, B key	WM-2SB	Black
3	Lock, DTM, 3 way recept.	WM-3P	Orange
3	Lock, DTM, 3 way plug	WM-3S	Orange
4	Lock, DTM, 4 way recept.	WM-4P	Orange
4	Lock, DTM, 4 way plug	WM-4S	Orange
6	Lock, DTM, 6 way recept.	WM-6P	Orange
6	Lock, DTM, 6 way plug	WM-6S	Orange
8	Lock, DTM, 8 way recept.	WM-8P	Orange
8	Lock, DTM, 8 way plug	WM-8S	Orange
12	Lock, DTM, 12 way recept.	WM-12P	Orange
12	Lock, DTM, 12 way plug	WM-12S	Orange
12	Lock, DTM, 12 way plug, alternate key	WM-12S-B026	Green
<b>DTP Series Wedgelocks</b>			
2	Lock, DTP, 2 way recept.	WP-2P	Orange
2	Lock, DTP, 2 way plug	WP-2S	Orange
4	Lock, DTP, 4 way recept.	WP-4P	Orange
4	Lock, DTP, 4 way plug	WP-4S	Orange
<b>DTV Series Wedgelocks</b>			
18	Lock, DTV, 18 way recept.	WV-18P	Green
18	Lock, DTV, 18 way plug	WV-18S	Green
<b>DRB Series Wedgelocks</b>			
48	Lock, DRB, 48 way recept., A key	WB-48PA	Gray
48	Lock, DRB, 48 way recept., B key	WB-48PB	Black
48	Lock, DRB, 48 way recept., C key	WB-48PC	Green
48	Lock, DRB, 48 way recept., D key	WB-48PD	Brown
48	Lock, DRB, 48 way plug, A key	WB-48SA	Gray
48	Lock, DRB, 48 way plug, B key	WB-48SB	Black
48	Lock, DRB, 48 way plug, C key	WB-48SC	Green
48	Lock, DRB, 48 way plug, D key	WB-48SD	Brown
60	Lock, DRB, 60 way recept., A key	WB-60PA	Gray
60	Lock, DRB, 60 way recept., B key	WB-60PB	Black
60	Lock, DRB, 60 way recept., C key	WB-60PC	Green
60	Lock, DRB, 60 way recept., D key	WB-60PD	Brown
60	Lock, DRB, 60 way plug, A key	WB-60SA	Gray
60	Lock, DRB, 60 way plug, B key	WB-60SB	Black
60	Lock, DRB, 60 way plug, C key	WB-60SC	Green



# Secondary Wedgelocks

Cavity	Part Description	Part Number	Color
60	Lock, DRB, 60 way plug, D key	WB-60SD	Brown
51	Lock, DRB, 102 way recept., A key, left	WB-51PAL	Gray
51	Lock, DRB, 102 way recept., A key, right	WB-51PAR	Gray
51	Lock, DRB, 102 way plug, A key, left	WB-51SAL	Gray
51	Lock, DRB, 102 way plug, A key, right	WB-51SAR	Gray
51	Lock, DRB, 102 way plug, B key, left	WB-51SBL	Black
51	Lock, DRB, 102 way plug, B key, right	WB-51SBR	Black
64	Lock, DRB, 128 way recept., A key	WB-64PA	Gray
64	Lock, DRB, 128 way recept., B key	WB-64PB	Black
64	Lock, DRB, 128 way plug, A key	WB-64SA	Gray
64	Lock, DRB, 128 way plug, B key	WB-64SB	Black

# Connector Accessories

Part Description	Part Number
<b>Backshells</b>	
<b>Attachment for the rear of the connector to provide strain relief, environmental protection, and/or improved aesthetics</b>	
<b>DRC Series</b>	
Backshell, DRC, 38 way, plug, 90° horizontal bend	0528-003-3805
Backshell, DRC, 38 way, plug, 90° vertical bend	0528-004-3805
Backshell, DRC, 38 way, plug, 90° vertical bend, low profile	0528-005-3805
Backshell, DRC, 50 way, plug, 90° vertical bend	0528-001-5005
Backshell, DRC, 60 way, plug, 90° vertical bend	0528-002-6005
Backshell, DRC, 60 way, plug, 90° horizontal bend	0528-007-6005
Backshell, DRC, 70 way, plug, 180°, requires (2) halves and wire router 0515-029-7005	0528-006-7005
<b>DRCP Series</b>	
Backshell, DRCP, 86 way, 90° vertical bend	4828-007-8605
Backshell, DRCP, 86 way, 90° horizontal bend	4828-008-8605
<b>DT Series</b>	
Backshell, DT, 2 way, 180°, fits DT06-2S	1011-227-0205
Backshell, DT, 2 way, 90°, fits DT06-2S	1011-228-0205
Backshell, DT, 2 way, 180°, fits DT04-2P	1011-229-0205
Backshell, DT, 2 way, 90°, fits DT04-2P	1011-230-0205
Backshell, DT, 3 way, 180°, fits DT06-3S	1011-231-0305
Backshell, DT, 3 way, 90°, fits DT06-3S	1011-232-0305
Backshell, DT, 3 way, 180°, fits DT04-3P	1011-233-0305
Backshell, DT, 3 way, 90°, fits DT04-3P	1011-234-0305
Backshell, DT, 4 way, 180°, fits DT06-4S	1011-235-0405
Backshell, DT, 4 way, 90°, fits DT06-4S	1011-236-0405
Backshell, DT, 4 way, 180°, fits DT04-4P	1011-237-0405
Backshell, DT, 4 way, 90°, fits DT04-4P	1011-238-0405
Backshell, DT, 6 way, 180°, fits DT06-6S	1011-239-0605
Backshell, DT, 6 way, 90°, fits DT06-6S	1011-240-0605
Backshell, DT, 6 way, 180°, fits DT04-6P	1011-241-0605
Backshell, DT, 6 way, 90°, fits DT04-6P	1011-242-0605
Backshell, DT, 8 way, 180°, fits DT06-08S*, A, B, C, and D keys	1011-243-0805
Backshell, DT, 8 way, 90°, fits DT06-08S*, A, B, C, and D keys	1011-244-0805
Backshell, DT, 8 way, 180°, fits DT04-08P*, A, B, C, and D keys	1011-245-0805
Backshell, DT, 8 way, 90°, fits DT04-08P*, A, B, C, and D keys	1011-246-0805
Backshell, DT, 12 way, 180°, fits DT06-12S*, A, B, C, and D keys	1011-247-1205
Backshell, DT, 12 way, 90°, fits DT06-12S*, A, B, C, and D keys	1011-248-1205
Backshell, DT, 12 way, 180°, fits DT04-12P*, A, B, C, and D keys	1011-249-1205
Backshell, DT, 12 way, 90°, fits DT04-12P*, A, B, C, and D keys	1011-250-1205
Backshell, DT, 12 way, 180°, fits DT04-12P*, A, B, C, and D keys and modifications	1028-043-1205
Backshell, DT, 2 way, 80°, strain relief for jacketed cable, fits DT06-2S	1011-255-0205
Backshell, DT, 2 way, 90°, strain relief for jacketed cable, fits DT06-2S	1011-256-0205
Backshell, DT, 2 way, 180°, strain relief for jacketed cable, fits DT04-2P	1011-257-0205
Backshell, DT, 2 way, 90°, strain relief for jacketed cable, fits DT04-2P	1011-258-0205
Backshell, DT, 3 way, 180°, strain relief for jacketed cable, fits DT06-3S	1011-259-0305
Backshell, DT, 3 way, 90°, strain relief for jacketed cable, fits DT06-3S	1011-260-0305

# Connector Accessories

Part Description	Part Number
Backshell, DT, 3 way, 180°, strain relief for jacketed cable, fits DT04-3P	1011-261-0305
Backshell, DT, 3 way, 90°, strain relief for jacketed cable, fits DT04-3P	1011-262-0305
Backshell, DT, 4 way, 180°, strain relief for jacketed cable, fits DT06-4S	1011-263-0405
Backshell, DT, 4 way, 90°, strain relief for jacketed cable, fits DT06-4S	1011-264-0405
Backshell, DT, 4 way, 180°, strain relief for jacketed cable, fits DT04-4P	1011-265-0405
Backshell, DT, 4 way, 90°, strain relief for jacketed cable, fits DT04-4P	1011-266-0405
Backshell, DT, 6 way, 180°, strain relief for jacketed cable, fits DT06-6S	1011-267-0605
Backshell, DT, 6 way, 90°, strain relief for jacketed cable, fits DT06-6S	1011-268-0605
Backshell, DT, 6 way, 180°, strain relief for jacketed cable, fits DT04-6P	1011-269-0605
Backshell, DT, 6 way, 90°, strain relief for jacketed cable, fits DT04-6P	1011-270-0605
<b>DTM Series</b>	
Backshell, DTM, 2 way, plug, 180°	1011-273-0205
Backshell, DTM & DTMH, 2 way, plug, 180°	1028-041-0205
Backshell, DTM & DTMH, 2 way, recept., 90°	1028-021-0205
Backshell, DTM & DTMH, 4 way, plug, 180°	1028-008-0405
Backshell, DTM & DTMH, 4 way, recept., 180°	1028-027-0405
Backshell, DTM, 12 way, plug, 180°	1028-015-1205
Adapter, backshell, 2, 3, 4 way, 90°	1028-016-0005
<b>HD10 Series</b>	
Backshell assembly, compression nut, cable diameter .187-.300	M902-2041
Backshell assembly, compression nut, cable diameter .300-.430	M902-2042
Backshell assembly, compression nut, cable diameter .430-.570	M902-2053
Backshell assembly, compression nut, cable diameter .570-.710	M902-2054
Backshell, HD10, 3 way, cable diameter .187-.300	M902-2131
Backshell, HD10, 3 way, cable diameter .300-.430	M902-2132
Backshell, HD10, 6 way, cable diameter .187-.300	M902-2161
Backshell, HD10, 6 way, cable diameter .300-.430	M902-2162
Backshell, HD10, 6 way, cable diameter .430-.570	M902-2163
Backshell, HD10, 6 way, cable diameter .570-.710	M902-2164
Backshell, HD10, 9 way, cable diameter .187-.300	M902-2191
Backshell, HD10, 9 way, cable diameter .300-.430	M902-2192
Backshell, HD10, 9 way, cable diameter .430-.570	M902-2193
Backshell, HD10, 9 way, cable diameter .570-.710	M902-2194
<b>HD30/HDP20 Series</b>	
Backshell assembly, compression nut, cable diameter .430-.570	M902-2053
Backshell assembly, compression nut, cable diameter .570-.710	M902-2054
Backshell, HDP20, used with L015, 24 shell, cable diameter .430-.570	M902-2243
Backshell, HDP20, used with L015, 24 shell, cable diameter .570-.710	M902-2244
Backshell, HD30, used with 072, 24 shell, cable diameter .430-.570	M902-2343
Backshell, HD30, used with 072, 24 shell, cable diameter .570-.710	M902-2344
Backshell assembly, cap nut, HDP20, used with L015, 24 shell, NW 22mm tubing	CN21
Backshell assembly, seal ring, HDP20, used with L015, 24 shell, NW 22mm tubing	SRN21
Backshell, HDP20, used with L017, 24 shell, 90°, 1" tubing	2428-004-2405
Backshell, HDP20, used with L017, 24 shell, 90°, NW 17,19, 23, & 26mm tubing	2428-011-2405
Backshell, HDP20, used with L017, 24 shell, 180°, 1" tubing	2428-008-2405
Backshell, HDP20, used with L017, 24 shell, 180°, NW 17,19, 23, & 26mm tubing	2428-010-2405

# Connector Accessories

Part Description	Part Number
Backshell, HDP20, used with L017, 18 shell, 90°, NW 13,17, & 19mm tubing	2428-015-1805
Backshell, HDP20, used with L017, 18 shell, 180°, NW 13,17, & 19mm tubing	2428-016-1805

### Strike Series

Backshell, Strike, FL size arrangements, 90°, NW 22 & 26mm tubing	SRK-BS-FL-90-001
Backshell, Strike, FL size arrangements, 90°, NW 26mm tubing	SRK-BS-FL-90-002
Backshell, Strike, FL size arrangements, 180°, NW 22mm tubing	SRK-BS-FL-ST-001
Backshell, Strike, FL size arrangements, 180° NW 26mm tubing	SRK-BS-FL-ST-002
Backshell, Strike, MD size arrangements, 90°, NW 17 & 22mm tubing	SRK-BS-MD-90-001
Backshell, Strike, MD size arrangements, 90°, NW 22mm tubing	SRK-BS-MD-90-002
Backshell, Strike, MD size arrangements, 180°, NW 17mm tubing	SRK-BS-MD-ST-001
Backshell, Strike, MD size arrangements, 180°, NW 22mm tubing	SRK-BS-MD-ST-002
Backshell, Strike, SM size arrangements, 180°, Ø.472" (12mm) max insulation	SRK-BS-SM-ST-001
Backshell, Strike, SM size arrangements, 180°, Ø.591" (15mm) max insulation	SRK-BS-SM-ST-002
Backshell, Strike, SM size arrangements, 180°, Ø.827" (21mm) max insulation	SRK-BS-SM-ST-003

### WT Series

Backshell assembly, coupling nut, WT, 20 shell, 16 MM tubing	0805-201-2001
Backshell assembly, coupling nut, WT, 20 shell, 19 MM tubing	0805-202-2001
Backshell assembly, coupling nut, WT, 24 shell, 19 MM tubing	0805-201-2401
Backshell assembly, coupling nut, WT, 24 shell, 22 MM tubing	0805-202-2401
Backshell assembly, follower, WT, 20 shell, 16 MM tubing	0818-201-2001
Backshell assembly, follower, WT, 20 shell, 19 MM tubing	0818-202-2001
Backshell assembly, follower, WT, 24 shell, 19 MM tubing	0818-201-2401
Backshell assembly, follower, WT, 24 shell, 22 MM tubing	0818-202-2401
Backshell assembly, secondary grommet, WT, 20 shell, 16 way	0810-201-2001
Backshell assembly, secondary grommet, WT, 24 shell, 31 way	0810-201-2401

## Boots

**Attachment for the rear of the connector to provide strain relief, environmental protection, and/or improved aesthetics**

### DRB Series

Boot, DRB, 48 and 60 way, plug or recept.	DRB48/60-BT
Boot, DRB, 102 and 128 way, plug or recept. with wire router	DRB102-BT

### DRC Series

Boot, DRC, 24 way, for plug or recept. w/ sz. 16 contacts, black	DRC24-BT
Boot, DRC, 24 way, for plug or recept. w/ sz. 16 contacts, yellow	DRC24-BT-YW
Boot, DRC, 24 way, for plug w/ sz. 20 contacts, black	DRC26-24BT
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, black	DRC40-BT
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, gray	DRC40-BT-GRAY
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, yellow	DRC40-BT-YW
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, 90° w/ drain hole, black	DRC40-BT-90DEG
Boot, DRC, 40 way, for plug w/ sz. 20 contacts, black	DRC26-40BT
Boot, DRC, 50 way, for plug w/ sz. 20 contacts, black	DRC26-50BT
Boot, DRC, 70 way, for plug or recept. w/ sz. 16 contacts, black	DRC70-BT

### DT Series

Boot, DT, 2 way, recept.	DT2P-BT
Boot, DT, 2 way, recept., black	DT2P-BT-BK
Boot, DT, 2 way, recept., yellow	DT2P-BT-YW

# Connector Accessories

Part Description	Part Number
Boot, DT, 2 way, plug	DT2S-BT
Boot, DT, 2 way, plug, black	DT2S-BT-BK
Boot, DT, 2 way, plug, yellow	DT2S-BT-YW
Boot, DT, 3 way, recept.	DT3P-BT
Boot, DT, 3 way, recept., black	DT3P-BT-BK
Boot, DT, 3 way, recept., yellow	DT3P-BT-YW
Boot, DT, 3 way, plug	DT3S-BT
Boot, DT, 3 way, plug, black	DT3S-BT-BK
Boot, DT, 3 way, plug, yellow	DT3S-BT-YW
Boot, DT, 4 way, recept.	DT4P-BT
Boot, DT, 4 way, recept., black	DT4P-BT-BK
Boot, DT, 4 way, recept., yellow	DT4P-BT-YW
Boot, DT, 4 way, plug	DT4S-BT
Boot, DT, 4 way, plug, black	DT4S-BT-BK
Boot, DT, 4 way, plug, yellow	DT4S-BT-YW
Boot, DT, 6 way, recept.	DT6P-BT
Boot, DT, 6 way, recept., black	DT6P-BT-BK
Boot, DT, 6 way, recept., yellow	DT6P-BT-YW
Boot, DT, 6 way, plug	DT6S-BT
Boot, DT, 6 way, plug, black	DT6S-BT-BK
Boot, DT, 6 way, plug, red	DT6S-BT-RED
Boot, DT, 6 way, plug, yellow	DT6S-BT-YW
Boot, DT, 8 way, recept.	DT8P-BT
Boot, DT, 8 way, recept., black	DT8P-BT-BK
Boot, DT, 8 way, plug	DT8S-BT
Boot, DT, 8 way, plug, black	DT8S-BT-BK
Boot, DT, 12 way, recept.	DT12P-BT
Boot, DT, 12 way, recept., black	DT12P-BT-BK
Boot, DT, 12 way, recept., enhanced overlap	DT12P-BT-EN
Boot, DT, 12 way, recept., yellow	DT12P-BT-YW
Boot, DT, 12 way, plug	DT12S-BT
Boot, DT, 12 way, plug, black	DT12S-BT-BK
Boot, DT, 12 way, plug, yellow	DT12S-BT-YW
Boot, DT, 12 way, plug, enhanced overlap	DT12S-BT-EN

## DTM Series

Boot, DTM, 2 way, recept.	DTM2P-BT
Boot, DTM, 2 way, recept., black	DTM2P-BT-BK
Boot, DTM, 2 way, plug	DTM2S-BT
Boot, DTM, 2 way, plug, black	DTM2S-BT-BK
Boot, DTM, 3 way, recept.	DTM3P-BT
Boot, DTM, 3 way, recept., black	DTM3P-BT-BK
Boot, DTM, 3 way, plug	DTM3S-BT
Boot, DTM, 3 way, plug, black	DTM3S-BT-BK
Boot, DTM, 4 way, recept.	DTM4P-BT
Boot, DTM, 4 way, recept., black	DTM4P-BT-BK
Boot, DTM, 4 way, plug	DTM4S-BT

# Connector Accessories

Part Description	Part Number
Boot, DTM, 4 way, plug, black	DTM4S-BT-BK
Boot, DTM, 6 way, recept.	DTM6P-BT
Boot, DTM, 6 way, plug	DTM6S-BT
Boot, DTM, 8 way, recept.	DTM8P-BT
Boot, DTM, 8 way, recept., black	DTM8P-BT-BK
Boot, DTM, 8 way, plug	DTM8S-BT
Boot, DTM, 8 way, plug, black	DTM8S-BT-BK
Boot, DTM, 12 way, recept.	DTM12P-BT
Boot, DTM, 12 way, recept., black	DTM12P-BT-BK
Boot, DTM, 12 way, plug	DTM12S-BT
Boot, DTM, 12 way, plug, black	DTM12S-BT-BK
<b>DTP Series</b>	
Boot, DTP, 2 way, recept.	DTP2P-BT
Boot, DTP, 2 way, recept., black	DTP2P-BT-BK
Boot, DTP, 2 way, plug	DTP2S-BT
Boot, DTP, 4 way, recept.	DTP4P-BT
Boot, DTP, 4 way, recept., enhanced overlap	DTP4P-BT-EN
Boot, DTP, 4 way, plug	DTP4S-BT
Boot, DTP, 4 way, plug, enhanced overlap	DTP4S-BT-EN
<b>DTV Series</b>	
Boot, DTV, 18 way, recept., black	DTV18P-BT-BK
Boot, DTV, 18 way, plug, black	DTV18S-BT-BK
<b>HD10 Series</b>	
Boot, HD10, 3 way, plug or recept.	HD10-3BT
Boot, HD10, 5 way, plug or recept.	HD10-5BT
Boot, HD10, 5 way, plug or recept., black	HD10-5BT-BK
Boot, HD10, 6 way, plug or recept.	HD10-6BT
Boot, HD10, 6 way, plug or recept., black	HD10-6BT-BK
Boot, HD10, 9 way, plug or recept.	HD10-9BT
Boot, HD10, 9 way, plug or recept., black	HD10-9BT-BK
<b>HD30/HDP20 Series</b>	
Boot, HD30/HDP20, 18 shell, plug or recept.	HD30-18BT
Boot, HD30/HDP20, 18 shell, plug or recept., black	HD30-18BT-BK
Boot, HD30/HDP20, 18 shell, plug or recept., 90°, black	HD30-18BT-90-BK
Boot, HD30/HDP20, 24 shell, plug or recept.	HD30-24BT
Boot, HD30/HDP20, 24 shell, plug or recept., black	HD30-24BT-BK
Boot, HD30/HDP20, 24 shell, plug or recept., 90°, black	HD30-24BT-90-BK
Boot, rubber, HD30 cable clamp (059), 18 shell	MS3420-12
Boot, rubber, HD30 cable clamp (059), 24 shell	MS3420-16
<b>IMC Series</b>	
Boot, IMC, 100 series, Santoprene, .200 in. opening	6810-207-1001-2-200
Boot, IMC, 200 series, Santoprene, .105 in. opening	6810-207-2001-2-105
Boot, IMC, 200 series, Santoprene, .120 in. opening	6810-207-2001-2-120
Boot, IMC, 200 series, Santoprene, .125 in. opening	6810-207-2001-2-125
Boot, IMC, 200 series, Santoprene, .140 in. opening	6810-207-2001-2-140
Boot, IMC, 200 series, Santoprene, .165 in. opening	6810-207-2001-2-165



# Connector Accessories

Part Description	Part Number
Boot, IMC, 200 series, Santoprene, .250 in. opening	6810-207-2001-2-250

## Cavity Plug

Silicone plugs used to fill unused cavities in connectors without an integrated rear seal

### Strike Series

Seal, cavity plug, Strike, sz. 16, white	25JH0024
--	----------

## Connector Components

### AEC Series

Bolt, retaining, AEC, 40 way	0526-008-0090
Bolt, retaining, AEC17-40P*	0526-009-0090
Washer, for AEC17-40P* jackscrew assembly	0514-009-4001

### DRC Series

Retaining bolt, DRC16, 24 way	0526-004-0090
Retaining bolt, DRC16, 40 or 70 way	0526-001-0090
Retaining bolt, DRC26, 24, 38, 40, 50, or 60 way	0526-012-0090
Retaining ring, DRC	0535-001-0001
Retaining ring, DRC, stainless steel	0535-002-0001

### DTM Series

Retaining sleeve, DTM, 2 way, recept., gray	1011-040-0205
Retaining sleeve, DTM, 2 way, recept., black	1011-083-0205
Retaining sleeve, DTM, 3 way, recept., gray	1011-056-0305
Retaining sleeve, DTM, 3 way, recept., black	1011-084-0305
Retaining sleeve, DTM, 4 way, recept., gray	1011-046-0405
Retaining sleeve, DTM, 6 way, recept., gray	1011-047-0605
Retaining sleeve, DTM, 6 way, recept., black	1011-086-0605
Retaining sleeve, DTM, 8 way, recept., A key, gray	1011-048-0805
Retaining sleeve, DTM, 12 way, recept., A key, gray	1011-052-1205
Retaining sleeve, DTM, 12 way, recept., B key, black	1011-053-1205
Retaining sleeve, DTM, 12 way, recept., C key, green	1011-054-1205
Retaining sleeve, DTM, 12 way, recept., D key, brown	1011-055-1205

### DTP Series

Retaining sleeve, DTP, 2 way, recept., gray	1011-120-0205
Retaining sleeve, DTP, 4 way, recept., gray	1011-118-0405

### HD10 Series

Coupling ring, HD10, 3 way	0730-008-0305
Coupling ring, HD10, 5 way	0730-009-0505
Coupling ring, HD10, 6 way	0730-004-0605
Coupling ring, HD10, 4 or 9 way	0730-001-0905

### HD30 Series

Bolt, cable clamp, HD30	WHDS-BOLT
Nut, cable clamp, HD30	WHDS-NUT

## Contact Removal Tools

Device used to disengage contacts from the connector housing

Tool, contact removal, sz. 4, C038 mod only	0411-027-0405
Tool, contact removal, sz. 4	114009

# Connector Accessories

Part Description	Part Number
Tool, contact removal, sz. 8	114008
Tool, contact removal, sz. 8, HDBox	0411-353-0805
Tool, contact removal, sz. 12	114010
Tool, contact removal, sz. 12, E seal	0411-337-1205
Tool, contact removal, sz. 14	0411-291-1405
Tool, contact removal, sz. 16	0411-310-1605
Tool, contact removal, sz. 16, E seal	0411-336-1605
Tool, contact removal, sz. 20	0411-240-2005
Tool, contact/TPA/wedgelock removal	DT-RT1

### IMC/Quick Connect Series

Tool, contact insert/removal, sz. 16	6757-201-1601
Tool, contact insert/removal, sz. 20	6757-201-2001
Tool, contact insert/removal, sz. 22	6757-201-2201

## D-hole Punches

Hand tools used to cut D shaped holes to allow connectors to be mounted

Tool, D-hole punch, 18 shell	18-D-PUNCH
Tool, D-hole punch, 24 shell	24-D-PUNCH
Tool, D-hole punch, 18 or 24 shell, draw stud	PUNCH-DRAW-STUD
Tool, D-hole punch, 18 or 24 shell, counter nut	PUNCH-NUT
Tool, D-hole punch, 18 or 24 shell, cutout removal rod	PUNCH-ROD

## Gaskets

Seal used between the panel face and connector flange to help keep out destructive elements

### DRC Series

Gasket, DRC, 24 way, recept., neoprene	DRC24-GKT
Gasket, DRC, 40 way, recept., neoprene	DRC40-GKT
Gasket, DRC, 70 way, recept., neoprene	DRC70-GKT

### DT/DTM/DTP Series

Gasket, DT, 3 way, flanged recept., neoprene	DT3P-L012-GKT
Gasket, DT, 4 way, flanged recept., neoprene	DT4P-L012-GKT
Gasket, DT, 8 way, flanged recept., neoprene	DT8P-L012-GKT
Gasket, DT or DTM, 12 way, flanged recept., neoprene	DT12-L012-GKT
Gasket, DTP, 4 way, flanged recept., neoprene	DTP4P-L012-GKT

### HD10 Series

Gasket, HD10, 3 way, neoprene	HD10-3-GKT
Gasket, HD10, 5 way, neoprene	HD10-5-GKT
Gasket, HD10, 6 way, neoprene	HD10-6-GKT
Gasket, HD10, 9 way, neoprene	HD10-9-GKT

### HD30/HDP20 Series

Gasket, HD30/HDP20, 18 shell, neoprene	16-04978
Gasket, HD30/HDP20, 24 shell, neoprene	16-04477
Gasket, HD30/HDP20, 24 shell, neoprene, adhesive backing	16-04477AD

### Quick Connect Series

Washer, QC, neoprene	429638
Gasket, deck mount, QC, neoprene	429727

# Connector Accessories

Part Description	Part Number
<b>Keying Pins</b>	
<b>Solid, plastic rod inserted into empty cavities to prevent mis-mating</b>	
Keying pin, sz. 12	0413-214-1205
Keying pin, sz. 16	0413-215-1605
Keying pin, sz. 20	0413-216-2005
<b>Mounting Flanges</b>	
<b>Device used to mount a connector to a surface</b>	
<b>DRB Series</b>	
Flange, DRB, 102 or 128 way, A key	DRBF-1A
Flange, DRB, 102 or 128 way, B key	DRBF-1B
Flange, DRB, 48 or 60 way, A key	DRBF-2A
Flange, DRB, 48 or 60 way, B key	DRBF-2B
Flange, DRB, 48 or 60 way, C key	DRBF-2C
Flange, DRB, 48 or 60 way, D key	DRBF-2D
Flange, DRB, 48 or 60 way, A & B key	DRBF-3AB
Flange, DRB, 102 way, A key, (2) 125 amp terminal posts	DRBM-2A
<b>DRCP Series</b>	
Flange, DRCP, 86 way, A key	DRCPF-86A-1
<b>Quick Connect Series</b>	
Flange, deck mount, QC	429726
<b>Mounting Hardware</b>	
<b>Device used to assist in mounting a connector to a surface</b>	
<b>DT/DTM/DTP Series</b>	
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, plastic	1011-026-0205
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, plastic, black	1011-030-0205
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, plastic, black, fir tree stud mount, connector removable >50N	1011-310-0205
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, stainless steel, .433 dia. hole	1027-003-1200
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, steel, zinc plating, .512 dia. hole	1027-004-1200
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, stainless steel, .512 dia. hole	1027-005-1200
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, steel, zinc plating, .433 dia. hole	1027-008-1200
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, steel, zinc plating, .323 dia. hole	1027-013-1200
Mounting clip, DT, 8 way, plastic	1011-027-0805
Mounting clip, DT, 8 way, stainless steel, .433 dia. hole	1027-001-0800
Mounting clip, DT, 8 way, steel, zinc plating, .512 dia. hole	1027-002-0800
Mounting clip, DT, 8 way, stainless steel, .512 dia. hole	1027-006-0800
Mounting clip, DT, 8 way, steel, zinc plating, .323 dia. hole	1027-014-0800
<b>HD30/HDP20 Series</b>	
Lockwasher, 18 shell, HD30	114021
Lockwasher, 18 shell, HDP20, curved	2414-002-1886
Lockwasher, 24 shell, HD30	112264
Lockwasher, 24 shell, HDP20, curved	2414-001-2486
Panel nut, 18 shell, HD30, metal	114020-90
Panel nut, 18 shell, HDP20, plastic	2411-002-1805
Panel nut, 24 shell, HD30, metal	112263-90

# Connector Accessories

Part Description	Part Number
Panel nut, 24 shell, HDP20, plastic	2411-001-2405
<b>HDFB Series</b>	
Mounting bracket, HDFB, three hole	0427-201-0390
Mounting bracket, HDFB, two hole	0427-202-0290
<b>Quick Connect Series</b>	
Panel nut, QC, plug or recept.	429637
<b>WT Series</b>	
Lockwasher, 20 shell, WT	0914-212-2086
Lockwasher, 24 shell, WT	0914-212-2486
Panel nut, 20 shell, WT, metal	1026-201-2058
Panel nut, 24 shell, WT, metal	0926-207-2487
Panel nut, 24 shell, WT, composite	0926-208-2401
O-ring, flange, 20 shell, WT, silicone	9013-3-0201
O-ring, flange, 24 shell, WT, silicone	9013-3-0401
O-ring, flange, 24 shell, WT, fluorosilicone	9013-3-0402

## PCB Enclosures

### Compact circuit board enclosures that accept Deutsch headers

<b>DT Series</b>	
Enclosure, EEC, 5" x 6.50" PCB, with vent hole	EEC-5X650A
Enclosure, EEC, 5" x 6.50" PCB, without vent hole	EEC-5X650B
<b>DTM Series</b>	
Enclosure, EEC, 3.25" x 4" PCB, with vent hole	EEC-325X4A
Enclosure, EEC, 3.25" x 4" PCB, with vent hole, transparent Ultem material	EEC-325X4A-E016
Enclosure, EEC, 3.25" x 4" PCB, without vent hole	EEC-325X4B
Enclosure, EEC, 3.25" x 4" PCB, without vent hole, transparent Ultem material	EEC-325X4B-E016

## Protective Covers

### Cap or cover used to protect the connector interface when not mated

<b>AEC Series</b>	
Cover, protective, AEC, 40 way, recept., env. sealed	0504-002-4001
Cap, dust, AEC, 40 way, recept., non-env. sealed	0515-009-4005
Cap, dust, AEC, 40 way, plug, non-env. sealed	0515-010-4005
<b>DRB Series</b>	
Cap, dust, DRB, 48 and 60 way, recept., non-env. sealed	3315-015-0005
Cap, dust, DRB, 102 way, recept., non-env. sealed	3315-016-0005
<b>DRC Series</b>	
Cover, protective, DRC, 40 way, for recept. w/ sz. 16 contacts, env. sealed	0504-001-4001
Cover, protective, DRC, 40 way, for recept. w/ sz. 20 contacts, env. sealed	0504-003-4001
Cap, dust, DRC, 24 way, for recept. w/ sz. 16 contacts, non-env. sealed	0515-004-2405
Cap, dust, DRC, 24 way, for recept. w/ sz. 20 contacts, non-env. sealed	0515-020-2405
Cap, dust, DRC, 24 way, for plug w/ sz. 16 contacts, non-env. sealed	0515-005-2405
Cap, dust, DRC, 38 way, plug, non-env. sealed	0515-018-5005
Cap, dust, DRC, 40 way, for recept. w/ sz. 16 contacts, non-env. sealed	0515-002-4005
Cap, dust, DRC, 40 way, for plug w/ sz. 16 contacts, non-env. sealed	0515-001-4005
Cap, dust, DRC, 50 way, plug, non-env. sealed	0515-018-5005

# Connector Accessories

Part Description	Part Number
Cap, dust, DRC, 60 way, plug, non-env. sealed	0515-018-5005
Cap, dust, DRC, 70 way, plug, non-env. sealed	0515-006-7005
Cap, dust, DRC, 70 way, recept., non-env. sealed	0515-007-7005
<b>DT Series</b>	
Cover, protective, DT, 2 way, plug, env. sealed	1011-344-0205
Cover, protective, DT, 3 way, plug, env. sealed	1011-345-0305
Cover, protective, DT, 4 way, plug, env. sealed	1011-346-0405
Cover, protective, DT, 6 way, plug, env. sealed	1011-347-0605
Cover, protective, DT, 8 way, plug, env. sealed	1011-348-0805
Cover, protective, DT, 12 way, plug, env. sealed	1011-349-1205
<b>HD10 Series</b>	
Cover, protective, HD10, 3 way, recept., env. sealed	HDC16-3
Cover, protective, HD10, 3 way, plug, env. sealed	HDC14-3
Cover, protective, HD10, 5 way, recept., env. sealed	HDC16-5
Cover, protective, HD10, 6 way, recept., env. sealed	HDC16-6
Cover, protective, HD10, 6 way, recept., env. sealed, black	HDC16-6-E004
Cover, protective, HD10, 6 way, plug, env. sealed	HDC14-6
Cover, protective, HD10, 9 way, recept., env. sealed	HDC16-9
Cover, protective, HD10, 9 way, recept., env. sealed, black	HDC16-9-E004
Cover, protective, HD10, 9 way, plug, env. sealed	HDC14-9
<b>HD30/HDP20 Series</b>	
Cover, dust, HD30, 18 shell, recept., non-env. sealed, chain with eyelet	HDC36-18
Cover, dust, HD30, 18 shell, recept., non-env. sealed, no chain	HDC36-18-1E
Cover, dust, HD30, 18 shell, recept., non-env. sealed, chain with eyelet, chromated	HDC36-18-HL01
Cover, dust, HD30, 18 shell, recept., non-env. sealed, chain without eyelet	HDC36-18-L020
Cover, dust, HD30, 18 shell, plug, non-env. sealed, chain with eyelet	HDC34-18
Cover, dust, HD30, 18 shell, plug, non-env. sealed, chain with eyelet, chromated	HDC34-18-HL01
Cover, dust, HD30, 18 shell, plug, non-env. sealed, chain without eyelet	HDC34-18-L020
Cover, dust, HD30, 24 shell, recept., non-env. sealed, chain with eyelet	HDC36-24
Cover, dust, HD30, 24 shell, recept., non-env. sealed, no chain	HDC36-24-1E
Cover, dust, HD30, 24 shell, plug, non-env. sealed, chain with eyelet	HDC34-24
Cover, dust, HD30, 24 shell, plug, non-env. sealed, no chain	HDC34-24-1E
Cover, dust, HD30, 24 shell, plug, non-env. sealed, chain without eyelet	HDC34-24-L020
Cover, protective, HDP20, 18 shell, recept., env. sealed	HDC26-18
Cover, protective, HDP20, 24 shell, recept., env. sealed	HDC26-24
Cap, dust, HD30/HDP20, 24 shell, plug, non-env. sealed	EC-25
Cap, dust, HD30/HDP20, 24 shell, recept., non-env. sealed	RC-21-11
<b>HD Box Series</b>	
Cover, protective, HDBox, screws included	5004-002-2405
<b>IMC Series</b>	
Cap, dust, IMC, 100 series, plug, non-env. sealed	IMC18
Cap, dust, IMC, 100 series, recept., non-env. sealed	IMC19
Cap, dust, IMC, 200 series, plug, non-env. sealed	IMC28
Cap, dust, IMC, 200 series, recept., non-env. sealed	IMC29
<b>Quick Connect Series</b>	
Cover, protective, QC, plug, w/ lanyard, env. sealed, low cost	QC28

# Connector Accessories

Part Description	Part Number
Cover, protective, QC, plug, w/ lanyard, env. sealed	QC38
Cover, protective, QC, recept., w/ lanyard, env. sealed	QC39

## Protective Covers with LADD Lanyards

**Cap or cover used to protect the connector interface when not mated that includes a rubber or steel coated Nylon attachment**

HD10 Series	
Cover, protective, HD10, 3 way, plug, env. sealed, rubber lanyard, gray	HDC14-3-JDL
Cover, protective, HD10, 6 way, plug, env. sealed, rubber lanyard, gray	HDC14-6-JDL
Cover, protective, HD10, 6 way, plug, env. sealed, steel lanyard, gray	HDC14-6-LA
Cover, protective, HD10, 9 way, plug, env. sealed, rubber lanyard, gray	HDC14-9-JDL
Cover, protective, HD10, 3 way, recept., env. sealed, rubber lanyard, gray	HDC16-3-JDL
Cover, protective, HD10, 3 way, recept., env. sealed, steel lanyard, gray	HDC16-3-LA
Cover, protective, HD10, 5 way, recept., env. sealed, steel lanyard, gray	HDC16-5-LA
Cover, protective, HD10, 6 way, recept., env. sealed, rubber lanyard, gray	HDC16-6-JDL
Cover, protective, HD10, 6 way, recept., env. sealed, steel lanyard, gray	HDC16-6-LA
Cover, protective, HD10, 9 way, recept., env. sealed, rubber lanyard, gray	HDC16-9-JDL
Cover, protective, HD10, 9 way, recept., env. sealed, rubber lanyard, black	HDC9-JDL082397
Cover, protective, HD10, 9 way, recept., env. sealed, steel lanyard, gray	HDC16-9-L47N
Cover, protective, HD10, 9 way, recept., env. sealed, steel lanyard, black	HDC16-9-E004-L47N

HDP20 Series	
Cover, protective, HDP20, 18 shell, recept., env. sealed, rubber lanyard, black	HDC26-18-JDL
Cover, protective, HDP20, 18 shell, recept., env. sealed, steel lanyard, black	HDC26-18-LA
Cover, protective, HDP20, 24 shell, recept., env. sealed, rubber lanyard, black	HDC26-24-JDL
Cover, protective, HDP20, 24 shell, recept., env. sealed, steel lanyard, black	HDC26-24-LA
Lanyard, rubber	JDL082397
Lanyard, steel, 3/64" x 6", nylon coating	L47N-600-1
Lanyard, steel, 3/64" x 16", nylon coating	L47N-1600-1

## Sealing Plugs

**Solid rod used to fill open cavities to maintain the environmental seal**

Sealing plug, sz. 4	114019
Sealing plug, sz. 8	114018
Sealing plug, sz. 12-16	114017
Sealing plug, sz. 16, locking	0413-217-1605
Sealing plug, sz. 20	0413-204-2005

Quick Connect Series	
Sealing plug, sz. 16	114017
Sealing plug, sz. 20	0413-204-2005
Sealing plug, sz. 22	600300-22

Strike Series	
Sealing plug, sz. 16	0413-003-1605

## Seals

**Replacement environmental seals**

DRC Series	
Seal, flange, DRC13, 70 way, recept.	0510-011-7006



# Connector Accessories

Part Description	Part Number
Seal, flange, DRC13, 24 way, recept.	0513-042-2406
Seal, flange, DRC13, 40 way, recept.	0513-014-4006
Seal, flange, DRC22, DRC23, 40 way, recept.	0513-020-4006
Seal, flange, DRC23-64PAA, recept.	0513-029-6406
Seal, front, DRC, 24 way, plug	0513-009-2406
Seal, front, DRC, 40 way, plug, without keys	0513-002-0006
Seal, front, DRC, 40 way, plug, DRC18-40S*	0513-010-4006
Seal, front, DRC, 70 way, plug	0513-011-7006
Seal, casting, DRC, 80 way, recept.	0513-017-8006
<b>DT Series</b>	
Seal, flange, DT, 12 way, recept., DT04-12PA-LE03 and DT04-12PA-LE09	1013-003-1206
Seal, flange, DT13/15, 2 way, recept.	1013-008-0206
Seal, flange, DT13/15, 4 way, recept.	1013-007-0406
Seal, flange, DT13/15, 6 way, recept.	1013-004-0606
Seal, flange, DT13/15, 8 way, recept.	1013-005-0806
Seal, flange, DT13/15, 12 way, recept.	1013-006-1206
Seal, front, DT, 2 way, plug	1010-009-0206
Seal, front, DT, 3 way, plug	1010-002-0306
Seal, front, DT, 3 way, plug, fluorosilicone, DT06-3S-EF02	1010-069-0306
Seal, front, DT, 4 way, plug	1010-016-0406
Seal, front, DT, 6 way, plug	1010-017-0606
Seal, front, DT, 8 way, plug	1010-007-0806
Seal, front, DT, 12 way, plug	1010-020-1206
Seal, front, enhanced, DT, 2 way, plug	1010-064-0206
Seal, front, enhanced, DT, 3 way, plug	1010-062-0306
Seal, front, enhanced, DT, 4 way, plug	1010-066-0406
Seal, front, enhanced, DT, 6 way, plug	1010-070-0606
Seal, front, enhanced, DT, 8 way, plug	1010-063-0806
Seal, front, enhanced, DT, 12 way, plug	1010-058-1206
<b>DTM Series</b>	
Seal, flange, DTM13/15, 12 way, recept.	1013-011-1206
Seal, internal, DTM, 2 way, recept.	1010-033-0206
Seal, internal, DTM, 3 way, recept.	1010-044-0306
Seal, internal, DTM, 4 way, recept.	1010-036-0406
Seal, internal, DTM, 6 way, recept.	1010-038-0606
Seal, internal, DTM, 8 way, recept.	1010-040-0806
Seal, internal, DTM, 12 way, recept.	1010-042-1206
<b>DTP Series</b>	
Seal, internal, DTP, 2 way, recept.	1010-079-0206
Seal, internal, DTP, 4 way, recept.	1010-074-0406
<b>Quick Connect Series</b>	
Seal, wire, QC, 2 way	429621-02
Seal, wire, QC, 7 way	429621-07
Seal, wire, QC, 12 way	429621-12
Seal ring	429707
<b>Strike Series</b>	

# Connector Accessories

Part Description	Part Number
Seal, cavity plug, Strike, sz. 16, white	25JH0024
Seal, flange, Strike, MD shell, recept.	8910-001-3206
Seal, grommet, Strike, sz. 16, .079-.118" insulation, yellow	25JH0040
Seal, grommet, Strike, sz. 16, .047-.079" insulation, green	25JH0042
Seal, grommet, Strike, sz. Ø8mm, .283-.394", red	SRK-WS-25-001
Seal, grommet, Strike, sz. Ø8mm, .394-.472", blue	SRK-WS-35-001
Seal, grommet, Strike, sz. Ø12mm, .413-.630", red	SRK-WS-70-001
Seal, grommet, Strike, sz. Ø12mm, .630-.787", blue	SRK-WS-90-001

## Strain Relief

Attachment for the rear of the connector used to support the wire bundle

DRC Series	
Wire router, DRC, 40 way (DRC26-40SA)	0515-015-4005
Wire router, DRC, 70 way	0515-029-7005
HD10 Series	
Strain relief, HD10, 3 shell	HD18-003
Strain relief, HD10, 6 shell	HD18-006
Strain relief, HD10, 9 shell	HD18-009
HD30/HDP20 Series	
Strain relief, HD30, 18 shell, straight	WHDS-18-1
Strain relief, HD30, 18 shell, 90°	WHDS-18-2
Strain relief, HD30, 24 shell, straight	WHDS-24-1
Strain relief, HD30, 24 shell, 90°	WHDS-24-2
Strain relief, cable clamp, HD30, 18 shell	0409-201-1800
Strain relief, cable clamp, HD30, 24 shell	0409-201-2400
Wire router, HD30/HDP20, 23 way, recept.	0411-324-2405
Wire router, HD30/HDP20, 23 way, plug	0411-323-2405
IMC Series	
Strain relief, IMC, 100 series	IMC1AD
Strain relief, IMC, 200 series	IMC2AD
Quick Connect Series	
Strain relief, QC, long compression rear adapter	429624
Strain relief, QC, compression screw	429662
Strain relief, QC, compression screw w/ strain relief	429706

## Strike Series Tools

Removal tools designed for the Strike Series connectors

Tool, Strike, SM, MD or FL shell, contact/TPA removal tool	DT-RT1
Tool, Strike, MD or FL shell, all arrangements, recept., TPA closing tool	SRK-MT-02
Tool, Strike, MD or FL shell, 4, 32, 50 or 64 arrangements, recept., TPA removal tool	SRK-RT-02
Tool, Strike, MD or FL shell, 18, 36 or 50 arrangements, recept., TPA removal tool	SRK-RT-02-G2
Tool, Strike, MD or FL shell, 4, 32, 50 or 64 arrangements, plug, TPA removal tool	SRK-RT-06
Tool, Strike, MD or FL shell, 18, 36 or 50 arrangements, plug, TPA removal tool	SRK-RT-06-G2
Tool, Strike, Ø8mm contact removal tool	SRK-EXT-80
Tool, Strike, Ø12mm contact removal tool	SRK-EXT-120

## Miscellaneous

# Connector Accessories

Part Description	Part Number
Crimp sleeve reducer seal, sz. 4	0410-241-0406
Crimp sleeve reducer, sz. 4	0421-203-04141
O-ring, for AEC17-40P* jackscrew assembly	0513-013-4006

# Contacts

Current Rating Amps	Part Description	Part Number
<b>Solid Contacts-Pins</b>		
<b>Size 4</b>		
100	Pin, solid, sz. 4, 6 AWG, nickel	0460-204-0490
100	Pin, solid, sz. 4, 4 AWG, nickel, -C038 modification only	5960-203-04141
<b>Size 8</b>		
60	Pin, solid, sz. 8, 8-10 AWG, nickel	0460-204-08141
<b>Size 12</b>		
25	Pin, solid, sz. 12, 12-14 AWG, nickel	0460-204-12141
25	Pin, solid, sz. 12, 12-14 AWG, gold	0460-220-1231
25	Pin, solid, sz. 12, 16-18 AWG, gold	0460-256-12233
<b>Size 16 (14 AWG)</b>		
13	Pin, solid, sz. 16, 14 AWG, nickel	0460-215-16141
13	Pin, solid, sz. 16, 14 AWG, gold	0460-215-1631
<b>Size 16</b>		
13	Pin, solid, sz. 16, 16-20 AWG, nickel	0460-202-16141
13	Pin, solid, sz. 16, 16-20 AWG, gold	0460-202-1631
13	Pin, solid, sz. 16, 16-20 AWG, gold, high durability	0460-002-1631
13	Pin, solid, sz. 16, 16-20 AWG, nickel, extended crimp, seals against rear grommet	0460-247-16141
13	Pin, solid, sz. 16, 16-20 AWG, gold, extended crimp, seals against rear grommet	0460-247-1631
13	Pin, solid, sz. 16, 16-20 AWG, nickel, extended interface	0460-264-16141
<b>Size 20 (16-18 AWG)</b>		
7.5	Pin, solid, sz. 20, 16-18 AWG, nickel	0460-010-20141
7.5	Pin, solid, sz. 20, 16-18 AWG, gold	0460-010-2031
<b>Size 20</b>		
7.5	Pin, solid, sz. 20, 20 AWG, nickel	0460-202-20141
7.5	Pin, solid, sz. 20, 20 AWG, gold	0460-202-2031
<b>IMC/Quick Connect Series</b>		
13	Pin, solid, sz. 16, 16-20 AWG, gold	6860-201-16278
7.5	Pin, solid, sz. 20, 20-24 AWG, gold	6860-201-20278
5	Pin, solid, sz. 22, 22-26 AWG, gold	6860-201-22278
<b>Strike Series</b>		
300	Pin, solid, sz. Ø12mm, 3/0 AWG (95mm <sup>2</sup> ) wire, silver	SRK-PC-120-95-601
-	Pin, solid, sz. Ø12mm, 2/0 AWG (70mm <sup>2</sup> ) wire, silver	SRK-PC-120-70-601
-	Pin, solid, sz. Ø12mm, 1/0 AWG (50mm <sup>2</sup> ) wire, silver	SRK-PC-120-50-601
-	Pin, solid, sz. Ø12mm, 1 AWG (40mm <sup>2</sup> ) wire, silver	SRK-PC-120-40-601
150	Pin, solid, sz. Ø8mm, (35mm <sup>2</sup> ) wire, silver	SRK-PC-080-35-601
-	Pin, solid, sz. Ø8mm, 2 AWG wire, silver	SRK-PC-080-32-601
-	Pin, solid, sz. Ø8mm, 4 AWG (25mm <sup>2</sup> ) wire, silver	SRK-PC-080-25-601
-	Pin, solid, sz. Ø8mm, 5 AWG wire, silver	SRK-PC-080-20-601
-	Pin, solid, sz. Ø8mm, 6 AWG (16mm <sup>2</sup> ) wire, silver	SRK-PC-080-16-601
<b>Solid Contacts-PCB Pins</b>		
<b>Size 12</b>		
25	Pin, solid, sz. 12, nickel, extended PCB	0460-208-12141
25	Pin, solid, sz. 12, gold, extended PCB	0460-245-1231

Current Rating Amps	Part Description	Part Number
25	Pin, solid, sz. 12, tin, extended PCB	0460-245-1290
<b>Size 16</b>		
13	Pin, solid, sz. 16, nickel, extended PCB (see Deutsch drawing 0425-202-0000)	0460-208-16141
13	Pin, solid, sz. 16, gold, extended PCB (see Deutsch drawing 0425-202-0000)	0460-208-1631
13	Pin, solid, sz. 16, nickel, extended PCB (see Deutsch drawing 0425-202-0000)	0460-229-16141
13	Pin, solid, sz. 16, nickel, extended PCB (see Deutsch drawing 0425-202-0000)	0460-241-16141
13	Pin, solid, sz. 16, nickel, extended PCB (see Deutsch drawing 0425-202-0000)	0460-244-16141
13	Pin, solid, sz. 16, gold, extended PCB (see Deutsch drawing 0425-202-0000)	0460-244-1631
<b>Size 20</b>		
7.5	Pin, solid, sz. 20, gold, extended PCB	0460-208-2031
7.5	Pin, solid, sz. 20, tin, extended PCB	0460-208-2090
<b>IMC Series</b>		
13	Pin, solid, sz. 16, gold, extended PCB	6860-202-16278
7.5	Pin, solid, sz. 20, gold, extended PCB	6860-202-20278
5	Pin, solid, sz. 22, gold, extended PCB	6860-202-22278

## Solid Contacts-Sockets

<b>Size 4</b>		
100	Socket, solid, sz. 4, 6 AWG, nickel	0462-203-04141
100	Socket, solid, sz. 4, 4 AWG, nickel, -C038 modification only	5962-203-04141
<b>Size 8</b>		
60	Socket, solid, sz. 8, 8-10 AWG, nickel	0462-203-08141
<b>Size 12</b>		
25	Socket, solid, sz. 12, 12-14 AWG, nickel	0462-203-12141
25	Socket, solid, sz. 12, 12-14 AWG, gold	0462-210-1231
<b>Size 16 (14 AWG)</b>		
13	Socket, solid, sz. 16, 14 AWG, nickel	0462-209-16141
13	Socket, solid, sz. 16, 14 AWG, gold	0462-209-1631
<b>Size 16</b>		
13	Socket, solid, sz. 16, 16-20 AWG, nickel	0462-201-16141
13	Socket, solid, sz. 16, 16-20 AWG, gold	0462-201-1631
13	Socket, solid, sz. 16, 16-20 AWG, gold, high durability	0462-004-1631
13	Socket, solid, sz. 16, 16-20 AWG, gold, extended crimp, seals against rear grommet	0462-221-1631
<b>Size 20 (16-18 AWG)</b>		
7.5	Socket, solid, sz. 20, 16-18 AWG, nickel	0462-005-20141
7.5	Socket, solid, sz. 20, 16-18 AWG, gold	0462-005-2031
<b>Size 20</b>		
7.5	Socket, solid, sz. 20, 20 AWG, nickel	0462-201-20141
7.5	Socket, solid, sz. 20, 20 AWG, gold	0462-201-2031
<b>IMC/Quick Connect Series</b>		
13	Socket, solid, sz. 16, 16-20 AWG, gold	6862-201-16278
7.5	Socket, solid, sz. 20, 20-24 AWG, gold	6862-201-20278
5	Socket, solid, sz. 22, 22-26 AWG, gold	6862-201-22278
<b>Strike Series</b>		
300	Socket, solid, sz. Ø12mm, 3/0 AWG (95mm <sup>2</sup> ) wire, silver	SRK-SC-120-95-601
-	Socket, solid, sz. Ø12mm, 2/0 AWG (70mm <sup>2</sup> ) wire, silver	SRK-SC-120-70-601

# Contacts

Current Rating Amps	Part Description	Part Number
-	Socket, solid, sz. Ø12mm, 1/0 AWG (50mm <sup>2</sup> ) wire, silver	SRK-SC-120-50-601
-	Socket, solid, sz. Ø12mm, 1 AWG (40mm <sup>2</sup> ) wire, silver	SRK-SC-120-40-601
150	Socket, solid, sz. Ø8mm, (35mm <sup>2</sup> ) wire, silver	SRK-SC-080-35-601
-	Socket, solid, sz. Ø8mm, 2 AWG wire, silver	SRK-SC-080-32-601
-	Socket, solid, sz. Ø8mm, 4 AWG (25mm <sup>2</sup> ) wire, silver	SRK-SC-080-25-601
-	Socket, solid, sz. Ø8mm, 5 AWG wire, silver	SRK-SC-080-20-601
-	Socket, solid, sz. Ø8mm, 6 AWG (16mm <sup>2</sup> ) wire, silver	SRK-SC-080-16-601

## Stamped and Formed Contacts-Pins

### Size 12 (10 AWG)

25	Pin, stamped & formed, sz. 12, 10 AWG, .140-.204 insulation, nickel	1060-12-0222
----	---	--------------

### Size 12

25	Pin, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, gold	1060-12-0144
25	Pin, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, nickel	1060-12-0166

### Size 16 (14 AWG)

13	Pin, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, nickel	1060-14-0122
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, gold	1060-14-0144

### Size 16

13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, nickel	1060-16-0122
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, gold	1060-16-0144
13	Pin, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, nickel	1060-16-0622
13	Pin, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, gold	1060-16-0644
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, selective gold	1060-16-0988
13	Pin, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, nickel	1060-16-1222

### Size 20

7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, nickel	1060-20-0122
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, gold	1060-20-0144
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, nickel	1060-20-0222
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, gold	1060-20-0244

## Stamped and Formed Contacts-Sockets

### Size 12 (10 AWG)

25	Socket, stamped & formed, sz. 12, 10 AWG, .140-.204 insulation, nickel	1062-12-0222
----	--	--------------

### Size 12

25	Socket, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, gold	1062-12-0144
25	Socket, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, nickel	1062-12-0166

### Size 16 (14 AWG)

13	Socket, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, nickel	1062-14-0122
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, gold	1062-14-0144

### Size 16

13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, nickel	1062-16-0122
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, gold	1062-16-0144
13	Socket, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, nickel	1062-16-0622
13	Socket, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, gold	1062-16-0644
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, selective gold	1062-16-0988
13	Socket, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, nickel	1062-16-1222



Current Rating			
Amps	Part Description		Part Number
13	Socket, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, nickel, sleeveless		1062-16-1422
13	Socket, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, gold, sleeveless		1062-16-1444
<b>Size 20</b>			
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, gold		1062-20-0144
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, nickel		1062-20-0222
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, gold		1062-20-0244
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, nickel, sleeveless		1062-20-0322
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, gold, sleeveless		1062-20-0344
7.5	Socket, stamped & formed, sz. 20, 14-16 AWG, .075-.125 insulation, nickel		1062-20-0622

# Crimp Tooling - Solid Contacts

Size	Part Description	Part Number
<b>Production Crimp Tools</b>		
<b>Tooling</b>		
4-20	Tool, crimp, production, solid contacts sz. 4-20	HDP-400
N/A	Tool, crimp, production, HDP-400, foot control	104
<b>Die Assemblies</b>		
N/A	Tool, crimp, HDP-400, spring, die	400-375
4	Tool, crimp, HDP-400, sz. 4, die assembly	414DA-4S
8	Tool, crimp, HDP-400, sz. 8, die assembly	414DA-8SPEC
12	Tool, crimp, HDP-400, sz. 12, die assembly	414DA-12N
16	Tool, crimp, HDP-400, sz. 16, die assembly	414DA-16N
20	Tool, crimp, HDP-400, sz. 20, die assembly	414DA-20N
<b>Locators</b>		
4	Tool, crimp, HDP-400, sz. 4, steel locator	4301-4S
8	Tool, crimp, HDP-400, sz. 8, steel locator	4301-8S
12	Tool, crimp, HDP-400, sz. 12, steel locator	4301-12S
16	Tool, crimp, HDP-400, 0460-247-16**, steel locator	7053-S
16	Tool, crimp, HDP-400, sz. 16, steel locator	4301-16S
20	Tool, crimp, HDP-400, sz. 20, steel locator	4301-20S
<b>Gauges</b>		
4	Tool, gauge, sz. 4, Go-No-Go for HDP-400	450GA-4SPEC
8	Tool, gauge, sz. 8, Go-No-Go for HDP-400	450GA-8SPEC
12	Tool, gauge, sz. 12, Go-No-Go for HDP-400	450GA-12N
16	Tool, gauge, sz. 16, Go-No-Go for HDP-400	450GA-16N
<b>Hand Crimp Tools</b>		
<b>Tooling</b>		
4, 8	Tool, crimp, hand, sz. 4 and 8, solid	HDT-04-08
12-20	Tool, crimp, hand, sz. 20, 16, and 12, solid	HDT-48-00
12-20	Tool, crimp, hand, sz. 20, 16, and 12, solid, field service	HDT-1561
<b>IMC/Quick Connect Tooling</b>		
16	Tool, crimp, IMC/QC, sz. 16, low cost, 16 AWG only	AMSC16/A/1
20	Tool, crimp, IMC/QC, sz. 20, low cost, 20 AWG only	AMSC20/1
22	Tool, crimp, IMC/QC, sz. 22, low cost, 22 AWG only	AMSC22/1
16, 20	Tool, crimp, IMC/QC, sz. 16 and 20, adjustable AWG ranges	AF8-TH163
22	Tool, crimp, IMC/QC, sz. 22, adjustable AWG ranges, requires 86-5	MH860
22	Tool, crimp, IMC/QC, sz. 22, crimp tool positioner for MH860	86-5
<b>Accessories</b>		
N/A	Tool, gauge, Go-No-Go for HDT-48-00	G454
N/A	Nut, locking, HDT-48-00, silver	M2700-395-10
N/A	Tool, HDT-48-00, adjustment screw and locking nut	0426-209-0000
4	Tool, HDT-04-08, sz. 4 die	0434-205-0400
8	Tool, HDT-04-08, sz. 8 die	0434-205-0800

# Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
<b>Production Crimp Tools</b>		
12	Tool, crimp, sz. 12 stamped & formed die	DCT12-02-00
12	Tool, crimp, sz. 12 stamped & formed die, 10 AWG	DCT12-02-01
16	Tool, crimp, sz. 16 stamped & formed die	DCT16-02-00
16, 20	Tool, crimp, sz. 16 and 20 stamped & formed die	DCT1620-02-00
20	Tool, crimp, sz. 20 stamped & formed die	DCT20-02-00
<b>Hand Crimp Tools</b>		
12	Tool, crimp, hand, stamped & formed sz. 12, 12-14 AWG	DTT-12-00
12 (10 AWG)	Tool, crimp, hand, stamped & formed sz. 12, 10 AWG	DTT-12-01
16	Tool, crimp, hand, stamped & formed sz. 16, 14-16 AWG	DTT-16-00
16	Tool, crimp, hand, stamped & formed sz. 16, 18-20 AWG	DTT-16-01
16	Tool, crimp, hand, stamped & formed sz. 16 (106*-16-12**)	DTT-16-02
20	Tool, crimp, hand, stamped & formed sz. 20, 16-20 AWG	DTT-20-00
20	Tool, crimp, hand, stamped & formed sz. 20 (106*-20-02**)	DTT-20-02
<b>Replacement/Accessory Components</b>		
N/A	Tool, crimp, DCT16-02-00, punch, conductor	1017-002-0200
N/A	Tool, crimp, DCT16-02-00, punch, conductor, (106*-16-06** contacts)	1017-003-0200
N/A	Tool, crimp, DCT20-02-00, punch, conductor	1017-004-0200
N/A	Tool, crimp, DCT12-02-00, punch, conductor	1017-008-0200
N/A	Tool, crimp, DCT1620-02-00, punch, conductor, sz. 20	1017-081-0200
N/A	Tool, crimp, DCT1620-02-00, punch, conductor, sz. 16 (106*-16-06** contacts)	1017-082-0200
N/A	Tool, crimp, DCT1620-02-00, punch, conductor, sz. 16	1017-083-0200
N/A	Tool, crimp, DCT16-02-00, anvil, conductor	1017-101-0200
N/A	Tool, crimp, DCT16-02-00, anvil, conductor, (106*-16-06** contacts)	1017-103-0200
N/A	Tool, crimp, DCT20-02-00, anvil, conductor	1017-104-0200
N/A	Tool, crimp, DCT12-02-00, anvil, conductor	1017-108-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, conductor, sz. 20	1017-181-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, conductor, sz. 16 (106*-16-06** contacts)	1017-182-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, conductor, sz. 16	1017-183-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .120-.150	1017-210-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .105-.125	1017-211-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .085-.111	1017-213-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .075-.105	1017-214-0200
N/A	Tool, crimp, DCT16-02-00, punch, insulation, .063-.094	1017-217-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .050-.075	1017-218-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, .151-.176	1017-219-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, .130-.154	1017-222-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .120-.150	1017-225-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .105-.125	1017-226-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .085-.111	1017-227-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .075-.105	1017-228-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .063-.094	1017-229-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .050-.075	1017-230-0200
N/A	Tool, crimp, DCT16-02-00, anvil, insulation, .075-.105	1017-304-0200

# Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, anvil, insulation, .120-.150	1017-310-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, anvil, insulation, .105-.125	1017-311-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, anvil, insulation, .085-.111	1017-313-0200
N/A	Tool, crimp, DCT16-02-00, anvil, insulation, .063-.094	1017-317-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, anvil, insulation, .050-.075	1017-318-0200
N/A	Tool, crimp, DCT12-02-00, anvil, insulation, .151-.176	1017-319-0200
N/A	Tool, crimp, DCT12-02-00, anvil, insulation, .130-.154	1017-322-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .120-.150	1017-325-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .105-.125	1017-326-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .085-.111	1017-327-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .075-.105	1017-328-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .063-.094	1017-329-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .050-.075	1017-330-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, cutter holder	1017-460-0200
N/A	Tool, crimp, DCT16-02-00, cutter punch	1017-461-0200
N/A	Tool, crimp, DCT16-02-00, cutter	1017-462-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, gathering insert	1017-463-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, conductor depressor	1017-464-0200
N/A	Tool, crimp, DCT12-02-00, DCT16-02-00, DCT20-02-00, conductor depressor holder	1017-465-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, pressure pad	1017-466-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, pressure pad holder	1017-467-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, feed finger (MAC-77L)	1017-468-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, wire stop	1017-469-0200
N/A	Tool, crimp, DCT12-02-00, DCT16-02-00, DCT20-02-00, gathering insert spring	1017-470-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT1620-02-00, DCT20-02-00, pressure pad spring & conductor depressor spring	1017-471-0200
N/A	Tool, crimp, DCT12-02-01, DCT16-02-00, DCT16-02-01, DCT1620-02-00, DCT20-02-00, cutter spring	1017-473-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, terminal guide plate, curved	1017-474-0200
N/A	Tool, crimp, DCT16-02-00, guide plate	1017-476-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, rear anvil holder	1017-479-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, feed spring	1017-480-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, shank	1017-481-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, cutter	1017-482-0200
N/A	Tool, crimp, DCT20-02-00, cutter punch	1017-483-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, cam roller	1017-484-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, cam roller shaft	1017-485-0200
N/A	Tool, crimp, DCT20-02-00, conductor depressor	1017-487-0200
N/A	Tool, crimp, DCT20-02-00, conductor depressor spring	1017-488-0200
N/A	Tool, crimp, DCT12-02-00, DCT1620-02-00, DCT20-02-00, cutter spring	1017-489-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, insulator cap	1017-490-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, conductor cap	1017-491-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, ball plunger	1017-492-0200
N/A	Tool, crimp, DCT16-02-00, hex nut	1017-495-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, adjustment pivot	1017-496-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, bushing	1017-497-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, washer	1017-498-0200

# Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, cutter punch	1017-503-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, pressure pad	1017-504-0200
N/A	Tool, crimp, DCT12-02-00, conductor depressor	1017-505-0200
N/A	Tool, crimp, DCT12-02-00, gathering insert	1017-506-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, pressure pad holder	1017-509-0200
N/A	Tool, Crimp, DCT16-02-00, DCT1620-02-00, DCT20-02-00, pressure pad	1017-510-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, base plate	1017-519-0200
N/A	Tool, crimp, DCT16-02-00, wave spring	1017-527-0200
N/A	Tool, crimp, DCT16-02-00, slide feed pivot	1017-528-0200
N/A	Tool, crimp, DCT16-02-00, spacer	1017-529-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, washer	1017-530-0200
N/A	Tool, crimp, DCT12-02-01, punch, conductor	1017-531-0200
N/A	Tool, crimp, DCT12-02-01, anvil, conductor	1017-532-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, 10 AWG	1017-533-0200
N/A	Tool, crimp, DCT12-02-01, anvil, insulation, .185-.204	1017-534-0200
N/A	Tool, crimp, DCT16-02-00, brake insert	1017-537-0200
N/A	Tool, crimp, DCT16-02-00, brake holder	1017-538-0200
N/A	Tool, crimp, DCT16-02-01, punch, insulation, .105-.125	1017-540-0200
N/A	Tool, crimp, DCT Applicators, slide pin	1017-547-0200
N/A	Tool, crimp, DCT12-02-01, conductor depressor holder	1017-552-0200
N/A	Tool, crimp, DCT12-02-01, anvil, insulation, .155-.190	1017-554-0200
N/A	Tool, crimp, DCT12-02-01, anvil, insulation, .140-.160	1017-556-0200
N/A	Tool, crimp, DCT12-02-01, gathering insert	1017-558-0200
N/A	Tool, crimp, DCT12-02-01, punch, insulation, .185-.204	1017-561-0200
N/A	Tool, crimp, DCT12-02-01, punch, insulation, .155-.190	1017-562-0200
N/A	Tool, crimp, DCT12-02-01, punch, insulation, .140-.160	1017-563-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, DCT1620-02-00, link spring	1017-564-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, DCT1620-02-00, feed pin	1017-565-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, DCT1620-02-00, retainer ring	1017-566-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, DCT1620-02-00, guide rail	1017-567-0200
N/A	Tool, crimp, DCT12-02-01, conductor depressor	1017-569-0200
N/A	Tool, crimp, DCT1620-02-00, cutter punch	1017-576-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, gathering insert spring	1017-578-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, conductor depressor	1017-579-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, conductor depressor spring	1017-580-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, cutter	1017-585-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, cutter holder	1017-586-0200
N/A	Tool, crimp, DCT16-02-01, ram slide	1017-595-0200
N/A	Tool, crimp, DCT16-02-01, feed finger holder	1017-599-0200
N/A	Tool, crimp, DCT1620-02-00, wire stop	1017-610-0200
N/A	Tool, crimp, DCT16-02-01, flipper holder	1017-613-0200
N/A	Tool, crimp, DCT16-02-01, wire stop mount	1017-614-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, gathering insert	1017-620-0200
N/A	Tool, crimp, DCT1620-02-00, cutter punch	1017-621-0200
N/A	Tool, crimp, DCT16-02-01, punch, conductor	1017-622-0200
N/A	Tool, crimp, DCT16-02-01, punch, insulation, .120-.140	1017-628-0200

# Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
N/A	Tool, crimp, DCT1620-02-00, rear anvil holder	1017-631-0200
N/A	Tool, crimp, DCT1620-02-00, cutter cover plate	1017-634-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, .113-.135	1017-734-0200
N/A	Tool, crimp, DCT12-02-00, anvil, insulation, .113-.135	1017-735-0200
N/A	Tool, crimp, DCT16-02-00, brake assembly	1038-008-1600
<b>Bolster Plate</b>		
N/A	Bolster plate, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00	BOLSTER PLATE
N/A	Bar, bolster plate, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00	BOLSTER PLATE BAR
N/A	Clamp, bolster plate, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00	BOLSTER PLT CLAMP



Mod #	Series	Description
<b>A</b>		
A004	DRC	Receptacle with molded-in PCB pins, 24 and 40 way
A006	DRC	Receptacle with molded-in PCB pins, 40 way, #40 pin removed
<b>B</b>		
B009	HD10	Receptacle with raised key removed from front of flange, no rear threads
B010	HD10	Plug with coupling ring added
B016	DT, DT13/15	Receptacle has extended shell and enhanced keys, plug has enhanced seal retention (P012), 12 way
B019	HD30	Custom snap ring mount
B022	HD10	Receptacle with D-hole panel mount, rear threads, J1939, black
B025	HD10	Receptacle with D-hole panel mount, no rear threads, black
B026	DTMF	PCB receptacle with alternate keying, requires plugs with WM-12S-B026 wedgelocks
B028	DT15	5 P.S.I rating
<b>BE</b>		
BE02	DT	Receptacle with extended shell and enhanced keys (B016), end cap
BE03	DT	Receptacle with extended shell and enhanced keys (B016), end cap, black
BE04	DT	Receptacle with extended shell and enhanced keys (B016), end cap, reduced diameter seals (E seal), black
BE05	DT	Receptacle with extended shell and enhanced keys (B016), end cap, sealed flange, reduced diameter seals (E seal), threaded stainless steel flange inserts
<b>BL</b>		
BL04	DT	Receptacle with extended shell and enhanced keys (B016), welded flange
BL08	DT	Receptacle with extended shell and enhanced keys (B016), welded flange, black
BL10	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, reduced diameter seals (E seal), shrink boot adapter, threaded stainless steel flange inserts
BL11	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, reduced diameter seals (E seal), end cap, threaded stainless steel flange inserts
<b>BP</b>		
BP03	HD10	Receptacle with D-hole panel mount, J1939 Type II, green
<b>C</b>		
C003	HDN	Standard cavity marking identification
C008	DT	Cavity blocked (C)
C012	HD30	Cavities blocked (J, P)
C015	DT	Reduced diameter seals (E seal)
C016	HD10	Cavities blocked (H, J) - HD10 Series 9 way
C017	DT	Solid rear grommet
C018	HD30	Cavities blocked (11, 18, 19), N/E seal options
C019	HD30	Cavities blocked (1, 2, 8, 9), N/E seal options
C020	HD30	Cavities blocked (A, D), N/E seal options
C021	HD30	Cavities blocked (A, B, C, D)
C022	HD30	Cavities blocked (A, D, J, M), with reduced diameter seals (E seal)

# DEUTSCH Modification List

Mod #	Series	Description
C024	HD10	Cavities blocked (B, C, D)
C026	DRC	Cavities blocked, 50 way
C030	HD30, HDP20	Four size 16 cavities blocked (1, 2, 5, 6)
C038	HD30, HDP20	Three size 4, four size 16, requires special size 4 AWG contacts

## CE

CE01	DT	Reduced diameter seals (E seal), end cap
CE02	DT, DTP	Reduced diameter seals (E seal), black
CE03	DT	Reduced diameter seals (E seal), end cap, black
CE04	DT	Reduced diameter seals (E seal), shrink boot adapter
CE05	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), end cap
CE06	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012)
CE07	DT	Receptacle with extended shell and enhanced keys (B016), reduced diameter seals (E seal), end cap
CE08	DT	Receptacle with extended shell and enhanced keys (B016), reduced diameter seals (E seal)
CE09	DT	Reduced diameter seals (E seal), shrink boot adapter, black
CE10	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), black
CE11	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), end cap, black
CE12	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), shrink boot adapter, black
CE13	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), shrink boot adapter
CE14	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), latch guard end cap, black

## CL

CL01	HD30	Cavities blocked (J, Q, R, S, X), adapter for cable clamp (072)
CL03	DT	Reduced diameter seals (E seal), welded flange
CL07	DT	Reduced diameter seals (E seal), sealed flange, shrink boot adapter
CL08	DT	Reduced diameter seals (E seal), welded flange, end cap, disabled latch
CL09	DT	Reduced diameter seals (E seal), sealed flange, end cap, black
CL15	DT	Reduced diameter seals (E seal), welded flange, black

## CG

CG01	DRC	5mm threaded insert with silver plating, molded-in contacts, outside rows gold
------	-----	--

## CP

CP01	DT	All cavities plugged, enhanced seal retention (P012), end cap
------	----	---

## E

E003	DT, DTHD, DTM, DTP	End cap
E004	DT, DTM, DTP, HD10	Black
E005	DT, DTM	Black, end cap
E007	DTM	Shrink boot adapter
E008	DT	Shrink boot adapter
E009	DRC	24 way and 40 way receptacle, B keys, housing is gray, flange is black

# DEUTSCH Modification List

Mod #	Series	Description
E016	EEC	Standard EEC box, molded-in transparent Ultem material
E019	AEC	Backshell adapter
<hr/>		
<b>EE</b>		
EE01	DT	Shrink boot adapter, black
EE03	DTM	Shrink boot adapter, black
EE04	DTM	High temp, black
EE05	DT	High temp, enhanced seal retention (P012) on plug, end cap, black
<hr/>		
<b>EF</b>		
EF01	DT	Fluorosilicone front seals, end cap
EF02	DT	Fluorosilicone front seals, latch guard end cap
<hr/>		
<b>EP</b>		
EP04	DT	End cap (same as E003 mod)
EP05	DT	Latch guard end cap
EP06	DT	Plug with enhanced seal retention (P012), end cap
EP07	DT	Plug with enhanced seal retention (P012), black
EP08	DT	Plug with enhanced seal retention (P012), end cap, black
EP09	DT	Plug with enhanced seal retention (P012), latch guard end cap, black
EP10	DT, DTM	120 ohm terminating resistor (J1939), black
EP11	DT	Plug with enhanced seal retention (P012), shrink boot adapter, black
EP12	DT	Bussed receptacle, 4 and 6 way only, 1 buss, black, gold plated pins
EP13	DT	Bussed receptacle, 4 and 6 way only, 1 buss, black, nickel plated pins
EP14	DT	Bussed receptacle, 6 way, 2 busses, black, nickel plated pins
EP20	DT	Plug with enhanced seal retention (P012), shrink boot adapter
<hr/>		
<b>F</b>		
F001	HDN	Inserts within connector made of Ultem
<hr/>		
<b>G</b>		
G001	DRC	Gold plated pins
G002	DRC	Outside rows of pins are gold plated and rest are tin plated
G003	DT13/15	Gold plated pins
G004	DRC	Interface side pins are nickel plated, PCB side pins are tin plated
G005	DRCP	Tin plated signal pins, tin plated power pins
<hr/>		
<b>GC</b>		
GC03	DRCP	Gold plated signal pins, depopulated power pins
GC05	DRCP	Tin plated signal pins, depopulated power pins
<hr/>		
<b>GR</b>		
GR01	DTM13 (EEC headers)	Snap-in DTM PCB mounted header for DTM EEC enclosure, 12 and 24 pins, gold plated pins

# DEUTSCH Modification List

Mod #	Series	Description
<b>H</b>		
H001	HD30	Plated with yellow chromate conversion
<b>HL</b>		
HL01	HD30	Dust cap plated with yellow chromate conversion, sash chain with eyelet for #10 screw
HL02	HD30	Adapter for cable clamp (-072) plated with yellow chromate conversion
<b>J</b>		
J001	HD30	Reverse cavity marking identification on grommet
J059	HD30	Reverse cavity marking identification on grommet, cable clamp (-059)
<b>K</b>		
K001	AEC	Molded-in shell marking, remove blue stripe, end cap
K003	DT16	Plug, 15 cavity DT with 2 #12 contacts and 13 #16 contacts, enhanced seal retention (P012), end cap, black
K004	DT16	Plug, 18 cavity DT with 18 #16 contacts, enhanced seal retention (P012), end cap, black
<b>KP</b>		
KP01	DT16	Plug, six cavity DT with 6 #16 contacts, enhanced seal retention (P012), end cap, green
<b>L</b>		
L001	HD30	Same as -059 (cable clamp)
L003	HD30	Cable clamp adapter (-072)
L005	HD30	Cable clamp adapter (-072) without drain holes
L006	HD30	-059 modification using adapter without drain holes
L009	DTHD	Sealed flange, inside mount
L011	DRC	Wire router
L012	DT, DTP, DTM	Welded flange
L013	DTHD	Sealed flange, outside mount
L015	HDP20	Threaded adapter for backshell strain relief
L017	HDP20	Ring adapter for backshell strain relief
L018	DRB	Wire router
L020	HD30, HD50	Removes #10 eyelet from the dust cap chain
L072	HD30	Adapter ring
<b>LE</b>		
LE01	DT	Sealed flange, inside mount, gasket, end cap
LE03	DT	Sealed flange, outside mount, o-ring sold separately, end cap, NOTE: DT04-08PA-LE03 comes with shrink boot adapter and o-ring on flange
LE05	DT	Sealed flange, inside mount, gasket, end cap
LE06	DT	Sealed flange, inside mount, reduced diameter seals (E seal), end cap
LE07	DT, DTP	Welded flange, end cap
LE08	DT	Welded flange, shrink boot adapter, gray
LE09	DT	Sealed flange, o-ring, end cap, black

# DEUTSCH Modification List

Mod #	Series	Description
LE10	DT	Sealed flange, inside mount, gasket, end cap, black
LE11	DT	Welded flange, end cap, black
LE12	DT	Welded flange, shrink boot adapter, black
LE13	DT	Special adapter, round housing, end cap
LE14	DT	Welded flange, black
LE17	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, gasket sold separately, end cap, black
LE21	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, reduced diameter seals (E seal), end cap, one piece connector design, threaded stainless steel flange inserts

## N

N005	HD10	Receptacle with molded-in PCB pins, modified shell
N006	DT	Receptacle with 90° molded-in contacts
N012	DRC	Receptacle, one piece connector design

## P

P005	AEC	Special oversized seal on AEC Series plugs and dust caps
P006	DT, DTM	120 ohm terminating resistor (J1939)
P007	DT, DTM	Receptacle "Y" connector (J1939)
P012	DT	Plug with enhanced seal retention, 2-6 way are black, 8 and 12 way "A" key is gray, "B" key is black, "C" key is green, "D" key is brown
P013	DRC	Plug with bonded front seal, silicone adhesive
P016	DT	Bussed receptacle, 12 way, gold plated contacts
P017	DRC	Stainless steel retention clip for jackscrew
P018	DTP	Receptacle with 12 AWG wires attached
P019	DRC	Zinc chromate retention clip for jackscrew
P021	DT	Bussed receptacle, 6, 8, and 12 way, one buss, nickel plated pins
P026	DT	Bussed receptacle, 8 and 12 way, two busses, nickel plated pins
P027	DT	Bussed receptacle, 12 way, two busses, gold plated pins
P028	DT	Bussed receptacle, 8 way, two busses, nickel plated pins
P030	DT	Bussed receptacle, 12 way, four busses, nickel plated pins
P031	DT	Bussed receptacle, 12 way, four busses, gold plated pins
P032	DT	Integrated shrink boot adapter (J1939), black
P064	HD30, HDP20	24-91 arrangement without internal jumper
P075	DT	Bussed receptacle, 12 way, three busses, nickel plated pins
P080	HD10	J1939 Type II, green

## PE

PE01	DT	Latch guard, resistor, gold contacts
------	----	--------------------------------------

## PP

PP01	DT	Plug with enhanced seal retention (P012), 120 ohm terminating resistor (J1939), end cap, black
------	----	--

## R



R004	DTM13	Custom enclosure header, 90° pins
------	-------	-----------------------------------

# DEUTSCH Modification List

Mod #	Series	Description
R005	DTM13	Custom flange, 90° pins
R008	DTM13 (EEC headers)	Snap-in DTM PCB mounted header for DTM EEC enclosure, 12 and 24 pins
R015	DT13 (EEC headers)	Snap-in DT PCB mounted header for DT EEC enclosure, 12, 24, 36, and 48 pins
<b>RT</b>		
RT01	DT	Receptacle with MUR 460 diode
RT02	DT	Receptacle with Toshiba diode 3GZ41
RT03	DT	Receptacle with MUR 460 diode, 4 way available
RT06	DT	Receptacle with Phillips T.V.S diode 1.5KE130CA, green
RT25	DT	Receptacle with 27k ohm resistor, black
<b>#'s</b>		
059	HD30	Addition of threaded adapter and cable clamp assembly
072	HD30	Addition of threaded adapter
1E	HD30	Removes rivet and chain from protective dust cap



Term	Definition
<b>A</b>	
<b>Adapter (HD30)</b>	Adapter is swaged onto connector and threaded to allow for rear hardware; cable clamps or backshells. Designated by the "072" modification.
<b>Applicator</b>	Tooling used in automatic machines to crimp stamped and formed contacts.
<b>AWG</b>	American wire gauge. The smaller the AWG number, the larger the diameter of the wire. The higher the AWG number, the thinner the wire gauge.
<b>B</b>	
<b>Backshell</b>	An enclosed plastic piece that attaches to the rear of a connector providing aesthetics, protection, and strain relief.
<b>Blocked Cavities</b>	A modification to the grommet that includes all or selected cavities permanently sealed for unused cavities.
<b>Breakaway (HDB)</b>	HDB Series plugs designed to provide an emergency disconnect. HDB Series plugs mate with HD30 Series receptacles.
<b>Boot</b>	Protective covering designed to fit on the rear of a connector providing aesthetics, protection, and strain relief.
<b>Bulkhead</b>	Defines a mounting style of connectors, designed to be inserted into a panel cutout.
<b>Buss</b>	A conductive, solid metal shape that is used for distributing electrical current to branches of a circuit.
<b>C</b>	
<b>Cable Clamp</b>	An enclosed metal device used to provide support to a variety of wire bundles or cable sizes. Threads onto HD30 Series where "072" adapter has been added. Designated by the "059" modification.
<b>Cavity</b>	A defined hole in the connector grommet and housing into which the contact must fit.
<b>Cavity Plug</b>	A silicone plug used to fill an unused cavity in a connector without an integrated rear seal.
<b>Compression Nut</b>	Part of a backshell assembly. Threads onto backshell to secure the wire bundle extending from backshell.
<b>Contact</b>	The conductive element in a termination assembly which is crimped onto a wire and mates with a corresponding contact for the purpose of transferring electricity.
<b>Contact Rating</b>	The maximum specified amperage to be passed through a contact.
<b>Coupling Ring</b>	A device used with cylindrical connectors to lock plug and receptacle together by turning.
<b>Crimp</b>	The physical compression of a contact barrel around a conductor to make an electrical connection.
<b>Crimping Die</b>	Portion of the crimping tool that shapes the crimp.



# Glossary of Terms

Term	Definition
<b>Diode</b>	An electrical component used to keep current flowing in one direction.
<b>Dust Cover</b>	Cap or cover used to protect the connector interface when either plug or receptacle are unmated.
<b>E</b>	
<b>End Cap</b>	A protective cap sonically welded to the rear of the connector. Holes in end cap allow contacts to be inserted.
<b>Enhanced Keying</b>	Additional keying or polarization to prevent mis-mating. Designated by the “B016” modification.
<b>Enhanced Seal Retention</b>	Enhancements to plug, front seal, and wedgelock to prevent seal separation during unmating. Designated by the “P012” modification.
<b>“E” Seal</b>	Extra thin or European seal. Refers to cavity diameter of the rear wire seal. Contact LADD for recommended wire insulation range.
<b>F</b>	
<b>Flange</b>	A projection extending from a connector, and having holes for mounting a connector to a panel. Usually used with receptacles.
<b>Flange Seal</b>	Environmental seal between connector flange and panel.
<b>Front Seal</b>	Environmental seal between the entire interface of mating connectors. The seal itself is usually found on plugs. Also referred to as interfacial seal.
<b>G</b>	
<b>Grommet</b>	An integral rubber seal used on the cable side (rear) of a connector to provide an environmental seal.
<b>I</b>	
<b>In-line</b>	Defines connectors that do not have the capability for use in mounting or P.C.B. applications.
<b>Interface</b>	The two surfaces of a mating pair of connectors that face each other when connected.
<b>Internal Seal</b>	An internal environmental seal. Provides sealing when plug and receptacle are fully mated.
<b>K</b>	
<b>Key</b>	A projection which engages with a keyway to guide a connector during mating to prevent mis-mating.
<b>Keying Pin</b>	Solid plastic rod designed to be inserted into an empty socket cavity to prevent mis-mating.
<b>L</b>	
<b>Locator</b>	A device used in contact crimping tools to confirm proper contact position during crimping.
<b>Lockwasher</b>	A metal washer used to mount HD30 and HDP20 Series connectors.
<b>M</b>	
<b>Mounting Bracket</b>	A metal bracket used to mount HDFB Series connectors.
<b>Mounting Clip</b>	A plastic or metal piece that attaches to DT, DTM, DTP, DTHD Series receptacles to allow for surface mounting.
<b>N</b>	
<b>“N” Seal</b>	Normal seal. Refers to cavity diameter or rear wire seal. Contact LADD for recommended wire insulation range.
<b>O</b>	
<b>O-Ring</b>	A cylindrical plastic ring, found inside a receptacle, that provides an environmental seal.

# Glossary of Terms

Term	Definition
<b>P</b>	
<b>Panel Nut</b>	A threaded plastic or metal nut used to mount HD30 and HDP20 Series connectors.
<b>Partial Strip</b>	A quantity, less than a standard reel, of stamped and formed contacts, usually 100 pieces.
<b>PCB Mount</b>	Defines connectors specifically for printed circuit board applications.
<b>Pin</b>	The male contact. Pins are usually housed by receptacles.
<b>Plug</b>	One half of a mated pair of connectors. Plugs always have the locking mechanism and usually house sockets (female).
<b>R</b>	
<b>Receptacle</b>	One half of a mated pair of connectors. Receptacles usually house pins (male).
<b>Reduced Diameter Seal</b>	Rear wire seals have reduced diameter cavities to allow for smaller wire insulation. Designated by the "C015" modification.
<b>Removal Tool</b>	A tool designed to remove contacts from connectors. Sizes and colors vary to match AWG.
<b>Retaining Bolt</b>	A mechanical fastening device used to draw mating connectors together and to separate them.
<b>Retaining Sleeve</b>	Fits into receptacle to maintain internal seal and provide keying. Integral component of DTP, DTM Series receptacles.
<b>Reverse Arrangement</b>	Defines a reversal of standard cavity arrangements. Often used in side by side mounting applications to prevent mis-mating.
<b>Ring Adapter (HDP20)</b>	A cylindrical device welded to connector that allows for rear hardware; backshells or strain relief. Designated by the "L017" modification.
<b>S</b>	
<b>Sealed Flange</b>	A flange that is an integral part of the connector; one piece design.
<b>Sealing Plug</b>	A solid plastic rod designed to be inserted into an unused cavity to maintain an environmental seal.
<b>Secondary Wedglock</b>	A small plastic piece inserted into a connector interface to keep contacts in place, used with DT, DTM, DTP, DTV, and DRB Series.
<b>Selective Plating</b>	A process of plating only a selected portion of a contact, usually the mating surface.
<b>Shrink Boot Adapter</b>	Thermoplastic adapter sonically welded to rear of connector to allow heat shrink to be attached to the connector.
<b>Socket</b>	The female contact. Sockets are usually housed by plugs.
<b>Solid Contact</b>	Contacts manufactured using a cold heading process. Designed for heavy duty applications. Solid contacts have a closed crimp barrel. Sold in bulk.
<b>Stamped &amp; Formed Contact</b>	Contacts manufactured using a precision stamping machine. Stamped and formed contacts have an open crimp barrel. Provide a low cost and reliable termination. Sold on reels or as partial strips.
<b>Strain Relief</b>	A hard plastic or metal piece that attaches to the rear of a connector providing wire support.
<b>T</b>	
<b>"T" Seal</b>	Thin wall seal. Refers to the cavity diameter to the rear wire seal. Contact LADD for recommended wire insulation range.
<b>Terminating Resistor</b>	Electrical component which offers resistance to the flow of electrical current.
<b>Threaded Adapter (HDP20)</b>	A threaded, cylindrical device welded to connector that allows for rear hardware; backshells or strain relief. Designated by the "L015" modification.
<b>Threaded Rear</b>	Connector is threaded to accept rear hardware; backshells or strain relief.
<b>W</b>	
<b>Wire Router</b>	Protective piece attached to the rear of connector used for wire bundle strain relief.

