

**Special  
Offer!**


**Times Protect<sup>®</sup>**

**Buy any 20 Times-Protect<sup>®</sup> lightning protectors from January 1<sup>st</sup> through March 31<sup>st</sup>, 2016 and receive FREE your choice of a CST strip tool for LMR<sup>®</sup> cable.**



**CST-195/200, 240A, 300,  
400, 500 and 600 Prep Tools**

- 3 tools in one - preps cable for crimp and clamp style connectors AND has a built-in debur tool.
- Sharper cut on step #1 for better VSWR at higher frequencies
- Blades last much longer (replacement blades available)
- \$110.00 value!



**LP-BTR Series** - DC Blocked, (20 to 1000 MHz)

	<u>Protected Side</u>	<u>Surge Side</u>
LP-BTR-NFF	N Female	N Female
LP-BTR-NMP	N Male	N Female
LP-BTR-NMS	N Female	N Male

**LP-BTRW Series** - DC Blocked, (20 to 1000 MHz) IP67 Weatherized

	<u>Protected Side</u>	<u>Surge Side</u>
LP-BTRW-NFF	N Female	N Female
LP-BTRW-NMP	N Male	N Female
LP-BTRW-NMS	N Female	N Male

**LP-HBX-N Series** - High Power DC Blocked, (100 to 700 MHz) IP67 Weatherized

	<u>Protected Side</u>	<u>Surge Side</u>
LP-HBX-NFF	N Female	N Female
LP-HBX-NMP	N Male	N Female
LP-HBX-NMS	N Female	N Male

**LP-GTR-D Series** - DC Pass, (DC to 2500 MHz)

- Replaceable gas tube, universal grounding bracket included

	<u>Bidirectional</u>	
LP-GTR-DFF (90V/50W)	716-DIN Female	716-DIN Female
LP-GTR-DFF-23 (230V/210W)	716-DIN Female	716-DIN Female
LP-GTR-DFF-35 (350V/550W)	716-DIN Female	716-DIN Female
LP-GTR-DFM (90V/50W)	716-DIN Female	716-DIN Male
LP-GTR-DFM-23 (230V/210W)	716-DIN Female	716-DIN Male
LP-GTR-DFM-35 (350V/550W)	716-DIN Female	716-DIN Male

**LP-GTR-N Series** - DC Pass, (DC to 3000 MHz)

- Replaceable gas tube, universal grounding bracket included

	<u>Bidirectional</u>	
LP-GTR-NFF (90V/50W)	N Female	N Female
LP-GTR-NFF-23 (230V/210W)	N Female	N Female
LP-GTR-NFM (90V/50W)	N Female	N Male
LP-GTR-NFM-23 (230V/210W)	N Female	N Male

**LP-STRL-D Series** - DC Blocked, low PIM, (680 to 2200 MHz)

	<u>Protected Side</u>	<u>Surge Side</u>
LP-STRL-DFF	716-DIN Female	716-DIN Female
LP-STRL-DMP	716-DIN Male	716-DIN Female
LP-STRL-DMS	716-DIN Female	716-DIN Male

**LP-STRL-N Series** - DC Blocked, low PIM, (680 to 2200 MHz)

	<u>Protected Side</u>	<u>Surge Side</u>
LP-STRL-NFF	N Female	N Female
LP-STRL-NMP	N Male	N Female
LP-STRL-NMS	N Female	N Male

**Wireless Broadband Protector****LP-WBX Series** - DC Blocked (2000 to 6000 MHz)

	<u>Protected Side</u>	<u>Surge Side</u>
LP-WBX-NFF	N Female	N Female
LP-WBX-NMP	N Male	N Female
LP-WBX-NMS	N Female	N Male



### L1, L2, and L3 GPS Protector

**LP-GPX Series** - DC Pass (1000 to 2000 MHz)

LP-GPX-05-NFF  
LP-GPX-05-NFM

**Protected Side**  
N Female  
N Male

**Surge Side**  
N Female  
N Female (Bi-Directional)



### Protector Connector

**LP-18-400 Series** - DC Pass (DC to 6000 MHz)

LP-18-400-NMH-X  
LP-18-400-NF-X

**Side 1**  
N Male  
N Female

**Side 2**  
EZ-400-X Crimp Style Interface (Bi-Directional)  
EZ-400-X-Crimp Style Interface (Bi-Directional)



**LP-GTV Series** DC Pass (DC to 7000 MHz)

LP-GTV-NFF  
LP-GTV-NFM

**Protected Side**  
N Female  
N Male

**Surge Side**  
N Female  
N Female (Bidirectional)




### Order Form for FREE CST Strip Tool

Ordering is Easy!

Simply circle the tool you want and email, fax or mail this form and your distributor invoices for 20 **Times-Protect**<sup>®</sup> lightning protectors to the following:

Attn: Carolyn Turner - Marketing Coordinator  
Times Microwave Systems  
358 Hall Avenue  
Wallingford, CT 06492  
Tel: 203-949-8429  
Fax: 203-949-8423  
email: cturner@timesmicrowave.com



Your address here:

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Street Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Tel No: \_\_\_\_\_ Email: \_\_\_\_\_  
**Part Number:** \_\_\_\_\_

